

TEXTON

SUGGESTED RETAIL PRICING

OCTOBER, 2017



EXTERIOR SHADE COLLECTION



ZIPSCREEN— KEEPS FABRICS SECURE IN THE CHANNELS WITH THE SIDE-FASTENING SYSTEM

WIRE GUIDE— UTILIZING WIRE GUIDES

CHANNEL GUIDE— WITH SLIM SIDE CHANNEL

STRAIGHT DROP— ENTRY-LEVEL OPTION WITH LOCKING CLIPS ON HEMBAR

PIVOT ARM— ALLOWS YOUR SHADE TO BECOME AN AWNING

EXTREME— SHADE SIZES UP TO 25 FT. WIDE

MOTORIZATION CRANK GEAR

TEXTON.COM


800-442-1540

FAX: 972-276-5104

GENERAL SCHEMATICS

THE ZIPSCREEN SYSTEM OFFERS THE MOST OPTIONS AND FLEXIBILITY FOR ALL APPLICATIONS. THE PERFECT SOLUTION FOR OUTDOOR ENTERTAINMENT AREAS IN BOTH COMMERCIAL AND RESIDENTIAL SETTINGS, THE SYSTEM IS DESIGNED TO PERMANENTLY SECURE FABRIC IN ITS SIDE CHANNELS PROVIDING THE BENEFITS OF LIGHT WIND*, INSECT PROTECTION, LIGHT/UV BLOCK OUT, AND NOISE REDUCTION.

ZIPSCREEN




SYSTEM INDEX – ZIPSCREEN, BOX 120, SPRING, F56 WEIGHT BAR, ULTRA LOCK

- | | | |
|-------------------------------------|---------------------------------|---|
| 1. Box 120 Back | 8. Idler Pin Adapter Set | 15. Zipscreen Weight Bar End Cap Set + Screws |
| 2. Box 120 Full Cover | 9. 78mm Tube – Aluminum & Steel | 16. Zipscreen Auto-Lock Set + Screws |
| 3. Box 120 End Plate Set + Screws | 10. Zipscreen Reducer | 17. Zipscreen Zip Inner Rail |
| 4. External Booster Bracket Adapter | 11. Zip- No.6 Gauge | 18. Zipscreen U Mounting Rail |
| 5. External Booster Short LH | 12. 7.2mm Tail Spline | 19. Zipscreen Inner Rail Funnel & Stop |
| 6. 78mm Booster Tail Adapter | 13. F56 Weight Bar | 20. Zipscreen Inner Rail Bottom Cap |
| 7. Idler Housing | 14. Ultra-Lock Seal | |

GENERAL SCHEMATICS


SOLARÉ EXTERIOR SHADES' RANGE COMPRISES OF 4 SYSTEMS TO SUIT ANY OUTDOOR APPLICATION, ALL UTILIZING COMMON HARDWARE AND INNOVATIVE TECHNOLOGY. SUITABLE FOR BOTH RESIDENTIAL AND COMMERCIAL DWELLINGS, OUR VERSATILE NEW SUITE OFFERS A MAGNITUDE OF OPTIONS ALLOWING YOU TO CUSTOMIZE YOUR SHADE TO SUIT YOUR REQUIREMENTS. THE BOX CAN BE INSTALLED WITH VARIOUS CONFIGURATIONS; BOX, SEMI FASCIA, FULL FASCIA, OR OPEN IN ORDER TO ACCOMMODATE VARIOUS STYLES AND INSTALLATIONS. OPEN BRACKETS CAN BE USED AS A SIMPLE, COST EFFECTIVE OPTION. THESE OPTIONS AND MANY MORE WILL HELP TO CREATE THE ULTIMATE OUTDOOR SHADE.

WIRE GUIDE



- 1.Box 120 Back
- 2.Box 120 Cover
- 3.Box 120 End Plate Set + Screws
- 4.Wire Tensioning Spring
- 5.Wire Rope Top Bracket
- 6.Pre-Tension Idler Bracket Adapter
- 7.External Booster LH
- 8.Idler Housing
- 9.Idler Pin Adapter Set
- 10.Tube
- 11.7.2mm Tail Spline
- 12.F56 Weight Bar
- 13.Wire Guide F56 Weight Bar End Cap Set +Screws
- 14.Swaged Dome Stud Terminal + 4.2m Wire
- 15.Wire Guide Auto Lock
- 16.Bottom Wire Guide Swivel Bracket

CHANNEL GUIDE




- 1.Box 120 Back
- 2.Box 120 Cover
- 3.Box 120 End Plate Set + Screws
- 4.Pre-Tension Idler Bracket Adapter
- 5.External Booster LH
- 6.Idler Housing
- 7.Idler Pin Adapter Set
- 8.Tube
- 9.7.2mm Tail Spline
- 10.F56 Weight Bar
- 11.Channel Guide Weight Bar End Caps Set
12. Channel Guide System Side Guides
- 13.Channel Guide Funnel & Bottom Cap Set
- 14.Dim Out Side Guide Cam Lock
- 15.Fabric Brush T Slot Fit

GENERAL SCHEMATICS (CONTINUED)


SOLARÉ EXTERIOR SHADES' RANGE COMPRISES OF 4 SYSTEMS TO SUIT ANY OUTDOOR APPLICATION, ALL UTILIZING COMMON HARDWARE AND INNOVATIVE TECHNOLOGY. SUITABLE FOR BOTH RESIDENTIAL AND COMMERCIAL DWELLINGS, OUR VERSATILE NEW SUITE OFFERS A MAGNITUDE OF OPTIONS ALLOWING YOU TO CUSTOMIZE YOUR SHADE TO SUIT YOUR REQUIREMENTS. THE BOX CAN BE INSTALLED WITH VARIOUS CONFIGURATIONS; BOX, SEMI FASCIA, FULL FASCIA, OR OPEN IN ORDER TO ACCOMMODATE VARIOUS STYLES AND INSTALLATIONS. OPEN BRACKETS CAN BE USED AS A SIMPLE, COST EFFECTIVE OPTION. THESE OPTIONS AND MANY MORE WILL HELP TO CREATE THE ULTIMATE OUTDOOR SHADE.

STRAIGHT DROP



1. BOX 120 BACK
2. BOX 120 COVER
3. BOX 120 END PLATE SET + SCREWS
4. GEAR 5:1
5. CRANK CONTROL ARM
6. CRANK ADAPTER
7. IDLER HOUSING
8. IDLER PIN ADAPTER SET
9. TUBE
10. 7.2MM TAIL SPLINE
11. F56 WEIGHT BAR
12. F56 WEIGHT BAR PLAIN END CAP
13. 25MM STRAP DOWN LOOP
14. STRAP DOWN SPRING CLIP - 50MM
15. STRAP DOWN PAD EYE SADDLE - 30MM


PIVOT ARM



1. BOX 120 BACK
2. BOX 120 COVER
3. BOX 120 END PLATE SET + SCREWS
4. GEAR 5:1
5. CRANK CONTROL ARM
6. CRANK ADAPTER
7. IDLER HOUSING
8. IDLER PIN ADAPTER SET
9. TUBE
10. 7.2MM TAIL SPLINE
11. PIVOT ARMS
12. PIVOT ARM TERMINAL BAR
13. PIVOT ARM TERMINAL BAR END CAP SET

GENERAL SCHEMATICS (CONTINUED)


DUE TO THEIR MECHANICAL NATURE, PIVOT ARM SYSTEMS HAVE 4 BASIC LENGTHS. SEE CHART BELOW.
WHEN SHADE IS IN THE "DOWN" POSITION, THE PIVOT ARM AND ITS ATTACHED FABRIC DOES NOT LAY FLUSH AND WILL PROTRUDE OUTWARD BY 20 DEGREES.



GENERAL SCHEMATICS (CONTINUED)

SOLARÉ EXTERIOR EXTREME SHADE SYSTEM IS AN INTEGRATION OF ROLLEASE ACMEDA'S ZIPSCREEN AND EXTREME SYSTEMS TO PRODUCE A LARGE SCREEN RETENTION SOLUTION. UTILIZING S100 TUBE & DURABLE CORROSION RESISTANT MATERIALS, THIS SYSTEM CAN BE USED INTERNALLY OR EXTERNALLY.








EXTREME (SHOWN USING ZIPSCREEN)



- | | | |
|----------------------------------|---|---|
| 1. VOLTA MOTOR (SOMFY AVAILABLE) | 8. UNIVERSAL ZAMAK ADAPTER | 15. ZIPSCREEN – ZIP INNER RAIL BOTTOM CAP SET |
| 2. EXTREME CROWN WHEEL | 9. EXTREME SQ. CNTRL BRACKET PLATE – INSIDE MOUNT | 16. SPLINE – 7.2MM WITH TAIL |
| 3. EXTREME DRIVE WHEEL | 10. EXTREME SQ. IDLE BRACKET PLATE – INSIDE MOUNT | 17. BUBBLE SEAL |
| 4. CLIP | 11. EXTREME ZIPSCREEN ADAPTER BRACKET KIT – UNIVERSAL | 18. F72 HD WEIGHT BAR END CAPS |
| 5. EXTREME BEARING IDLER | 12. ZIPSCREEN INNER RAIL FUNNEL & STOP SET | 19. F72 HD WEIGHT BAR |
| 6. 100-160MM ALUMINUM TUBES | 13. ZIPSCREEN – U MOUNTING RAIL | 20. ZIP – NO. 6 GAUGE, DOUBLE SIDED |
| 7. ZIP REDUCER END PLATE SET | 14. ZIPSCREEN – ZIP INNER RAIL | 21. FASTENER RAIL |

GENERAL SCHEMATICS (CONTINUED)

SOLARÉ EXTERIOR SHADES' RANGE COMPRISES OF 4 SYSTEMS TO SUIT ANY OUTDOOR APPLICATION, ALL UTILIZING COMMON HARDWARE AND INNOVATIVE TECHNOLOGY. SUITABLE FOR BOTH RESIDENTIAL AND COMMERCIAL DWELLINGS, OUR VERSATILE NEW SUITE OFFERS A MAGNITUDE OF OPTIONS ALLOWING YOU TO CUSTOMIZE YOUR SHADE TO SUIT YOUR REQUIREMENTS. THE BOX CAN BE INSTALLED WITH VARIOUS CONFIGURATIONS; BOX, SEMI FASCIA, FULL FASCIA, OR OPEN IN ORDER TO ACCOMMODATE VARIOUS STYLES AND INSTALLATIONS. OPEN BRACKETS CAN BE USED AS A SIMPLE, COST EFFECTIVE OPTION. THESE OPTIONS AND MANY MORE WILL HELP TO CREATE THE ULTIMATE OUTDOOR SHADE.

VALANCE/FASCIA OPTIONS			
BOX Full 	BOX Semi 	FASCIA Full 	FASCIA Semi 
OPEN SHADE 	OPEN With Covers 	OPEN Without Cover 	

			SYSTEM				
			STRAIGHT DROP	ZIPSCREEN	WIRE GUIDE	CHANNEL	PIVOT
INSTALLATION OPTIONS	BOX Full		✓	✓ EXCLUDES EXTREME	✓ EXCLUDES EXTREME	✓	
	BOX Semi		✓	✓ EXCLUDES EXTREME	✓ EXCLUDES EXTREME	✓	✓
	FASCIA Full		✓	✓ EXCLUDES EXTREME	✓ EXCLUDES EXTREME	✓	
	FASCIA Semi		✓	✓ EXCLUDES EXTREME	✓ EXCLUDES EXTREME	✓	✓
	OPEN BLIND		✓	✓	✓	✓	✓
CONTROL OPTIONS	MOTOR		✓	✓	✓	✓	✓
	GEAR		✓	✓ EXCLUDES EXTREME	✓ EXCLUDES EXTREME	✓	✓
HEMBAR OPTIONS	F56		✓	✓	✓	✓	
	PIVOT ARM						✓
LOCK OPTIONS	TIE DOWN		✓		✓		
	ULTRA LOCK				✓		
	SB07					✓	

5% OPENNESS

ANY SHADE WIDER THAN 118" AND LONGER THAN 118" MAY HAVE A VISIBLE SEAM.
 TEXTILENE NANO 95 (118" WIDTH) - GRANITE, EXPRESSO TEXTURE, TOBACCO, CHARCOAL, BLACK, WHITE, SABLE, BONE, STONE TEXTURE, SHADOW TEXTURE

	WIDTH (INCHES)								
	36"	42"	48"	54"	60"	66"	72"	78"	84"
36"	578	592	606	620	634	720	734	750	764
42"	584	598	612	628	642	736	750	764	778
48"	592	606	620	634	648	750	764	778	792
54"	598	614	628	642	656	764	778	792	806
60"	606	620	634	648	664	778	792	808	822
66"	614	628	642	656	670	794	808	822	836
72"	620	634	650	664	678	808	822	836	850
78"	628	642	656	670	684	822	836	850	864
84"	636	650	664	678	692	836	850	866	880
90"	642	656	670	686	700	852	866	880	894
96"	650	664	678	692	706	866	880	894	908
108"	664	678	692	706	722	894	908	924	938
120"	678	692	708	722	736	924	938	952	966
132"	694	708	722	736	750	952	966	982	996
144"	708	722	736	750	764	982	996	1,010	1,024
156"	722	736	750	764	780	1,010	1,024	1,040	1,054
168"	736	750	766	780	794	1,040	1,054	1,068	1,082
180"	752	766	780	794	808	1,068	1,082	1,098	1,112
192"	766	780	794	808	822	1,098	1,112	1,126	1,140

GREY= MANUAL CRANK. ALL SHADES IN GREY ARE OPEN-ROLL.

BLACK= MOTORIZED ONLY. ADD MOTORIZATION SURCHARGE.

	WIDTH (INCHES)									
	90"	96"	108"	118"	132"	144"	156"	168"	180"	192"
36"	778	792	820	848	1,118	1,176	1,238	1,300	1,358	1,420
42"	792	806	834	864	1,150	1,212	1,276	1,338	1,400	1,464
48"	806	820	850	878	1,186	1,248	1,314	1,378	1,442	1,506
54"	822	836	864	892	1,220	1,286	1,352	1,420	1,484	1,552
60"	836	850	878	906	1,258	1,324	1,394	1,462	1,530	1,598
66"	850	864	892	922	1,294	1,364	1,436	1,506	1,576	1,646
72"	864	878	908	936	1,334	1,404	1,478	1,552	1,622	1,696
78"	880	894	922	950	1,374	1,446	1,522	1,598	1,672	1,746
84"	894	908	936	964	1,414	1,490	1,568	1,646	1,722	1,800
90"	908	922	950	980	1,458	1,534	1,616	1,696	1,772	1,854
96"	922	936	966	994	1,500	1,580	1,664	1,746	1,826	1,908
108"	952	966	994	1,022	1,592	1,676	1,764	1,852	1,938	2,024
120"	980	994	1,024	1,052	1,690	1,780	1,872	1,966	2,056	2,148
132"	1,010	1,024	1,052	1,080	1,792	1,888	1,986	2,084	2,180	2,278
144"	1,038	1,052	1,082	1,110	1,902	2,002	2,106	2,212	2,312	2,418
156"	1,068	1,082	1,110	1,138	2,016	2,124	2,236	2,346	2,454	2,564
168"	1,096	1,110	1,140	1,168	2,140	2,254	2,372	2,490	2,602	2,720
180"	1,126	1,140	1,168	1,196	2,270	2,390	2,516	2,640	2,762	2,886
192"	1,154	1,168	1,198	1,226	2,408	2,536	2,668	2,802	2,930	3,062

GREY= MANUAL CRANK. ALL SHADES IN GREY ARE OPEN-ROLL.

BLACK= MOTORIZED ONLY. ADD MOTORIZATION SURCHARGE.

	WIRE	CHANNEL	ZIP
	GUIDE	GUIDE	SCREEN
36"	132	64	156
42"	134	78	174
48"	136	92	194
54"	138	106	212
60"	140	120	230
66"	142	134	248
72"	144	148	266
78"	146	162	284
84"	146	176	304
90"	148	190	322
96"	150	204	340
108"	154	232	376
120"	158	260	414
132"	162	290	450
144"	166	318	486
156"	168	346	522
168"	172	374	560
180"	176	402	596
192"	180	430	632

	WIRE	CHANNEL	ZIP
	GUIDE	GUIDE	SCREEN
36"	132	64	156
42"	134	78	174
48"	136	92	194
54"	138	106	212
60"	140	120	230
66"	142	134	248
72"	144	148	266
78"	146	162	284
84"	146	176	304
90"	148	190	322
96"	150	204	340
108"	154	232	376
120"	158	260	414
132"	162	290	450
144"	166	318	486
156"	168	346	522
168"	172	374	560
180"	176	402	596
192"	180	430	632

MOTORIZATION SURCHARGES

VOLTA 110V. RF MOTORIZATION	294
SOMFY 110V. RTS MOTORIZATION	720

PIVOT ARM SYSTEM PLEASE NOTE: PIVOT ARM PRICING BELOW IS THE ENTIRE MANUAL/CRANK SYSTEM.

IT IS NOT A SURCHARGE. MOTORIZATION AVAILABLE.

	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	118"	132"	144"	156"	168"	180"	192"
PIVOT 3.2 FT.	1,776	1,794	1,810	1,828	1,846	1,994	2,010	2,028	2,046	2,062	2,080	2,116	2,150	2,242	2,306	2,370	N/A	N/A	N/A
PIVOT 4.5 FT.	1,904	1,922	1,940	1,958	1,974	2,158	2,176	2,194	2,210	2,228	2,246	2,280	2,316	2,654	2,748	2,840	N/A	N/A	N/A

PIVOT 3.2 FT = 80 5/8" LENGTH (WITH FASCIA) OR 73 3/4" LENGTH (OPEN BRACKET). PIVOT 4.5 FT = 113 1/2" LENGTH (WITH FASCIA) OR 106 5/8" (OPEN BRACKET).

FASCIA & BOX SURCHARGES

	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	118"	132"	144"	156"	168"	180"	192"
SEMI FASCIA	20	24	26	30	32	36	40	42	46	48	52	58	64	72	78	84	90	96	102
FULL FASCIA	26	32	36	40	44	48	52	58	62	66	70	78	88	96	104	114	122	130	138
SEMI BOX	82	96	112	126	142	158	172	188	202	218	234	264	294	324	356	386	416	446	476
FULL BOX	88	104	120	138	154	170	186	202	218	236	252	284	316	350	382	414	448	480	512

INSECT SCREEN SYSTEM TEXTILENE NANO 55 (118" WIDTH) – BLACK

PLEASE NOTE—PRICING BELOW INCLUDES THE ZIP SCREEN SYSTEM.

	WIDTH (INCHES)													
	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	118"	
LENGTH (INCHES)	36"	692	706	720	734	748	794	808	822	836	850	866	894	922
	42"	714	728	742	756	770	818	832	848	862	876	890	918	946
	48"	734	748	764	778	792	844	858	872	886	900	914	942	972
	54"	756	770	784	798	812	868	882	896	910	924	938	968	996
	60"	778	792	806	820	834	892	906	920	934	950	964	992	1,020
	66"	798	814	828	842	856	916	932	946	960	974	988	1,016	1,044
	72"	820	834	848	864	878	942	956	970	984	998	1,012	1,040	1,070
	78"	842	856	870	884	898	966	980	994	1,008	1,022	1,038	1,066	1,094
	84"	864	878	892	906	920	990	1,004	1,020	1,034	1,048	1,062	1,090	1,118
	90"	884	898	914	928	942	1,016	1,030	1,044	1,058	1,072	1,086	1,114	1,144
	96"	906	920	934	948	962	1,040	1,054	1,068	1,082	1,096	1,110	1,140	1,168
	108"	950	964	978	992	1,006	1,088	1,104	1,118	1,132	1,146	1,160	1,188	1,216
	120"	992	1,006	1,020	1,034	1,048	1,138	1,152	1,166	1,180	1,194	1,210	1,238	1,266
	132"	1,034	1,050	1,064	1,078	1,092	1,188	1,202	1,216	1,230	1,244	1,258	1,286	1,316
	144"	1,078	1,092	1,106	1,120	1,134	1,236	1,250	1,264	1,278	1,294	1,308	1,336	1,364
	156"	1,120	1,134	1,148	1,164	1,178	1,286	1,300	1,314	1,328	1,342	1,356	1,384	1,414
168"	1,164	1,178	1,192	1,206	1,220	1,334	1,348	1,364	1,378	1,392	1,406	1,434	1,462	
180"	1,206	1,220	1,234	1,248	1,264	1,384	1,398	1,412	1,426	1,440	1,454	1,484	1,512	
192"	1,250	1,264	1,278	1,292	1,306	1,432	1,448	1,462	1,476	1,490	1,504	1,532	1,560	

GREY= MANUAL CRANK. ALL SHADES IN GREY ARE OPEN-ROLL.



BLACK= MOTORIZED ONLY. ADD MOTORIZATION SURCHARGE.

	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	118"
SEMI FASCIA	20	24	26	30	32	36	40	42	46	48	52	58	64
FULL FASCIA	26	32	36	40	44	48	52	58	62	66	70	78	88
SEMI BOX	82	96	112	126	142	158	172	188	202	218	234	264	294
FULL BOX	88	104	120	138	154	170	186	202	218	236	252	284	316

MOTORIZATION CONTROLS

						
1 CHANNEL REMOTE \$104	15 CHANNEL REMOTE \$122	5 CHANNEL WALL SWITCH* \$94	1 CHANNEL WALL SWITCH \$80	2 CHANNEL WALL SWITCH \$90	15 CHANNEL WALL SWITCH \$98	SUN SENSOR \$66

ALL WALL SWITCHES INCLUDE A DECO-STYLE PLATE COVER.

				
* THE 5 CHANNEL WALL SWITCH IS SURFACE MOUNTED. NO CUT-OUT REQUIRED. IN ADDITION, CONTROL DETACHES & SERVES AS HANDHELD REMOTE.	ARC APP CONTROL ACCESSORY WI-FI TO 433 - 2 WAY RF BRIDGE \$372	SOMFY TELIS 4 5 CHANNEL REMOTE \$161	SOMFY TELIS 16 16 CHANNEL REMOTE \$514	SOMFY DECOFLEX 5 5 CHANNEL WALL SWITCH \$304

EXTREME 5% OPENNESS TEXTILENE NANO 95 (118" WIDTH) - GRANITE, EXPRESSO TEXTURE, TOBACCO, CHARCOAL, BLACK, WHITE, SABLE, BONE, STONE TEXTURE, SHADOW TEXTURE

SOLARÉ EXTREME EXTERIOR SHADES ARE AN INTEGRATION OF ROLLEASE ACMEIDA'S ZIPSCREEN AND EXTREME SYSTEMS TO PRODUCE A LARGE SCREEN RETENTION SOLUTION.

UTILIZING 110 TO 160MM TUBES & DURABLE CORROSION RESISTANT MATERIALS, THIS SYSTEM CAN BE USED INTERNALLY OR EXTERNALLY.

PLEASE NOTE: SOLARÉ EXTREME PRICING INCLUDES WIRE GUIDES AND 110V. RF MOTORIZATION FEATURING VOLTA MOTORS.

SEE SOMFY 110V. MOTORIZATION SURCHARGE BELOW.

MANUAL/CRANK IS NOT AVAILABLE. 110V. MOTORIZATION ONLY.

SEE ZIPSCREEN SURCHARGES BELOW. MAX WIDTH FOR ZIPSCREEN IS 276" (23').

SOLARÉ EXTREME DOES NOT OFFER ANY FASCIA OR BOX SYSTEMS. SHADE IS AN OPEN ROLL OR CAN BE RECESSED MOUNTED.

ANY SHADE WIDER THAN 118" AND LONGER THAN 118" MAY HAVE A VISIBLE SEAM.

LENGTH (INCHES)	WIDTH (INCHES)												ZIP SCREEN	
	3'	4'	5'	6'	7'	8'	9'	10'	11'	12'	13'	14'		
	36"	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"		
36"	2,108	2,168	2,230	2,364	2,424	2,486	2,546	2,608	2,842	2,934	3,024	3,114	36"	58
48"	2,126	2,188	2,250	2,398	2,458	2,520	2,580	2,642	2,848	2,938	3,028	3,118	48"	78
60"	2,146	2,208	2,268	2,432	2,492	2,554	2,614	2,676	2,854	2,944	3,034	3,124	60"	98
72"	2,166	2,228	2,288	2,466	2,526	2,588	2,648	2,710	2,858	2,948	3,038	3,128	72"	116
84"	2,186	2,246	2,308	2,500	2,560	2,622	2,684	2,744	2,864	2,954	3,044	3,134	84"	136
96"	2,206	2,266	2,328	2,534	2,594	2,656	2,718	2,778	3,188	3,306	3,426	3,544	96"	154
108"	2,224	2,286	2,348	2,568	2,628	2,690	2,752	2,812	3,192	3,312	3,430	3,550	108"	174
120"	2,244	2,306	2,366	2,602	2,664	2,724	2,786	2,846	3,198	3,316	3,436	3,554	120"	194
132"	2,264	2,326	2,386	2,636	2,698	2,758	2,820	2,880	3,202	3,322	3,440	3,560	132"	212
144"	2,284	2,344	2,406	2,670	2,732	2,792	2,854	2,914	3,208	3,326	3,446	3,566	144"	232
156"	2,304	2,364	2,426	2,704	2,766	2,826	2,888	2,948	3,212	3,332	3,452	3,570	156"	252
168"	2,322	2,384	2,446	2,738	2,800	2,860	2,922	2,982	3,218	3,338	3,456	3,576	168"	270
180"	2,490	2,602	2,712	3,068	3,180	3,290	3,400	3,510	3,766	3,934	4,104	4,272	180"	290
192"	2,510	2,620	2,732	3,102	3,214	3,324	3,434	3,544	3,772	3,940	4,108	4,276	192"	308
204"	2,530	2,640	2,750	3,136	3,248	3,358	3,468	3,580	3,776	3,946	4,114	4,282	204"	328
216"	2,550	2,660	2,770	3,172	3,282	3,392	3,502	3,614	3,782	3,950	4,118	4,288	216"	348
228"	2,570	2,680	2,790	3,206	3,316	3,426	3,536	3,648	3,786	3,956	4,124	4,292	228"	366
240"	2,588	2,700	2,810	3,240	3,350	3,460	3,570	3,682	3,792	3,960	4,128	4,298	240"	386

LENGTH (INCHES)	WIDTH (INCHES)											ZIP SCREEN	
	15'	16'	17'	18'	19'	20'	21'	22'	23'	24'	25'		
	180"	192"	204"	216"	228"	240"	252"	264"	276"	288"	300"		
36"	3,204	3,294	3,384	3,474	3,564	4,642	4,782	4,920	5,892	6,036	6,182	36"	58
48"	3,208	3,298	3,388	3,478	3,570	4,646	4,786	4,926	5,898	6,042		48"	78
60"	3,214	3,304	3,394	3,484	3,574	4,652	4,792	4,932	5,902	6,046		60"	98
72"	3,218	3,308	3,400	3,490	3,580	4,658	4,796	4,936	5,908	6,052		72"	116
84"	3,224	3,314	3,404	3,494	3,584	4,662	4,802	4,942	5,912	6,058		84"	136
96"	3,664	3,782	3,902	4,022	4,140	5,248	5,416	5,584	6,584			96"	154
108"	3,668	3,788	3,908	4,026	4,146	5,252	5,420	5,590				108"	174
120"	3,674	3,794	3,912	4,032	4,150	5,258	5,426	5,594				120"	194
132"	3,680	3,798	3,918	4,036	4,156	5,262	5,430	5,600				132"	212
144"	3,684	3,804	3,922	4,042	4,160	5,268	5,436	5,604				144"	232
156"	3,690	3,808	3,928	4,046	4,166	5,272	5,442	5,610				156"	252
168"	3,694	3,814	3,932	4,052	4,170	5,278	5,446	5,614				168"	270
180"	4,440	4,608	4,778	4,946	5,114	5,282	5,452					180"	290
192"	4,446	4,614	4,782	4,950	5,120	5,288						192"	308
204"	4,450	4,620	4,788	4,956	5,124	5,294						204"	328
216"	4,456	4,624	4,792	4,962	5,130	5,298						216"	348
228"	4,460	4,630	4,798	4,966	5,134							228"	366
240"	4,466	4,634	4,802	4,972	5,140							240"	386



SOMFY 110V RTS MOTORIZATION SURCHARGE- \$422

ZIPSCREEN NOT AVAILABLE OVER 276" WIDTHS.

MOTORIZATION CONTROLS

Volta Motors						
						
1 CHANNEL REMOTE	15 CHANNEL REMOTE	5 CHANNEL WALL SWITCH*	1 CHANNEL WALL SWITCH	2 CHANNEL WALL SWITCH	15 CHANNEL WALL SWITCH	SUN SENSOR
\$104	\$122	\$94	\$80	\$90	\$98	\$66

ALL WALL SWITCHES INCLUDE A DECO-STYLE PLATE COVER.

 Volta Motors * THE 5 CHANNEL WALL SWITCH IS SURFACE MOUNTED. NO CUT-OUT REQUIRED. IN ADDITION, CONTROL DETACHES & SERVES AS HANDHELD REMOTE.	 Volta Motors ARC APP CONTROL ACCESSORY WI-FI TO 433 - 2 WAY RF BRIDGE \$372	 SOMFY TELIS 4 5 CHANNEL REMOTE \$161	 SOMFY TELIS 16 16 CHANNEL REMOTE \$514	 SOMFY DECOFLEX 5 5 CHANNEL WALL SWITCH \$304
---	--	---	--	--

NOTES

[illegible]

LIMITED LIFETIME WARRANTY

TEXTON, INC. WARRANTS THAT SOLARÉ EXTERIOR SHADES WILL BE FREE FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR AS LONG AS THE ORIGINAL RETAIL PURCHASER OWNS THE PRODUCT, PROVIDED THAT PRODUCTS WERE PROPERLY INSTALLED IN RESIDENTIAL DWELLINGS AND PRODUCTS WERE MADE OR ASSEMBLED EXCLUSIVELY FROM SOLARÉ MATERIALS AND COMPONENTS.

THE OBLIGATION OF TEXTON, INC. IS LIMITED TO REPAIR OR REPLACE THE SHADINGS OR COMPONENTS FOUND TO BE DEFECTIVE, AND EXCLUDES SHIPPING CHARGES AND LABOR COSTS FOR MEASURING, FABRICATING AND INSTALLATION. REPAIRS WILL BE MADE WITH LIKE OR SIMILAR PARTS.

THIS WARRANTY DOES NOT INCLUDE ANY CONDITIONS OR DAMAGES RESULTING FROM ACCIDENTS, ALTERATIONS, EXPOSURE TO ELEMENTS (WHICH COULD CAUSE, AMONG OTHER THINGS, THE FADING OF SHADE COLORS), MISUSE, ABUSE, MOTORIZED DEVICES, OR FAILURE TO FOLLOW OUR INSTRUCTIONS WITH RESPECT TO MEASUREMENT, INSTALLATION, CLEANING OR MAINTENANCE. THIS WARRANTY DOES NOT COVER DAMAGE TO SHADE FABRICS AS A RESULT OF USING WINDOW CLEANERS OR SIMILAR SUBSTANCES, WHICH COULD CAUSE DISCOLORATION OF THE SHADES.

THIS WARRANTY DOES NOT COVER ANY CONDITION OR DAMAGE RESULTING FROM REMOVAL OF THE SHADE AND REINSTALLATION IN THE SAME OR ANOTHER WINDOW.

THIS WARRANTY DOES NOT APPLY TO CONDITIONS CAUSED BY NORMAL WEAR AND TEAR UPON THE PRODUCT.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER OBLIGATIONS, LIABILITIES OR WARRANTIES. IN NO EVENT SHALL TEXTON, INC. BE LIABLE OR RESPONSIBLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OR FOR ANY OTHER DIRECT OR INDIRECT DAMAGE, LOSS, COST, EXPENSE OR FEE. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION OR LIMITATION MAY NOT APPLY TO YOU.



Volta™ MOTOR WARRANTY

TEXTON & ROLLEASE ACMEDA WARRANTS ITS AC AND DC WIRED MOTORS AND ELECTRONIC ACCESSORIES TO BE FREE FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR 7 YEARS, AND WARRANTS BATTERY POWERED DC MOTORS TO BE FREE FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR 5 YEARS WHEN INSTALLED PROPERLY AND OPERATED UNDER NORMAL USE FROM THE DATE STAMPED OR AFFIXED LABEL ON EACH DEVICE.

IF A ROLLEASE ACMEDA MOTOR AND ELECTRONIC ACCESSORY IS FOUND TO BE DEFECTIVE AND COVERED BY THE WARRANTY, WE WILL, AT OUR OPTION, REPAIR OR REPLACE IT FREE OF CHARGE.

REPAIRS OR REPLACEMENTS WILL BE MADE WITH LIKE OR SIMILAR PARTS AND PRODUCTS, AND EXCLUDE THE COST OF REMOVAL AND REINSTALLATION. THIS PRODUCT WARRANTY DOES NOT COVER ANY CONDITIONS OR DAMAGES RESULTING FROM MISUSE OR ABUSE, ACCIDENTS, ALTERATIONS, NEGLIGENCE, DAMAGE BY OTHERS, NATURAL DISASTERS, EXPOSURE TO THE ELEMENTS, OR FAILURE TO FOLLOW ROLLEASE ACMEDA INSTRUCTIONS WITH RESPECT TO INSTALLATION, USE AND MAINTENANCE.

THE REPAIR OR REPLACEMENT OF DEFECTIVE PRODUCT IS THE PURCHASER'S SOLE REMEDY AND THE LIMIT OF ROLLEASE ACMEDA'S OBLIGATION. EXCEPT AS EXPRESSLY PROVIDED IN THIS PARAGRAPH, ROLLEASE ACMEDA MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND, NATURE OR DESCRIPTION, EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS OF ANY PRODUCTS FOR ANY PARTICULAR PURPOSE, AND HEREBY DISCLAIMS THE SAME. IN NO EVENT SHALL ROLLEASE ACMEDA BE LIABLE OR RESPONSIBLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OR FOR ANY OTHER DIRECT OR INDIRECT DAMAGE, LOSS, COST, EXPENSE OR FEE.

TO RETURN PRODUCTS FOR INSPECTION AND, IF THE CONDITION OR DAMAGE IS COVERED BY THE WARRANTY, REPAIR OR REPLACEMENT, CONTACT US FOR A RETURN GOODS AUTHORIZATION (RGA) NUMBER, AND THEN SHIP THE PARTS IN QUESTION BACK TO ROLLEASE ACMEDA, FREIGHT CHARGES PRE-PAID. ROLLEASE ACMEDA WILL INSPECT AND REPAIR OR REPLACE ANY COVERED, DEFECTIVE ITEMS AND RETURN THEM FREIGHT PRE-PAID.

WARRANTY EXCLUSIONS:

- INSTALLATION AND USAGE ARE NOT IN ACCORDANCE WITH OUR INSTALLATION AND OPERATING INSTRUCTIONS.
- PRODUCT HAS BEEN OPENED, DISMANTLED OR RETURNED WITH CLEAR EVIDENCE OF ABUSE OR OTHER DAMAGE.
- PRODUCT HAS BEEN USED TO PERFORM FUNCTIONS OTHER THAN THE FUNCTIONS IT WAS DESIGNED TO HANDLE, NAMELY MOTORIZING WINDOW ATTACHMENTS (E.G., SHADES, ROLLING SHUTTERS, AND AWNINGS).
- PRODUCT IS USED WITH ELECTRICAL ACCESSORIES (SWITCHES, RELAYS, ETC.) THAT HAVE NOT BEEN PREVIOUSLY APPROVED IN WRITING BY THE ROLLEASE ACMEDA INNOVATION AND DESIGN CENTER.

SOMFY MOTOR WARRANTY



SOMFY OFFERS A 5 YEAR WARRANTY ON ALL MOTORS AND CONTROLS.

SPECIFICALLY, SOMFY WARRANTS ITS MOTORS AND CONTROLS TO BE FREE FROM DEFECTS IN MATERIAL AND WORKMANSHIP UNDER NORMAL AND PROPER USE FOR A PERIOD OF 5 YEARS COMMENCING WITH THE DATE STAMPED ON EACH PRODUCT. IF THE SOMFY PRODUCT FAILS WITHIN THIS 5 YEAR PERIOD, SOMFY WILL REPAIR OR REPLACE IT FREE OF CHARGE THROUGH YOUR END PRODUCT SUPPLIER. BATTERIES ARE NOT COVERED BY THIS WARRANTY.