TEXTON

SUGGESTED RETAIL PRICING SUPPLEMENT

MARCH, 2017

VISAGE

INTERIOR WINDOW SHADE COLLECTION

THIS IS AN ADD-ON SUPPLEMENT TO THE SOLARÉ SHADE PRICE LIST- SEPTEMBER, 2016

SEE THE SOLARÉ SUGGESTED RETAIL PRICE LIST FOR WARRANTY INFORMATION & MOTORIZATION CONTROL OPTIONS

SOLAR SCREEN MATERIALS *TRANSLUCENT MATERIALS* *SHEER FABRICS* *ROOM DARKENING & BLACKOUT MATERIALS*
MANUAL *MOTORIZATION*

TEXTON.COM 800-442-1540 FAX: 972-276-5104

PG-1 KNIGHTSBRIDGE– MAXIMUM WIDTH– 102". MAXIMUM LENGTH– 114"

VISAGE MANUALLY OPERATED SHADES

	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
36"	372	386	400	414	427	441	629	643	657	671	684	698	712	725
48"	415	429	442	456	470	483	713	727	741	754	768	782	796	809
60"	457	471	485	498	512	526	797	811	825	838	852	866	880	893
72"	500	513	527	541	555	568	881	895	909	922	936	950	963	977
84"	542	556	570	583	597	611	965	979	992	1,006	1,020	1,034	1,047	1,061
96"	585	598	612	626	639	653	1,049	1,063	1,076	1,090	1,104	1,118	1,131	1,145
108"	627	641	654	668	682	696	1,133	1,147	1,160	1,174	1,188	1,201	1,215	1,229
114"	648	662	676	689	703	717	1,175	1,189	1,202	1,216	1,230	1,243	1,257	1,271

LOW VOLTAGE SURCHARGES

SOMFY BATTERY MOTORIZATION– 632
SOMFY 24V. MOTORIZATION– 730

SOMFY MOTOR CONTROLS ON PAGE 42 OF THE SOLARÉ PRICE LIST

Visage & Volta™ STANDARD BATTERY & NON BATTERY LOW VOLTAGE SHADES*

MOTORS AND INTERNAL LITHIUM ION BATTERY INCLUDED IN SUGGESTED PRICING.

	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
36"	591	599	608	616	706	715	898	906	915	925	944	953	1,158	1,168
48"	632	641	649	739	748	756	981	989	1,000	1,008	1,027	1,036	1,241	1,251
60"	674	682	772	780	789	798	1,064	1,074	1,083	1,101	1,110	1,313	1,324	1,334
72"	715	805	813	822	830	839	1,147	1,157	1,175	1,184	1,385	1,396	1,407	1,417
84"	757	846	855	863	872	881	1,230	1,240	1,258	1,267	1,468	1,479	1,490	1,500
96"	879	888	896	905	913	922	1,314	1,323	1,341	1,350	1,551	1,562	1,571	1,582
108"	921	929	938	946	955	963	1,397	1,415	1,424	1,623	1,633	1,643	1,654	1,665
114"	942	950	959	967	976	984	1,439	1,456	1,465	1,663	1,674	1,685	1,696	1,706

VOLTA BATTERY CHARGER – 42

***PLEASE NOTE-** EACH VOLTA NON BATTERY LOW VOLTAGE SHADE INCLUDES 110V. TRANSFORMER POWER SUPPLY.

Visage & Volta™ QUIET BATTERY & NON BATTERY LOW VOLTAGE SHADES*

	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
36"	751	760	769	778	787	796	980	989	998	1,007	1,015	1,024	1,169	1,180
48"	793	802	811	820	829	838	1,063	1,072	1,081	1,089	1,098	1,107	1,252	1,263
60"	834	843	852	861	870	879	1,146	1,155	1,164	1,172	1,181	1,325	1,335	1,346
72"	876	885	894	903	912	921	1,229	1,238	1,247	1,255	1,397	1,408	1,418	1,429
84"	917	926	935	944	953	962	1,312	1,321	1,329	1,338	1,480	1,491	1,501	1,512
96"	959	968	977	986	995	1,004	1,395	1,404	1,412	1,421	1,563	1,574	1,583	1,594
108"	1,000	1,009	1,018	1,027	1,036	1,045	1,478	1,486	1,495	1,635	1,644	1,655	1,666	1,677
114"	1,021	1,030	1,039	1,048	1,057	1,066	1,519	1,528	1,539	1,675	1,686	1,696	1,707	1,718

VOLTA BATTERY CHARGER – 42

***PLEASE NOTE-** EACH VOLTA NON BATTERY LOW VOLTAGE SHADE INCLUDES 110V. TRANSFORMER POWER SUPPLY.

PG-2 KENSINGTON- MAXIMUM WIDTH– 102". MAXIMUM LENGTH– 156"

VISAGE MANUALLY OPERATED SHADES

	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
36"	395	408	422	436	450	463	674	688	701	715	729	743	756	770
48"	443	456	470	484	498	511	769	783	796	810	824	838	851	865
60"	491	504	518	532	546	559	864	878	892	905	919	933	946	960
72"	539	552	566	580	594	607	959	973	987	1,000	1,014	1,028	1,042	1,055
84"	587	600	614	628	642	655	1,054	1,068	1,082	1,095	1,109	1,123	1,137	1,150
96"	635	648	662	676	690	703	1,149	1,163	1,177	1,190	1,204	1,218	1,232	1,245
108"	683	696	710	724	738	751	1,244	1,258	1,272	1,286	1,299	1,313	1,327	1,340
120"	731	744	758	772	786	799	1,339	1,353	1,367	1,381	1,394	1,408	1,422	1,436
132"	779	792	806	820	834	847	1,435	1,448	1,462	1,476	1,489	1,503	1,517	1,531
144"	827	840	854	868	882	895	1,530	1,543	1,557	1,571	1,585	1,598	1,612	1,626
156"	875	889	902	916	930	943	1,625	1,638	1,652	1,666	1,680	1,693	1,707	1,721

LOW VOLTAGE SURCHARGES

SOMFY BATTERY MOTORIZATION– 632
SOMFY 24V. MOTORIZATION– 730

SOMFY MOTOR CONTROLS ON PAGE 42 OF THE SOLARÉ PRICE LIST

OVERSIZED FREIGHT: Any product over 90" wide will be subject to additional freight charges. Go to: texton.com/texton-freight-policy/ for more information.

Volta™ MOTORIZATION WARRANTY

SEE FULL WARRANTY ON PAGE 48 OF THE SOLARÉ PRICE LIST.

TEXTON & VOLTA SHADES WARRANT ITS AC AND DC WIRED MOTORS AND ELECTRONIC ACCESSORIES TO BE FREE FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR **7 YEARS**, AND WARRANTS BATTERY POWERED DC MOTORS TO BE FREE FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR **5 YEARS** WHEN INSTALLED PROPERLY AND OPERATED UNDER NORMAL USE FROM THE DATE STAMPED OR AFFIXED LABEL ON EACH DEVICE.

PG-2 KENSINGTON (CONTINUED)- MAXIMUM WIDTH– 102". MAXIMUM LENGTH– 156"

Visage & Volta™ STANDARD BATTERY & NON BATTERY LOW VOLTAGE SHADES*

MOTORS AND INTERNAL LITHIUM ION BATTERY INCLUDED IN SUGGESTED PRICING.

	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
36"	613	622	630	639	728	737	942	951	959	970	988	997	1,202	1,213
48"	660	669	677	767	775	784	1,036	1,045	1,055	1,064	1,083	1,091	1,296	1,307
60"	707	716	805	814	822	831	1,131	1,141	1,150	1,168	1,177	1,380	1,391	1,401
72"	754	844	852	861	870	878	1,225	1,235	1,253	1,262	1,463	1,474	1,485	1,495
84"	801	891	899	908	917	925	1,319	1,329	1,347	1,356	1,557	1,568	1,579	1,590
96"	929	938	947	955	964	972	1,415	1,423	1,441	1,450	1,652	1,662	1,671	1,682
108"	977	985	994	1,002	1,011	1,019	1,509	1,526	1,535	1,735	1,744	1,755	1,766	1,776
120"	1,024	1,032	1,041	1,049	1,058	1,066	1,603	1,620	1,629	1,828	1,838	1,849	1,860	1,870
132"	1,071	1,079	1,088	1,096	1,105	1,113	1,697	1,715	1,911	1,922	1,932	1,943	1,954	2,083
144"	1,118	1,126	1,135	1,143	1,152	1,162	1,791	1,994	2,005	2,016	2,027	2,037	2,048	2,177
156"	1,165	1,173	1,182	1,190	1,199	1,209	2,078	2,089	2,099	2,110	2,121	2,131	2,142	2,271

VOLTA BATTERY CHARGER – 42

***PLEASE NOTE-** EACH VOLTA NON BATTERY LOW VOLTAGE SHADE INCLUDES 110V. TRANSFORMER POWER SUPPLY.

Visage & Volta™ QUIET BATTERY & NON BATTERY LOW VOLTAGE SHADES*

	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
36"	774	783	792	801	810	818	1,024	1,033	1,042	1,051	1,060	1,069	1,214	1,225
48"	821	830	839	848	857	866	1,118	1,127	1,136	1,145	1,154	1,163	1,308	1,319
60"	868	877	886	895	904	913	1,213	1,222	1,230	1,239	1,248	1,392	1,402	1,413
72"	915	924	933	942	951	960	1,307	1,316	1,325	1,334	1,475	1,486	1,496	1,507
84"	962	971	980	989	998	1,007	1,401	1,410	1,419	1,428	1,569	1,580	1,591	1,601
96"	1,009	1,018	1,027	1,036	1,045	1,054	1,495	1,504	1,513	1,522	1,663	1,674	1,683	1,694
108"	1,056	1,065	1,074	1,083	1,092	1,101	1,589	1,598	1,607	1,746	1,756	1,767	1,777	1,788
120"	1,103	1,112	1,121	1,130	1,139	1,148	1,685	1,694	1,703	1,839	1,850	1,861	1,871	1,882
132"	1,150	1,159	1,170	1,179	1,188	1,197	1,780	1,789	1,922	1,933	1,944	1,955	2,033	2,097
144"	1,200	1,209	1,218	1,226	1,235	1,244	1,874	2,006	2,017	2,027	2,038	2,114	2,127	2,191
156"	1,247	1,256	1,265	1,274	1,282	1,291	2,089	2,100	2,111	2,121	2,195	2,208	2,221	2,271

VOLTA BATTERY CHARGER – 42

***PLEASE NOTE-** EACH VOLTA NON BATTERY LOW VOLTAGE SHADE INCLUDES 110V. TRANSFORMER POWER SUPPLY.

PG-3 PIMLICO- MAXIMUM WIDTH– 102". MAXIMUM LENGTH– 130"

VISAGE MANUALLY OPERATED SHADES

MOTORS AND INTERNAL LITHIUM ION BATTERY INCLUDED IN SUGGESTED PRICING.

	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
36"	422	436	449	463	477	491	728	742	756	770	783	797	811	825
48"	477	490	504	518	532	545	837	851	865	878	892	906	920	933
60"	532	545	559	573	586	600	946	960	973	987	1,001	1,014	1,028	1,042
72"	586	600	614	628	641	655	1,055	1,068	1,082	1,096	1,109	1,123	1,137	1,151
84"	641	655	669	682	696	710	1,163	1,177	1,191	1,204	1,218	1,232	1,246	1,259
96"	696	710	723	737	751	765	1,272	1,286	1,299	1,313	1,327	1,341	1,354	1,368
108"	751	765	778	792	806	819	1,381	1,394	1,408	1,422	1,436	1,449	1,463	1,477
120"	806	819	833	847	861	874	1,489	1,503	1,517	1,531	1,544	1,558	1,572	1,585
130"	861	874	888	902	915	929	1,598	1,612	1,626	1,639	1,653	1,667	1,680	1,694

LOW VOLTAGE SURCHARGES

SOMFY BATTERY MOTORIZATION– 632
SOMFY 24V. MOTORIZATION– 730

SOMFY MOTOR CONTROLS ON PAGE 42 OF THE SOLARÉ PRICE LIST

Visage & Volta™ STANDARD BATTERY & NON BATTERY LOW VOLTAGE SHADES*

	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
36"	640	649	657	666	756	764	997	1,005	1,014	1,025	1,043	1,052	1,257	1,268
48"	694	703	711	801	809	818	1,105	1,113	1,124	1,132	1,151	1,160	1,365	1,375
60"	748	757	846	855	863	872	1,212	1,223	1,231	1,249	1,258	1,462	1,472	1,483
72"	802	892	900	909	917	926	1,320	1,330	1,348	1,357	1,559	1,569	1,580	1,591
84"	856	945	954	963	971	980	1,428	1,438	1,456	1,465	1,666	1,677	1,688	1,699
96"	991	999	1,008	1,016	1,025	1,034	1,537	1,546	1,564	1,573	1,774	1,785	1,794	1,805
108"	1,045	1,053	1,062	1,070	1,079	1,087	1,645	1,663	1,672	1,871	1,880	1,891	1,902	1,913
120"	1,099	1,107	1,116	1,124	1,133	1,141	1,753	1,770	1,779	1,977	1,988	1,999	2,010	2,020
130"	1,152	1,161	1,170	1,178	1,187	1,195	1,860	1,878	2,074	2,085	2,096	2,107	2,117	2,246

VOLTA BATTERY CHARGER – 42

***PLEASE NOTE-** EACH VOLTA NON BATTERY LOW VOLTAGE SHADE INCLUDES 110V. TRANSFORMER POWER SUPPLY.

PG-3 PIMLICO (CONTINUED)- MAXIMUM WIDTH– 102". MAXIMUM LENGTH– 130"

Visage & Volta™ QUIET BATTERY & NON BATTERY LOW VOLTAGE SHADES*

	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
36"	801	810	819	828	837	846	1,079	1,088	1,097	1,106	1,115	1,124	1,269	1,279
48"	855	864	873	882	891	900	1,187	1,196	1,204	1,213	1,222	1,231	1,376	1,387
60"	909	918	927	936	945	953	1,294	1,303	1,312	1,321	1,330	1,473	1,484	1,495
72"	963	972	981	989	998	1,007	1,402	1,411	1,420	1,429	1,570	1,581	1,592	1,603
84"	1,017	1,025	1,034	1,043	1,052	1,061	1,510	1,519	1,528	1,537	1,678	1,689	1,700	1,710
96"	1,070	1,079	1,088	1,097	1,106	1,115	1,618	1,627	1,635	1,644	1,786	1,797	1,806	1,817
108"	1,124	1,133	1,142	1,151	1,160	1,169	1,725	1,734	1,743	1,883	1,892	1,903	1,914	1,924
120"	1,178	1,187	1,196	1,205	1,214	1,223	1,835	1,844	1,853	1,989	2,000	2,011	2,021	2,032
130"	1,232	1,241	1,252	1,261	1,270	1,279	1,943	1,952	2,086	2,097	2,107	2,118	2,196	2,260

VOLTA BATTERY CHARGER – 42

***PLEASE NOTE-** EACH VOLTA NON BATTERY LOW VOLTAGE SHADE INCLUDES 110V. TRANSFORMER POWER SUPPLY.

PG-4 MAYFAIR- MAXIMUM WIDTH– 102". MAXIMUM LENGTH– 112"

VISAGE MANUALLY OPERATED SHADES

	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
36"	444	458	472	485	499	513	773	787	800	814	828	842	855	869
48"	505	518	532	546	559	573	893	907	920	934	948	961	975	989
60"	565	579	592	606	620	634	1,013	1,026	1,040	1,054	1,068	1,081	1,095	1,109
72"	625	639	653	667	680	694	1,133	1,146	1,160	1,174	1,187	1,201	1,215	1,229
84"	686	699	713	727	741	754	1,252	1,266	1,280	1,294	1,307	1,321	1,335	1,348
96"	746	760	774	787	801	815	1,372	1,386	1,400	1,413	1,427	1,441	1,455	1,468
108"	807	820	834	848	861	875	1,492	1,506	1,519	1,533	1,547	1,561	1,574	1,588
112"	837	850	864	878	892	905	1,552	1,566	1,579	1,593	1,607	1,621	1,634	1,648

LOW VOLTAGE SURCHARGES

SOMFY BATTERY MOTORIZATION– 632
SOMFY 24V. MOTORIZATION– 730

SOMFY MOTOR CONTROLS ON PAGE 42 OF THE SOLARÉ PRICE LIST

Visage & Volta™ STANDARD BATTERY & NON BATTERY LOW VOLTAGE SHADES*

MOTORS AND INTERNAL LITHIUM ION BATTERY INCLUDED IN SUGGESTED PRICING.

	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
36"	663	671	680	688	778	786	1,041	1,050	1,058	1,069	1,087	1,096	1,301	1,312
48"	722	731	739	829	837	846	1,160	1,169	1,179	1,188	1,206	1,215	1,420	1,431
60"	781	790	880	888	897	905	1,279	1,289	1,298	1,316	1,325	1,528	1,539	1,550
72"	841	931	939	948	956	965	1,398	1,408	1,426	1,435	1,637	1,647	1,658	1,669
84"	900	990	999	1,007	1,016	1,024	1,517	1,527	1,545	1,554	1,756	1,766	1,777	1,788
96"	1,041	1,049	1,058	1,067	1,075	1,084	1,637	1,646	1,664	1,673	1,874	1,885	1,894	1,905
108"	1,100	1,109	1,117	1,126	1,135	1,143	1,756	1,774	1,783	1,983	1,992	2,003	2,013	2,024
112"	1,130	1,139	1,147	1,156	1,164	1,173	1,816	1,833	1,842	2,041	2,051	2,062	2,073	2,083

VOLTA BATTERY CHARGER – 42

***PLEASE NOTE-** EACH VOLTA NON BATTERY LOW VOLTAGE SHADE INCLUDES 110V. TRANSFORMER POWER SUPPLY.

Visage & Volta™ QUIET BATTERY & NON BATTERY LOW VOLTAGE SHADES*

	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
36"	823	832	841	850	859	868	1,123	1,132	1,141	1,150	1,159	1,168	1,313	1,324
48"	883	892	901	910	919	927	1,242	1,251	1,260	1,269	1,278	1,287	1,432	1,443
60"	942	951	960	969	978	987	1,361	1,370	1,379	1,388	1,397	1,540	1,551	1,562
72"	1,002	1,011	1,020	1,028	1,037	1,046	1,480	1,489	1,498	1,507	1,648	1,659	1,670	1,681
84"	1,061	1,070	1,079	1,088	1,097	1,106	1,599	1,608	1,617	1,626	1,767	1,778	1,789	1,800
96"	1,121	1,129	1,138	1,147	1,156	1,165	1,718	1,727	1,736	1,745	1,886	1,897	1,906	1,917
108"	1,180	1,189	1,198	1,207	1,216	1,225	1,837	1,846	1,855	1,994	2,003	2,014	2,025	2,036
112"	1,210	1,219	1,228	1,237	1,245	1,254	1,896	1,905	1,916	2,052	2,063	2,074	2,084	2,095

VOLTA BATTERY CHARGER – 42

***PLEASE NOTE-** EACH VOLTA NON BATTERY LOW VOLTAGE SHADE INCLUDES 110V. TRANSFORMER POWER SUPPLY.

OVERSIZED FREIGHT: Any product over 90" wide will be subject to additional freight charges. Go to: texton.com/texton-freight-policy/ for more information.

Volta™ MOTORIZATION WARRANTY

SEE FULL WARRANTY ON PAGE 48 OF THE SOLARÉ PRICE LIST.

TEXTON & VOLTA SHADES WARRANT ITS AC AND DC WIRED MOTORS AND ELECTRONIC ACCESSORIES TO BE FREE FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR **7 YEARS**, AND WARRANTS BATTERY POWERED DC MOTORS TO BE FREE FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR **5 YEARS** WHEN INSTALLED PROPERLY AND OPERATED UNDER NORMAL USE FROM THE DATE STAMPED OR AFFIXED LABEL ON EACH DEVICE.