



PRODUCT REFERENCE & PRICE GUIDE

Sheer Shadings

COLLECTION

June 2017

Prices subject to change without notice.

FEATURES & BENEFITS

- Horizontal fabric vanes float between two layers of soft, knitted fabric sheers, to soften your view outside with a choice of fabrics.
- All Sheer fabric vane colors are featured between two layers of sheer fabric.
- Available to widths of 120" and drops to 120" to provide visual elegance to the widest of windows.
- Vanes glide from open to closed to "out of sight" with elegant hardware.
- Four distinctly different variations of vane positions are available for numerous combinations of privacy, view and light control.
- An adjustable weight system in the bottomrail allows for on-the-spot skew adjustment for a balanced appearance in the window.
- Headrail is color coordinated with a fabric insert and color coordinated end caps.
- Low side light gap provides minimal light leakage on shading sides and above the headrail for increased privacy.
- Easy to install hardware and brackets allow for effortless installations and easy removal for cleaning.
- May be ultrasonically or traditionally cleaned to stay bright and beautiful.
- Lifetime Limited Warranty as a commitment to your satisfaction.
- Sheer fabrics may be processed with a topical treatment to resist flames and to adhere to strict flammability codes. For more information, contact your fabricator.

FABRIC REFERENCE GUIDE

FABRIC DESCRIPTION	FABRIC WIDTH	RETAIL PRICE GROUP
Aura 2" Light Filtering	120"	Grid 3
Aura 3" Light Filtering	120"	Grid 7
2" Light Filtering	120"	Grid 3
3" Light Filtering	120"	Grid 7
2" Room Darkening	120"	Grid 4
3" Room Darkening	120"	Grid 8
Cross-Hatch 2 1/2" Light Filtering	120"	Grid 5
Cross-Hatch 2 1/2" Room Darkening	120"	Grid 6
Horizontal Slub Print 2 1/2" Light Filtering	120"	Grid 5
Herringbone Print 2 1/2" Light Filtering	120"	Grid 5
Soft Stripe Print 2 1/2" Light Filtering	120"	Grid 5
Soft Stripe Print 2 1/2" Room Darkening	120"	Grid 6
Riptide 2 1/2" Light Filtering	120"	Grid 1
Beach Blanket 2 1/2" Light Filtering	120"	Grid 1
Evening Tide 2 1/2" Room Darkening	120"	Grid 2
Vertical Sheer	120"	Grid 9 & 10

TABLE OF CONTENTS

Sheer Shadings Features & Benefits	2
Fabric Reference Guide	2
Horizontal 2", 2 1/2", 3" Vane Price Grids.....	3-6
Vertical Sheer Shadings Price Grids	7
Momenta™ Motorized Sheer Shadings	8-9
Sheer Shadings Product Specifications	10-11
Design & Operation	12-13
Measuring Instructions	14
Standard Sheer Shadings Order Form	15
Vertical Sheer Shadings Features & Configurations	16
Vertical Sheer Shadings Specifications.....	17
Vertical Sheer Shadings Exploded View	18
Vertical Sheer Shadings Design & Operation	19-20
Vertical Sheer Shadings Measuring Details.....	21-23
Vertical Sheer Shadings Stackback Charts.....	24
Vertical Sheer Shadings Order Form.....	25
Vertical Sheer Shadings Ordering Example	26
Child Safety, Caring For Shades, Policies & Warranties	27

RETAIL PRICE GROUP 1	VALUE 2 ½" VANE : Light Filtering Fabrics														
	Riptide		N50		Beach Blanket		N54								
	Height To:	Width	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
		36"	288	328	373	418	463	504	549	589	634	720	810	904	981
		42"	306	355	405	454	499	549	598	648	693	792	891	994	1084
		48"	324	378	432	486	540	594	648	702	756	864	972	1084	1183
		54"	346	405	463	522	580	639	697	756	814	931	1048	1174	1282
		60"	369	432	499	562	625	693	756	819	886	1012	1143	1282	1399
		66"	387	454	522	589	661	729	796	864	936	1071	1210	1359	1485
		72"	405	477	553	625	697	774	846	922	994	1143	1291	1449	1584
		78"	423	504	580	661	738	819	895	976	1053	1210	1368	1539	1683
		84"	445	526	612	697	778	864	945	1030	1111	1282	1449	1633	1786
		90"	463	553	639	729	819	909	994	1084	1174	1350	1530	1723	1885
		96"	481	576	670	765	859	954	1044	1138	1233	1422	1611	1813	1984
		102"	504	598	697	801	900	994	1093	1192	1291	1489	1692	1903	2083
		108"	522	625	729	832	936	1044	1147	1251	1354	1561	1768	1993	2187
114"		540	648	760	868	976	1084	1197	1305	1413	1633	1849	2088	2286	
120"	562	675	787	904	1017	1129	1246	1359	1471	1701	1930	2178	2385		

RETAIL PRICE GROUP 2	VALUE 2 ½" VANE : Room Darkening Fabrics														
	Evening Tide		N52												
	Height To:	Width	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
		36"	313	366	415	469	518	567	621	670	719	822	924	1036	1130
		42"	339	397	451	509	567	625	683	737	795	911	1023	1148	1250
		48"	362	424	491	554	616	679	741	804	871	996	1125	1259	1375
		54"	389	456	527	594	665	737	804	875	942	1085	1224	1375	1501
		60"	415	491	567	648	723	799	875	956	1032	1183	1340	1505	1648
		66"	433	518	598	683	764	844	929	1009	1090	1255	1420	1599	1751
		72"	460	549	634	723	813	902	991	1076	1166	1344	1523	1710	1876
		78"	482	576	674	768	862	956	1049	1148	1242	1429	1621	1827	1996
		84"	509	607	710	813	911	1014	1112	1215	1313	1518	1719	1938	2121
		90"	531	639	746	853	960	1067	1175	1282	1389	1603	1818	2050	2246
96"		558	670	782	898	1009	1125	1237	1349	1465	1688	1916	2161	2371	
102"	581	701	817	938	1058	1179	1300	1416	1536	1777	2019	2278	2496		

AVAILABLE OPERATING SYSTEMS

- Clutch with Bead Chain Loop
Not Available with Cordless, Retractable, or Momenta Motorization

SHEER SHADINGS SPECIFICATIONS

Light Filtering Fabrics:

The light filtering fabrics feature vanes that add dimension to any room.

Minimum Width: 12"
Minimum Height: 12"

Maximum Width: 120"
Maximum Height: 120"

Room Darkening Fabrics:

The room darkening fabrics feature vanes that provide light control and privacy.

Minimum Width: 12"
Minimum Height: 12"

Maximum Width: 120"
Maximum Height: 102"

RETAIL PRICE GROUP 3		SHEER 2" VANE : Aura Fabrics (3001,3016, 3017, 3019, 3069, 3099)												
		SHEER 2" VANE : Light Filtering Fabrics (1000, 1001, 1008, 1002, 1065)												
Height To:	Width	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	563	630	705	771	845	917	985	1059	1239	1390	1534	1862	2194
	42"	592	667	742	825	902	983	1059	1136	1322	1486	1640	2000	2360
	48"	627	707	793	873	958	1042	1133	1220	1410	1580	1750	2142	2533
	54"	652	741	833	925	1018	1110	1209	1310	1496	1674	1874	2345	2817
	60"	683	783	877	974	1073	1179	1283	1391	1575	1781	1996	2506	3015
	66"	714	820	923	1027	1136	1249	1369	1480	1661	1894	2123	2665	3204
	72"	742	856	968	1078	1199	1322	1444	1567	1750	2000	2248	2839	3429
	78"	764	886	1003	1126	1252	1383	1509	1641	1834	2102	2360	2981	3603
	84"	796	923	1044	1185	1317	1453	1594	1732	1929	2215	2487	3132	3781
	90"	830	958	1093	1237	1381	1532	1670	1817	2022	2321	2612	3304	3997
	96"	860	999	1139	1292	1444	1595	1745	1898	2116	2429	2735	3470	4205
	102"	986	1142	1300	1470	1625	1773	1981	2173	2325	2645	2949	3567	4423
	108"	1039	1201	1369	1547	1706	1870	2082	2290	2449	2779	3106	3755	4653
	114"	1102	1274	1452	1640	1817	1987	2208	2428	2598	2949	3292	3984	4941
	120"	1185	1365	1558	1757	1938	2123	2361	2598	2780	3159	3525	4264	5281

RETAIL PRICE GROUP 4		SHEER 2" VANE : Sheer Room Darkening Fabrics (2100, 2200, 2600, 2400, 2500, 2300)												
Height To:	Width	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	619	695	776	848	927	1011	1082	1164	1365	1532	1687	2047	2413
	42"	655	736	817	908	990	1080	1164	1248	1455	1633	1805	2200	2596
	48"	689	777	873	958	1054	1148	1244	1343	1551	1739	1927	2359	2786
	54"	718	816	915	1019	1117	1220	1330	1438	1644	1841	2062	2580	3097
	60"	750	861	965	1073	1179	1296	1410	1533	1734	1959	2195	2757	3317
	66"	782	902	1018	1131	1248	1376	1505	1630	1824	2083	2335	2929	3525
	72"	817	945	1065	1187	1319	1455	1587	1725	1927	2200	2472	3120	3772
	78"	842	976	1103	1238	1377	1520	1660	1806	2014	2311	2593	3278	3964
	84"	876	1018	1150	1300	1450	1598	1756	1900	2122	2432	2734	3447	4160
	90"	913	1054	1201	1361	1518	1682	1838	1999	2223	2552	2873	3636	4396
	96"	947	1101	1253	1421	1587	1757	1924	2089	2329	2672	3009	3819	4625
	102"	1084	1258	1431	1616	1788	1952	2177	2391	2559	2908	3243	3926	4866
	106"	1144	1321	1505	1700	1878	2057	2291	2517	2692	3054	3413	4129	5117

AVAILABLE OPERATING SYSTEMS

- | | | |
|--|---|--|
| <ul style="list-style-type: none"> • Cordless - \$50 Retail Surcharge
Minimum: 20" x 20"
Maximum: 84" x 84"
Strap Cord Available in White or Black Only | <ul style="list-style-type: none"> • Retractable - \$99 Retail Surcharge
Minimum: 20" x 20"
Maximum Width: 120"
Maximum LF Length: 120"
Maximum RD Length: 96" | <ul style="list-style-type: none"> • Clutch with Cord Loop • Momenta™ Motorized System
*For motorization surcharges see page 8 |
|--|---|--|

SHEER SHADINGS SPECIFICATIONS

Light Filtering Fabrics:

The light filtering fabrics feature vanes that add dimension to any room.

Minimum Width: 12"
Minimum Height: 12"

Maximum Width: 120"
Maximum Height: 120"

Room Darkening Fabrics:

The room darkening fabrics feature vanes that provide light control and privacy.

Minimum Width: 12"
Minimum Height: 12"

Maximum Width: 120"
Maximum Height: 106"

RETAIL PRICE GROUP 5	SHEER 2 ½" VANE : Light Filtering Fabrics														
	Cross Hatch		N8		Horizontal Slub Print		N10								
	Herringbone Print		N9		Soft Stripe Print		N14								
	Height To:	Width	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
		36"	590	662	741	810	887	965	1036	1113	1302	1460	1611	1956	2304
		42"	623	701	781	866	947	1034	1113	1194	1388	1561	1723	2100	2478
		48"	659	742	833	917	1007	1094	1191	1282	1481	1660	1839	2250	2659
		54"	685	780	875	971	1068	1164	1270	1377	1571	1759	1968	2462	2958
		60"	718	822	922	1023	1125	1238	1347	1461	1655	1871	2097	2633	3166
		66"	750	861	970	1080	1194	1312	1438	1555	1744	1990	2230	2798	3366
72"		781	899	1017	1132	1261	1388	1517	1646	1839	2100	2361	2981	3600	
78"		803	931	1054	1183	1314	1453	1585	1724	1926	2208	2478	3131	3784	
84"		836	970	1096	1244	1383	1526	1674	1819	2026	2326	2612	3291	3971	
RETAIL PRICE GROUP 6	90"	872	1007	1149	1300	1451	1609	1754	1909	2123	2437	2744	3470	4198	
	96"	904	1048	1197	1357	1517	1675	1834	1994	2222	2551	2873	3644	4416	
	102"	1037	1199	1365	1544	1706	1861	2080	2281	2441	2778	3097	3747	4646	
	108"	1091	1263	1438	1625	1792	1963	2186	2405	2572	2917	3261	3943	4888	
	114"	1158	1339	1525	1723	1909	2087	2318	2550	2728	3097	3457	4184	5191	
	120"	1244	1434	1636	1845	2037	2230	2479	2728	2919	3318	3703	4478	5549	

RETAIL PRICE GROUP 6	SHEER 2 ½" VANE : Room Darkening Fabrics														
	Cross Hatch		N6			Soft Stripe Print			N16						
	Height To:	Width	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
		36"	650	730	816	891	973	1062	1136	1224	1434	1609	1772	2151	2534
		42"	688	773	858	953	1041	1134	1224	1311	1528	1716	1895	2311	2726
		48"	724	817	917	1007	1107	1205	1307	1410	1629	1825	2024	2477	2927
		54"	754	857	963	1071	1173	1282	1398	1511	1727	1933	2165	2710	3253
		60"	788	905	1014	1126	1238	1362	1481	1610	1820	2059	2305	2895	3483
		66"	821	947	1068	1188	1311	1445	1582	1711	1916	2188	2454	3075	3703
		72"	858	992	1119	1246	1385	1528	1666	1812	2024	2311	2596	3276	3961
78"		885	1024	1159	1301	1446	1596	1743	1897	2115	2427	2723	3443	4164	
84"	921	1068	1207	1365	1522	1679	1844	1996	2228	2554	2872	3620	4369		
90"	959	1107	1263	1428	1594	1767	1930	2099	2335	2681	3017	3819	4617		
96"	995	1157	1315	1493	1666	1845	2021	2195	2447	2805	3160	4011	4856		
102"	1138	1321	1502	1698	1879	2050	2287	2511	2687	3053	3407	4124	5109		
106"	1201	1387	1582	1785	1972	2160	2406	2644	2827	3208	3584	4336	5375		

AVAILABLE OPERATING SYSTEMS

- | | | |
|---|---|---|
| <ul style="list-style-type: none"> • Cordless - \$50 Retail Surcharge Minimum: 20" x 20" Maximum: 84" x 84" Strap Cord Available in White or Black Only | <ul style="list-style-type: none"> • Retractable - \$99 Retail Surcharge Minimum: 20" x 20" Maximum Width: 120" Maximum LF Length: 120" Maximum RD Length: 96" | <ul style="list-style-type: none"> • Clutch with Cord Loop • Momenta™ Motorized System *For motorization surcharges see page 8 |
|---|---|---|

SHEER SHADINGS SPECIFICATIONS

Light Filtering Fabrics:

The light filtering fabrics feature vanes that add dimension to any room.

Minimum Width: 12"
Minimum Height: 12"

Maximum Width: 120"
Maximum Height: 120"

Room Darkening Fabrics:

The room darkening fabrics feature vanes that provide light control and privacy.

Minimum Width: 12"
Minimum Height: 12"

Maximum Width: 120"
Maximum Height: 106"

RETAIL PRICE GROUP 7		SHEER 3" VANE : Aura Fabrics (33001, 33016, 33017, 33019, 33069, 33099)												
		SHEER 3" VANE : Light Filtering Fabrics (31000, 31001, 31008, 31002, 31065)												
Height To:	Width	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	619	695	776	848	927	1011	1082	1164	1365	1532	1687	2047	2413
	42"	655	736	817	908	990	1080	1164	1248	1455	1633	1805	2200	2596
	48"	689	777	873	958	1054	1148	1244	1343	1551	1739	1927	2359	2786
	54"	718	816	915	1019	1117	1220	1330	1438	1644	1841	2062	2580	3097
	60"	750	861	965	1073	1179	1296	1410	1533	1734	1959	2195	2757	3317
	66"	782	902	1018	1131	1248	1376	1505	1630	1824	2083	2335	2929	3525
	72"	817	945	1065	1187	1319	1455	1587	1725	1927	2200	2472	3120	3772
	78"	842	976	1103	1238	1377	1520	1660	1806	2014	2311	2593	3278	3964
	84"	876	1018	1150	1300	1450	1598	1756	1900	2122	2432	2734	3447	4160
	90"	913	1054	1201	1361	1518	1682	1838	1999	2223	2552	2873	3636	4396
	96"	947	1101	1253	1421	1587	1757	1924	2089	2329	2672	3009	3819	4625
	102"	1084	1258	1431	1616	1788	1952	2177	2391	2559	2908	3243	3926	4866
	108"	1144	1321	1505	1700	1878	2057	2291	2517	2692	3054	3413	4129	5119
	114"	1212	1403	1595	1805	1999	2184	2428	2670	2858	3243	3620	4381	5437
	120"	1300	1502	1710	1931	2137	2335	2597	2858	3055	3476	3878	4690	5812

RETAIL PRICE GROUP 8		SHEER 3" VANE : Room Darkening Fabrics (32100, 32200, 32600, 32400, 32500, 32300)												
Height To:	Width	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	681	764	854	933	1020	1112	1191	1281	1501	1686	1855	2253	2654
	42"	720	810	899	999	1090	1188	1281	1372	1601	1798	1986	2420	2856
	48"	759	855	960	1055	1159	1262	1368	1478	1705	1913	2119	2595	3066
	54"	790	898	1007	1120	1229	1342	1463	1582	1808	2025	2268	2837	3408
	60"	825	947	1061	1180	1296	1426	1552	1687	1908	2155	2415	3033	3649
	66"	861	990	1119	1244	1372	1514	1655	1795	2007	2292	2570	3221	3878
	72"	899	1039	1172	1305	1451	1601	1745	1896	2119	2420	2719	3432	4149
	78"	927	1073	1215	1363	1515	1672	1824	1987	2216	2542	2852	3607	4360
	84"	964	1119	1265	1429	1594	1760	1931	2092	2333	2675	3008	3792	4575
	90"	1005	1159	1321	1496	1670	1850	2022	2198	2447	2807	3161	4000	4836
	96"	1042	1211	1378	1563	1745	1932	2116	2298	2562	2939	3310	4201	5088
	102"	1192	1384	1574	1777	1968	2146	2394	2630	2815	3199	3568	4319	5353
	106"	1258	1453	1655	1871	2066	2261	2521	2769	2961	3360	3755	4542	5631

AVAILABLE OPERATING SYSTEMS

- | | | |
|--|---|--|
| <ul style="list-style-type: none"> • Cordless - \$50 Retail Surcharge
Minimum: 20" x 20"
Maximum: 84" x 84"
Strap Cord Available in White or Black Only | <ul style="list-style-type: none"> • Retractable - \$99 Retail Surcharge
Minimum: 20" x 20"
Maximum Width: 120"
Maximum LF Length: 120"
Maximum RD Length: 96" | <ul style="list-style-type: none"> • Clutch with Cord Loop • Momenta™ Motorized System
*For motorization surcharges see page 8 |
|--|---|--|

SHEER SHADINGS SPECIFICATIONS

Light Filtering Fabrics:

The light filtering fabrics feature vanes that add dimension to any room.

Minimum Width: 12"
Minimum Height: 12"

Maximum Width: 120"
Maximum Height: 120"

Room Darkening Fabrics:

The room darkening fabrics feature vanes that provide light control and privacy.

Minimum Width: 12"
Minimum Height: 12"

Maximum Width: 120"
Maximum Height: 106"

MOMENTA™ MOTORIZED SHADES SPECIFICATIONS

MOTORIZED LIFT SYSTEM OPTIONS (not available on Value Sheer Shades)

**Applications:**

- Fits rectangular window opening
- Standard shades (Not available for Vertical Sheer Shades)
- Bracket shims and extension brackets available at no charge (specify on order)
- Battery powered remote control operation is standard; wall switch available on request

Surcharges:


Motor Surcharge	\$801
Remote Control	\$115
<i>(purchase at least one hand-held remote control per order)</i>	
Wireless Wall Switch	\$158
Daisy Chain Connector	\$42
Bridge (for app)	\$400
Extender	\$133

**remote control****wireless wall switch****Satellite Battery Pack:**

The satellite battery pack will make changing batteries easier on tall or out-of-reach windows. Four cable lengths are available:

Cable Assembly 15"	\$29
Cable Assembly 4'	\$34
Cable Assembly 10'	\$49
Cable Assembly 20'	\$72
Satellite Battery Pack	\$62


Note: Use one cable assembly for desired length with Satellite Battery Mount.

**Battery pack****AC Power Adapter:**

Eliminate the need for batteries by using the AC adapter with any standard wall outlet. Four cable lengths are available:

Cable Assembly 15"	\$29
Cable Assembly 4'	\$34
Cable Assembly 10'	\$49
Cable Assembly 20'	\$72
AC Adapter	\$298

Note: Use one cable assembly for desired length with AC Adapter.


**ac adapter**

MOMENTA™ MOTORIZED SHADES SPECIFICATIONS *(continued)*


METHODS OF OPERATION

Radio Frequency Control:

- No aiming necessary (like a garage door opener)
- Control window coverings individually or in groups
- Two button operation



radio frequency



infrared control

Infrared Control:

- Line-of-sight operation (like a flashlight)
- Control window coverings individually
- Default mode of remote
- One button operation

ORDERING CONSIDERATIONS

How To Price:

- Price using standard shade price grid then add motorized surcharge
- Add surcharge for at least 1 remote control or wireless wall switch
- Add surcharge for any options listed under 'MOTORIZED LIFT SYSTEM OPTIONS'

Checklist For Ordering Momenta™ Motorized Shades:

- Order shade size and specify inside or outside mount
- Price all applicable surcharges
- Specify right or left sensor eye
- Specify number of remotes or wireless wall switch
- If ordering Satellite Battery Pack, specify cable assembly length (15", 4', 10', 20')
- If ordering AC Adapter, specify cable assembly length (15", 4', 10', 20')
- Order number of desired spacer shims

SHEER SHADINGS PRODUCT SPECIFICATIONS

HEADRAIL

Specifications (figure A):

- Available on all Standard Sheer Shades
- Aluminum color coordinated headrail with fabric insert and color coordinated end caps
- Operating Systems: Cordless, Cord Loop, Retractable or Momenta™ Motorized System

Minimum Flush Inside Mount with Install Brackets	3 3/4"
Minimum Shallow Mounting Surface	3/4"
Minimum Side Mounting Surface	1 1/4"
Maximum Shade Width Side Mount	48"
Minimum Outside Mounting Surface	3/4"

CORD INFORMATION

Braided polyester cord styles will measure the height indicated below unless otherwise specified.

Shade Height:

12" - 36"
 36" - 48"
 48" - 72"
 72" - 96"
 96" - 120"
 120" - 132"

Standard Loop:

2' (24")
 3' (36")
 4' (48")
 5' (60")
 6' (72")
 7' (84")


Maximum Cord Heights:

For hard-to-reach or high windows, cords can be ordered in one foot increments up to 15 feet in length.

Child Safety

Our Sheer Shadings are designed with child safety as a priority. To reduce the risk of strangulation, our fabrication methods incorporate features to comply with the current ANSI cord safety standard. Fabrication methods include tension devices.

For Sheer Shadings made with a clutch operating system, our tension device is designed and is to be placed and shipped, so that unless it is properly installed (or altered from the shipped condition with sequential process or tools), it prevents the shade from operating. The tension device, once installed, can help prevent children from pulling cords around their necks.



cord tensioner




Figure A

Retractable

FINISHED DIMENSIONS

Once ordered and manufactured, the width of the fabric cannot be altered. Your fabricator makes deductions to the width of Sheer Shadings depending on the type of mounting indicated. For all mounting types, fabric will measure exactly the height ordered when the vanes are in the open or "view-through" position.

Inside Mount:

- Headrail will measure ordered width less 1/8"
- Fabric will measure ordered width less 1"

Side (End) Mount:

- Headrail will measure ordered width less 11/16"
- Fabric will measure ordered width less 1 1/2"

Outside Mount:

- Headrail will measure ordered width
- Fabric will measure ordered width minus 3/4"

Headrail measurements include endcaps. Width and length measurements may vary +/- 1/8".

SHEER SHADINGS PRODUCT SPECIFICATIONS *(continued)*

HEADRAIL FOR VALUE SHEER SHADES

Specifications *(figure A):*

- Available on all Value Sheer Shades
- Aluminum color coordinated headrail
- Operating Systems: Bead Chain Loop only

Minimum Flush Inside Mount with Install Brackets	3 3/4"
Minimum Shallow Mounting Surface	3/4"
Minimum Side Mounting Surface.....	1 1/4"
Maximum Shade Width Side Mount.....	48"
Minimum Outside Mounting Surface	3/4"

BEAD CHAIN INFORMATION

Bead chain styles will measure the height indicated below unless otherwise specified.

Shade Height: Standard Loop:

12" - 36"	2' (24")
36" - 48"	3' (36")
48" - 72"	4' (48")
72" - 96"	5' (60")
96" - 120"	6' (72")
120" - 132"	7' (84")


Maximum Bead Chain Heights:

For hard-to-reach or high windows, cords can be ordered in one foot increments up to 15 feet in length.

Child Safety

Our Sheer Shadings are designed with child safety as a priority. To reduce the risk of strangulation, our fabrication methods incorporate features to comply with the current ANSI cord safety standard. Fabrication methods include tension devices.

For Sheer Shadings made with a clutch operating system, our tension device is designed and is to be placed and shipped, so that unless it is properly installed (or altered from the shipped condition with sequential process or tools), it prevents the shade from operating. The tension device, once installed, can help prevent children from pulling bead chains around their necks.



cord tensioner




figure A

FINISHED DIMENSIONS

Once ordered and manufactured, the width of the fabric cannot be altered. Your fabricator makes deductions to the width of Sheer Shadings depending on the type of mounting indicated. For all mounting types, fabric will measure exactly the height ordered when the vanes are in the open or "view-through" position.

Inside Mount:	• Headrail will measure ordered width less 1/8" • Fabric will measure ordered width less 1"
Side (End) Mount:	• Headrail will measure ordered width less 11/16" • Fabric will measure ordered width less 1 1/2"
Outside Mount:	• Headrail will measure ordered width • Fabric will measure ordered width minus 3/4"

Headrail measurements include endcaps. Width and length measurements may vary +/- 1/8".

DESIGN & OPERATION

Fabric Collections:

Sheer shades are available with three different fabric vane sizes: 2", 2 ½" and 3". Light filtering fabric gently filters light while room darkening casts deep room darkening shadows. Please note that room darkening is not a blackout fabric.

Shade Operation:

Sheer shades feature the various forms of operation. All systems provide the ability to manipulate the shade into various viewing positions.

Viewing Options:

Sheer Shadings provide a number of varied views to the outside for controlling light and privacy. Consequently, there are variations in visibility through the shades when the vanes are tilted to their maximum open positions. The following four modes can be obtained with standard shading operation when viewing the shading at eye level.

- **Closed top, open bottom** - By partially lowering the shade from the fully raised position, the upper portion of your window will become semi-opaque while allowing a clear view below.
- **Fully private** - When lowered completely, the shade provides complete privacy and softly diffuses light.
- **Partially open** - Opening the shade slightly will gradually increase the level of light and allow varying levels of "view-through."
- **View-through when lowered** - By completely opening the vanes, the shade provides a softened, veiled view to the outside.

Vane Closure (figure B):

Sheer shade fabric vanes overlap and provide privacy when closed. However, the inherent nature of the fabric will cause a slight increase in the distance from the front sheer to back sheer as you move further down the shade. These vanes do not form a perfect seal against light leakage which is most visible toward the bottom of the shade.

Vane closure is measured as the distance between the front and rear fabric sheers 6" up from the lowest point of the bottom rail, with the shade fully lowered and the vanes closed. For sheer shades, the maximum distance from the front sheer to the back sheer when closed is 7/8". On room darkening fabrics, the distance is 5/8". Vane closure on all 3" fabrics will have a distance of 1"




figure B

Side-by-Side Alignment:

When sheer shades are installed side-by-side, vane alignment can be guaranteed within 1/4" only if:

- The shades are the same color and ordered at the same time.
- The sum total of the widths of all shades needing alignment is less than 102".
- Side-by-side lineup must be specified when the order is placed.

DESIGN & OPERATION (continued)

Vane Opening:

Vanes on the six styles of sheer shade fabrics open to slightly different degrees. Consequently, there are variations in visibility through the shades when the vanes are tilted to their maximum open positions. The variations among the products are shown in the illustration to the right, when looking through the shading $\frac{1}{4}$ of the way up from the bottom.

Hardware:

Hold Down Brackets

Hold down brackets are made of a clear plastic which fit into holes in the end cap of the bottom rail. Hold downs are generally used to secure the bottom of the sheer shade to prevent swaying.

Extension Brackets

Extension or "L" brackets are available which can be used to project the back of the shade $4\frac{1}{4}$ " from the mounting surface.

Spacer Blocks

Spacer blocks project the shade $\frac{3}{8}$ " from the mounting surface. Use spacer blocks to obtain clearance when obstructions, such as window cranks or door handles, obstruct the movement of the shade.

Cord Tensioner:


The cord or bead chain tensioner keeps the cord or bead chain taut to prevent children and pets from entangling and subsequently injuring themselves. Cord or bead chain tensioners must be used for this product to comply with the Consumer Product Safety Commission (CPSC) Child Safety guidelines.

Leveling Sheer Shadings:

Sheer shades are leveled and weighted in the factory. When installed level, the fabric will not skew when raised. If the headrail is not installed level, skewing can occur that can damage the edge of the fabric. Be sure to follow the installation instructions carefully to ensure correct and balanced operation.

Skew Adjusting Bottom Rail:

After installation, windows that are not square and level may cause the shadings to shift to one side as it rolls up, requiring adjustment of the bottom rail. To adjust the fabric, the weight in the bottom rail can be slid from one end to the other. If the fabric is skewing to the right, loosen the weight with a screw driver and slide the weight to the right. If the fabric is skewing to the left, slide the weight to the left.



Height Considerations (figure C):

Your fabricator will fabricate your sheer shade to the exact height ordered, when the vanes are in the closed position. When the vanes are rotated to the open position, the shade will become slightly longer.




figure C

When opened on an inside mount, the shading will be slightly longer than the ordered length. A slight puckering may occur when the vanes are in the open position. Rotating the vanes closed will cause the bottom rail to touch the window sill before it begins to raise.

MEASURING INSTRUCTIONS

Precise width and height measurements are critical. Fabric width cannot be altered after the shading is fabricated. Please use a metal tape measure for accuracy from home to factory.

The headrail must be installed perfectly level and installed evenly to ensure smooth operation. On an inside mount, it is recommended that you check to see that the mounting surface is level and consistent. If your soffit needs to be leveled, this should be done before measuring.

INSIDE MOUNT

Measure across the width of your window opening in three different places - top, middle and bottom. Measurements should be taken within the window jamb. Provide the smallest of the three measurements to your fabricator. Be exact. Your fabricator will make the necessary deductions to fit the window opening.

Measure the height of the window opening from the underside of the soffit to the surface of the window sill in two places - use the smallest of these two measurements.

SIDE MOUNT

Sheer shades may be side mounted using "L" brackets. For side mounts, follow the instructions for inside mounts. An additional 1/2" will be taken off the standard inside mount deduction to allow room for the "L" brackets.

The maximum shade width utilizing the side mount option is 48".

OUTSIDE MOUNT

Measure the exact width and height of the area to be covered. On the width, allow at least 1 1/2" of an overlap on each side. An overlap of 3" on each side is recommended.

Be sure to take into consideration any obstructions such as window trim, molding, locks and window cranks.

