

SUGGESTED RETAIL PRICING JANUARY, 2019

# WILLIAM HOUSE WOVEN WOOD & GRASSWEAVE SHADES





### MEASURING INSTRUCTIONS

MEASURE EACH WINDOW INDIVIDUALLY AS SIZES MAY VARY. RECORD WIDTH FIRST, THEN HEIGHT (LENGTH) TO THE NEAREST 1/8". MEASURE WIDTH FROM LEFT TO RIGHT, HEIGHT FROM TOP TO BOTTOM USING A METAL TAPE MEASURE. **DO NOT USE CLOTH TAPE.** 

#### INSIDE MOUNT

INSIDE MOUNT BLINDS ARE INSTALLED INSIDE THE WINDOW FRAME.

- 1. MEASURE THE EXACT INSIDE WIDTH OF WINDOW FRAME FROM ONE INSIDE EDGE TO THE OTHER. TAKE THREE MEASURE-MENTS, ONE NEAR THE TOP, ONE IN THE CENTER AND ONE NEAR THE BOTTOM. RECORD THE NARROWEST MEASUREMENT.
- 2. MEASURE THE EXACT HEIGHT IN THREE PLACES, LEFT, CENTER AND RIGHT FROM TOP EDGE OF OPENING TO TOP OF SILL. RE-CORD THE LONGEST MEASUREMENT FOR WOVEN WOOD SHADES.
- 3. Do not take deductions on inside mount measurements. The factory will take an 3/8" allowances for
- 4. OPERATING CLEARANCE.
- 5. MEASURE THE WINDOW DIAGONALLY IN TWO PLACES. IF THE TWO DIAGONAL MEASUREMENTS ARE NOT THE SAME, WE SUGGEST AN OUTSIDE MOUNT APPLICATION FOR THE BEST SHADE PERFORMANCE AND APPEARANCE.


#### OUTSIDE MOUNT


OUTSIDE MOUNT BLINDS ARE INSTALLED OUTSIDE THE WINDOW FRAME, COVERING AN AREA LARGER THAN THE WINDOW ITSELF.

- 1. MEASURE THE EXACT WIDTH OF AREA TO BE COVERED. BE CERTAIN THE MEASUREMENT OVERLAPS THE WINDOW OPENING BY
- 2. At least  $1 \frac{1}{2}''$  on each side to ensure privacy and light control.
- 3. MEASURE EXACT HEIGHT TO BE COVERED, INCLUDING DESIRED OVERLAP (USUALLY FROM TOP EDGE OF MOLDING TO BOTTOM EDGE, OR TO TOP OF SILL). IF THERE IS NO SILL, MEASURE TO WHERE THE BLIND IS TO REACH.
- 4. The factory does not make deductions for an outside mount.

### TABLE OF CONTENTS

How To Measure	PAGE 2
Shade Styles	PAGE 3 & 4
Size Limitations	PAGE 3
CHILD SAFETY	PAGE 3
MOUNTING INFORMATION	PAGE 3
STACKING HEIGHTS	PAGE 3
FINISHED DIMENSIONS	PAGE 3
HEADRAIL INFORMATION	PAGE 3
LINING, EDGE BINDING, & ADDITIONAL OPTION INFORMATION	PAGE4
MATERIAL GUIDE	PAGE 5
SUGGESTED RETAIL PRICING	PAGE 6-9
LINER & EDGE BINDING PRIONG	PAGE9
MOTORIZATION & CONTROL PRICING	PAGE10
MEAUSURE/ORDER FORM	PAGE11
WARRANTY	PAGE12
SOMFY MOTORIZATION WARRANTY	PAGE12
VOLTA MOTORIZATION WARRANTY	PAGE12








### SHADE STYLES, TECHNICAL DATA, & CHILD SAFETY

#### SHADE STYLES



#### STANDAR D ROMAN:

MATERIAL ATTAC HED TO BACK OF HEADRAIL. HANGS FLAT WHEN LOWERED AND WATERFALL FOLDS BEHIND THE SHADE NEATLY AND EVENLY WHEN RAISED.



**OLD STYLE ROMAN :** MATERIAL ATTAC HED TO FRONT OF HEADRAIL. HANGS FLAT WHEN LOW-ERED AND WATER FALL FOLDS BEHIND THE SHADE NEATLY AND EVENLY.

IMPORTANT: DUE TO LACK OF ACCESSIBILITY FOR CONTROLS, OLD STYLE IS NOT AVAILABLE FOR INSIDE MOUNT (IB) APPLICATIONS.

TOP-DOWN/BOTTOM-UP:

VERSATILE, THIS STYLE IS PERFECT FOR THOSE PLACES WHERE PRIVACY IS NEEDED WHILE STILL PRESERVING A CLEAR VIEW TO THE OUTSIDE AND ALLOWING NATURAL LIGHT INTO THE ROOM.



CHILD SAFETY:

#### ROMAN WITH

CONTINUOUS CORD LOOP: LOOKS JUST LIKE THE CLASSIC ROMAN, BUT IT HAS A CONTINUOUS CORD CLUTCH MECHANISM FOR ONE EASY CONTROL THAT LOCKS AUTOMATICALLY AT THE DESIRED HEIGHT. Available on Standard and Old STYLE ROMAN.

#### SIZE LIMITATIONS:

STANDAR D & OLD STYLE: MINIMUM SIZE: 8" x 12" \*MAXIMUM SIZE: 96" X 96"

#### CORDLESS:

MINIMUM SIZE: 22" x 18" MAXIMUM SIZE: 22-48" X72" MAXIMUM SIZE: 48 1/8"-96" X 60"

TOP DOWN/BOTTOM UP: MINIMUM SIZE: 18" x 18" MAXIMUM SIZE: 72" x 84"

> ANGLE TOPS: MINIMUM WIDTH: 18" MAXIMUM WIDTH: 72"

INSIDE (IB) MOUNT

MINIMUM MOUNTING DEPTH

MINIMUM MOUNTING DEPTH

OUTSIDE (OB) MOUNT

**MOUNTING INFORMATION:** 

ARCHES: MINIMUM WIDTH: 20" MAXIMUM WIDTH: 72"

\*MAXIMUM SIZE: 108" x 108"

**CONTINUOUS CORD LOOP:** 

MINIMUM SIZE: 20" x 12"


\* LIMITED TO MATERIAL WIDTH

1 1/2" FOR FLUSH MOUNT

1" FLAT. VERTICAL SURFACE



FOR HOUSEHOLDS WITH CHIL-DREN, SAFETY SHROUD™ OFFERS AN ADDITIONAL PIECE OF MIND WHILE PROTECTING ENTANGLEM ENT.



IMPORTANT: IT IS NECESSARY THAT THE CORD TENSION DEVICE BE INSTALLED WITH ALL WOVEN WOOD SHADES. THE ABOVE IMAGE ILLUS TRATES TWO DIF-FERENT POSITIONS IN WHICH THE CORD TENSION DEVICE CAN BE ATTACHED.

BRACKET QTY. SHADE WIDTH 18"-40" 40" - 72 ¼" 72 ¼" – 96"

**QTY OF BRACKETS INCLUDED** 2 3

Δ

#### **HEADRAIL INFORMATION:**

STANDARD & TOP DOWN/BOTTOM UP SHADES

MOUNTED ON A 3/4" x 1 5/8" HEADRAIL

LOW PROFILE (UPON REQUEST) NO BRACKETS REQUIRED MOUNTED ON A 3/4" X 3/4" HEADRAIL

CONTINUOUS CORD LOOP, LOW VOLTAGE, & BATTERY MOUNTED ON A 3/4" X 2 1/2" HEADRAIL

**110 VOLT MOTORIZATION** MOUNTED ON A 3/4" X 3 1/2" HEADRAIL

#### **STACKING CHART:**

**STACKING HEIGHTS\*** SHADE LENGTH Up то 96"-9" 96" to 108"-10"

**FINISHED DIMENSIONS:** Inside (IB) Mount Headrail & Material Width Minus 3/8"

Ordered Height

Outside (OB) Mount Headrail & Material Width Ordered Width Shade Height

Ordered Height \*IMPORTANT: ALL WOVEN WOOD MATERIAL HASSLIGHTLY DIFFERENT CHARACTERISTICS AND

TENDENCIES. BECAUSE OF THIS, THE "STACKING HEIGHTS" CHART IS MERELY A GENERAL ESTIMATE OF MATERIAL STACK. IN THE EVENT THAT YOU NEED A MORE PRECISE STACK ESTIMATE, PLEASE CONTACT TEXTON CUSTOMER SERVICE.

TEXTON.COM

Shade Height

800-442-1540 Fax: 972-276-5104







### **JANUARY**, 2019

### SHADE STYLES EDGE LINING INFORMATION

#### SHADE STYLES (CONTINUED)





#### ARCHES & ANGLE TOPS: TEXTON CAN CREATE ARCHES IN ANY CURVE OR ANGLE. THE SHADES VALANCE IS SUSPENDED FROM THE STATIONARY ARCH SECTION. A ROW OF GIMP FRINGE IS GLUED TO THE EDGES OF THE ARCH SECTION IN ORDER TO COVER THE ROUGH CUT OF THE WOVEN WOOD MATERIAL. \$175 (SUGGESTED) PER ARCH.

A TEMPLATE IS REQUIRED UNLESS THE ARCH IS PERFECT.

#### TWO-ON-ONE HEADRAIL:

DUE TO MATERIAL INCONSISTENCIES & POTENTIAL FREIGHT DAMA GES, TEXTON HAS DISCONTINUED MULTIPLE SHADES ON ONE HEADRAIL. HOWEVER, THE SAME RESULTS CAN BE ACHIEVED **AT NO ADDITIONAL COST** BY ORDERING SHADES INDIVIDUALLY WITH ONE CONTINUOUS VALANCE. PLEASE SP ECIFY WHEN ORDERING.

**PLEASE NOTE:** *GIMP WILL NOT NECESSARILY MATCH THE WOVEN WOOD MATERIAL. IT IS MERELY MEANT TO CONCEAL THE C UT OF THE MATERIAL.* 

#### LINING, BANDING, & ADDITIONAL OPTIONS

**CUT-OUTS:** CUT-OUTS CAN BE DONE UP TO 10" WIDE ON MOST PATTERNS. HOWEVER, CUT-OUT HEIGHT MAY BE RESTRICTED BY PATTERN STYLE AND CUTOUT WIDTH. **IMPORTANT:** EDGE BANDING IS **NOT** AVAILABLE WITH CUT-OUTS.

VALANCE RETURNS: STANDARD ON OUTSIDE MOUNT SHADES. FABRIC FLAP IS STAPLED TO THE HEADRAIL BUT NOT ATTACHED TO THE VALANCE. NO CHARGE.

**DOUBLE VALANCES:** OFTEN REQUESTED ON TOP-DOWN/BOTTOM-UP SHADES, AND OLD STYLE SHADES. AN EXTRA 6 1/2" VALANCE FLAP IS ATTACHED TO THE BACK OF THE HEADRAIL IN ORDER TO HELP CONCEAL THE HARDWARE. **10% SURCHARGE ADDITIONAL TO PRICE OF SHADE.** 

**CONTINUOUS CORD LOOP OPERATING SYSTEM:** COMES WITH WHITE, IVORY, OR BRONZE CORD IN LENGTHS OF 2, 3, 4, 6, 8, 10 & 12 FEET ONLY. **IMPORTANT:** *CORD LOOP MUST BE ANCHORED WITH PROVIDED CORD TENSION DEVICE.* **SEE PRICE LISTS FOR PRICING.** 

LIGHT FILTERING & ROOM DARKENING LINER: MAKE ANY WOVEN WOOD SHADE EITHER PRIVACY OR ROOM-DARKENING. LININGS ARE AVAILABLE IN IN WHITE, IVORY, KHAKI, OR BLACK. THE LINING IS ATTACHED TO THE HEADRAIL AND BOTTOM HEM OF THE SHADE, AND AT EACH CORD-RING FOR UNIFORM OPERATION AND MAXIMUM EFFECT. LININGS ARE SLIGHTLY NARROWER THAN THE SHADE IN ORDER TO ELIMINATE SEPARATION DURING OPERATION. ROOM DARKENING LINING MAY ALLOW SLIGHT LIGHT TO PENETRATE THROUGH PINHOLES WHICH ARE CREATED WHEN THE RINGS ARE BROUGHT THROUGH THE LINING MATERIAL. SEE PAGE 9 FOR PRICING.

EDGE BANDING\*: FABRIC TAPES WILL ADD A MORE TAILORED AND COMPLETE LOOK TO YOUR WOVEN WOOD SHADES AND ARE AVAILABLE IN 10 DIFFERENT COLORS. EDGE BANDING IS OFFERED IN 10 COLORS THAT COORDINATE WITH YOUR PRODUCT LOOK AND OVERALL DÉCOR. PLEASE REFER TO YOUR WIL-LIAM HOUSE SAMPLE BOOKS TO SEE SAMPLES OF ALL EDGE BANDING OPTIONS. 1/2" EDGE BANDING OPTION IS EQUIVALENT TO 1/2" OF BANDING ON THE FRONT OF THE FABRIC AND 1/2" OF BANDING ON THE BACK OF SHADE.

#### SEE PAGE 9 FOR PRICING.

\*Some materials are not available with edge banding options. See Material Guide on Pages 5.

**IMPORTANT:** EDGE BANDING IS **NOT** AVAILABLE WITH CUT-OUTS.

### MATERIAL GUIDE



			<b>-</b>			2	HADES
		PRICE	EDGE			PRICE	EDGE
PATTERN	SKU	GROUP	BANDING INCLUDED	PATTERN	SKU	GROUP	BANDING INCLUDED
		F		1		F	
ABACO THATCH AKITA EARTH	TX-Z40 TX-RA03	F	YES YES	LAU SMOKE LINEN WEAVE NICKEL	TX-EZ09 TX-07-21	В	YES NO
Akita Natural	TX-RA04	F	YES	LINEN WEAVE RIBBED ASH	TX-08-22		
AKITA IVATORAL AKITA PEARL	TX-RA04	F	YES	LINEN WEAVE RIBBED SNOW		A	NO
AURA	TX-10402	Г С	NO		TX-08-02	A	NO
				LINEN WEAVE SNOW	TX-07-02	B	NO
BHUTAN AQUA	TX-JU27	G	YES	MACAU SILVER	TX-A04	F	YES
BUSAN BEIGE	TX-B04	E	NO	Mai Kai Chocolate	TX-B21	E	NO
BUSAN CURRY	TX-B22	E	NO	Mai Kai Rust	TX-B20	E	NO
BUSAN GINGER	TX-M003	F	YES	Μαιι Βιαςκ	TX-Z61J	F	YES
CANEEL AUTUMN	TX-B14	D	NO	Mali Grey	TX-Z04	F	YES
Caneel Bark	TX-B10	E	NO	Mali Shell	TX-Z003	F	YES
CANEEL GREY	TX-B09	D	NO	Mali Tan	TX-Z05	F	YES
CANEEL IVORY	TX-B19	D	NO	MODERN STAINLESS	TX-05-22	Α	NO
CANEEL SPICE	TX-B11	E	NO	MONTERREY WHEAT	TX-16-05	С	NO
CANEEL STEEL	TX-B12	D	NO	RAINFOREST BRONZE	TX-18-06	С	NO
DIAMOND RIBBED SLATE	TX-N02	Α	NO	RAINFOREST CHARCOAL	TX-18-88	С	NO
DIAMOND SLATE	TX-07-23	В	NO	Rio Camel	TX-B23	E	NO
DIAMOND STEEL	TX-07-22	В	NO	Sintra Camel	TX-E12	F	YES
JAO ESPRESSO	TX-E62	F	YES	Sintra Grey	TX-E13	F	YES
JAO WHITE	TX-E50	G	YES	Sintra Steel	TX-U393	G	YES
Japuir Bark	TX-K14	F	YES	SINTRA STONE	TX-E11	F	YES
JAPUIR IVORY	ТХ-К10	F	YES	Sintra Wheat	TX-Z11	G	YES
JAPUIR STONE	TX-K13	F	YES	Sintra White	TX-Z06	G	YES
JAPUIR WHEAT	TX-K12	F	YES	SURAT CHOCOLATE	TX-TL21	G	YES
Java Bark	TX-JU28	G	YES	SURAT CINNAMON	TX-TL33	G	YES
JAVA CHARCOAL	TX-15-17	C C	NO	SURAT GREIGE	TX-TL15	G	YES
JAVA CLAY	TX-JU26	G	YES	SURAT IVORY	TX-TL41	F	YES
JAVA CEAT	TX-15-04	C	NO	SURAT STORM	TX-TL19	G	YES
JAVA GOLD JAVA MINT	TX-15-22	с С	NO	SURAT WHEAT	TX-TL18	G	YES
JAVA WHEAT	TX-15-16	C C	NO	SUVA WHITE	TX-C03	 F	YES
	TX-007A	F	YES	THAI BARK	TX-Z19		YES
JIMA BARK			-	TAI GOLD		G	YES
JIMA CAMEL	TX-001A	F	YES	TAI GOLD TAI IVORY	TX-U139		
JIMA WHEAT	TX-005A	F	YES		TX-LI04	E	NO
Kapaa Brown	TX-LI28	F	YES		TX-LI05	D	NO
Kapaa Grey	TX-LI30	G	YES	TOGO ALMOND	TX-B07	D	NO
Kapaa Ivory	TX-LI31	G	YES	TOGO STEEL	TX-B05	E	NO
Landscape Black	TX-02-88	В	NO	TOGO WHEAT	TX-B06	E	NO
Landscape Bronze	TX-02-19	В	NO	WILLOW SLATE	TX-19-22	С	NO
Landscape Stainless	TX-02-22	В	NO	WILLOW WHEAT	TX-19-05	С	NO

**IMPORTANT**- Woven Wood & Grassweave Shades are created from natural products such as reeds, bamboo grasses, and wood, that will age beautifully over time. It is possible that some patterns may grow slightly lighter or darker in color, depending on the fabric pattern. Variations in paint and stain, minor cracks, slight pattern irregularities and knots are all enhancements that add to the natural beauty and character of your shade.



PG A: DIAMOND RIBBED SLATE, LINEN WEAVE RIBBED ASH, LINEN WEAVE, RIBBED SNOW, MODERN STAINLESS

WID	тн То:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	Volta 110V. Motorization \$550
	30″	208	232	258	282	304	330	354	380	402	426	452	488	510	Somfy 110V. RTS MOTORIZATION \$600
	36″	220	250	278	304	330	360	386	414	442	468	498	536	560	Volta Battery Motorization \$522
L	42″	234	266	298	326	356	388	418	450	480	510	542	584	612	
E	48″	246	282	318	350	382	418	450	486	518	550	586	632	662	TOP DOWN BOTTOM UP \$50
N	54"	260	298	338	372	408	446	482	522	556	592	632	680	714	Cut-Outs (Per Side) \$30
G	60"	272	314	356	394	434	476	514	558	596	634	676	728	764	Up to 90" in width shipped Net: \$5 Per shade
т	66"	286	330	376	418	458	504	546	592	634	676	722	776	816	Shad es ov er 90" width Shipp ed Net: \$125 Per order
н	72"	298	346	396	440	484	534	578	628	672	716	766	824	866	
_	78"	310	362	416	462	510	564	610	664	710	758	812	872	918	= Volta Battery Motorization Available. Minimum width is 24"
т О	84"	324	380	436	486	536	592	642	700	750	800	856	920	968	
-	90"	336	396	454	508	562	622	674	734	788	842	902	968	1,020	IMPORT ANT: SOME MATERIALS REQUIRE BANDING. SEE MATERIAL GUIDE ON PAGE 5. MATERIALS THAT REQUIRE
	96"	350	412	474	530	588	650	706	770	826	882	946	1,016	1,070	BANDING ARE ALREADY PRICED WITH THE BANDING.
	108"	376	444	514	576	638	708	770	842	904	966	1,036	1 112	1 172	Banding can still be added to
				-								,	,	,	MATERI ALS THAT DON'T REQUIRE IT.
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	See page 9 for banding and liner surcharges.
Co	rd Loop	38	40	42	46	48	50	52	54	56	58	62	64	66	
C	Cordl ess	78	80	82	84	86	88	90	92	94	96	114	116	118	<b>IMPORTANT:</b> Edge banding is <b>not</b> available with

PG B: DIAMOND SLATE, DIAMOND STEEL, LANDSCAPE BLACK, LANDSCAPE BRONZE, LANDSCAPE STAINLESS, LINEN WEAVE NICKEL, LINEN WEAVE SNOW

w	DTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
	30″	226	256	286	314	342	372	400	430	458	486	516	558	584
	36"	242	276	310	340	372	406	438	472	504	536	570	616	644
L	42″	258	294	334	368	404	442	476	516	550	586	624	672	706
E	48"	272	314	356	396	434	476	516	558	598	636	678	730	768
N	54"	288	334	380	422	466	512	554	600	644	686	732	788	830
G	60"	304	354	404	450	496	546	592	644	690	736	786	846	890
т	66"	320	374	428	478	528	582	632	686	736	786	840	904	952
н	72"	334	392	452	504	558	616	670	728	782	836	896	962	1,014
Т	78″	350	412	474	532	588	652	708	772	828	886	950	1,020	1,074
0	84"	366	432	498	560	620	686	748	814	876	936	1,004	1,078	1,136
	90″	382	452	522	586	650	722	786	858	922	986	1,058	1,136	1,198
	96"	396	470	546	614	682	756	824	900	968	1,036	1,112	1,192	1,260
	108″	428	510	592	668	744	826	902	986	1,060	1,136	1,220	1,308	1,382
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
C	ord Loop	38	40	42	46	48	50	52	54	56	58	62	64	66
	Cordl ess	78	80	82	84	86	88	90	92	94	96	114	116	118

Somfy 110V. RTS MOTORIZATION	\$600
Volta Battery Motorization	\$522
TOP DOWN BOTTOM UP	\$50
CUT-OUTS (PER SIDE)	\$30

VOLTA 110V. MOTORIZATION \$550

Up to  $90^{\prime\prime}$  in width shipped Net: \$5 Per shade

Shad es ov er 90" width Shipp ed Net: \$125 Per order

= VOLTA BATTERY MOTORIZATION AVAILABLE. MINIMUM WIDTH IS 24"

IMPORTANT: SOME MATERIALS REQUIRE BANDING, SEE MATERIAL GUIDE ON PAGE 5. MATERIALS THAT REQUIRE BANDING ARE ALREADY PRICED WITH THE BANDING. BANDING CAN STILL BE ADDED TO MATERI ALS THAT DON'T REQUIRE IT.

SEE PAGE 9 FOR BANDING AND LINER SURCHARGES.

IMPORTANT: EDGE BANDING IS NOT AVAILABLE WITH CUT-OUTS.

SEE PAGE 9 FOR LINER AND EDGE BINDING PRICING OPTIONS. SEE PAGE 10 FOR MOTOR ZATION CONTROL OPTIONS.



PG C: AURA, JAVA CHARCOAL, JAVA GOLD, JAVA MINT, JAVA WHEAT, MONTERREY WHEAT, RAINFOREST BRONZE, RAINFOREST CHARCOAL, WILLOW SLATE, WILLOW WHEAT

Wi	DTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
	30″	244	278	312	344	376	410	442	478	510	542	576	622	652
	36"	262	300	338	376	412	450	488	526	562	600	638	688	722
	42"	280	322	366	406	448	492	532	576	616	658	702	756	794
L E	48″	298	346	394	438	484	532	576	626	670	716	764	822	866
N	54"	316	368	420	470	518	572	622	674	724	774	826	890	936
G	60"	332	390	448	502	554	612	666	724	778	832	890	956	1,008
т	66"	350	412	476	532	590	654	710	774	832	890	952	1,024	1,080
н	72"	368	436	502	564	626	694	756	824	886	948	1,014	1,090	1,150
_	78"	386	458	530	596	662	734	800	872	938	1,006	1,078	1,158	1,222
т о	84"	404	480	556	628	698	774	846	922	992	1,064	1,140	1,224	1,292
•	90"	422	504	584	658	734	816	890	972	1,046	1,122	1,202	1,290	1,364
	96"	440	526	612	690	770	856	934	1,020	1,100	1,180	1,266	1,358	1,436
	108"	476	570	666	754	842	936	1,024	1,120	1,208	1,296	1,390	1,492	1,578
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
Co	ord Loop	38	40	42	46	48	50	52	54	56	58	62	64	66
(	Cordl ess	78	80	82	84	86	88	90	92	94	96	114	116	118

VOLTA 110V. MOTORIZATION	\$550
Somey 110V. RTS MOTORIZATION	\$600
VOLTA BATTERY MOTORIZATION	\$522
TOP DOWN BOTTOM UP	\$50
Cut-Outs (Per Side)	\$30
Up to 90" in width shipped Net:	\$5 Per shade
Shad es ov er 90" width Shipp ed Net:	\$125 Per order
= VOLTA BATTERY MOTORIZ	ATION AVAILABLE.
MINIMUM WIDTH IS 24"	

IMPORTANT: SOME MATERIALS REQUIRE BANDING. SEE MATERIAL GUIDE ON PAGE 5. MATERIALS THAT REQUIRE BANDING ARE ALREADY PRICED WITH THE BANDING. BANDING CAN STILL BE ADDED TO MATERIALS THAT DON'T REQUIRE IT.

SEE PAGE 9 FOR BANDING AND LINER SURCHARGES. IMPORTANT: EDGE BANDING IS NOT AVAILABLE WITH CUT-OUTS.

PG D: CANEEL AUTUMN, CANEEL GREY, CANEEL IVORY, CANEEL STEEL, TAI WHEAT, TOGO ALMOND

Wi	DTH TO:	24"	30"	36"	42″	48"	54"	60"	66"	72"	78"	84"	90"	96"
	30"	306	342	378	412	444	480	514	550	584	618	654	702	734
	36"	328	368	408	446	484	526	564	606	644	682	722	774	810
L	42″	348	394	440	482	524	570	614	660	702	744	792	846	888
E	48"	370	420	470	518	564	616	662	714	762	808	860	920	964
N	54"	392	446	502	554	604	660	712	768	820	872	928	992	1,042
G	60"	412	472	532	588	646	706	762	822	878	934	996	1,066	1,120
т	66"	434	498	564	624	686	750	812	876	938	998	1,064	1,138	1,196
н	72"	456	524	594	660	726	796	860	932	996	1,062	1,132	1,210	1,274
т	78″	476	550	626	696	766	840	910	986	1,056	1,124	1,200	1,284	1,352
0	84"	498	576	656	732	806	886	960	1,040	1,114	1,188	1,268	1,356	1,428
	90"	518	604	688	766	846	930	1,008	1,094	1,172	1,252	1,336	1,428	1,506
	96"	540	630	718	802	886	976	1,058	1,148	1,232	1,314	1,406	1,502	1,582
	108"	582	682	782	874	966	1,064	1,158	1,258	1,350	1,442	1,542	1,646	1,738
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
Co	ord Loop	38	40	42	46	48	50	52	54	56	58	62	64	66
	Cordl ess	78	80	82	84	86	88	90	92	94	96	114	116	118

VOLTA 110V. MOTORIZATION	\$550
Somey 110V. RTS MOTORIZATION	\$600
Volta Battery Motorization	\$522
TOP DOWN BOTTOM UP	\$50
CUT-OUTS (PER SIDE)	\$30
Up to 90" in width shipped Net:	\$5 Per shade
Shad es ov er 90" width:	\$125 Per order
= Volta Battery Motoriz Μινιμυμ width ις 24"	ATION AVAILABLE.

IMPORTANT: SOME MATERIALS REQUIRE BANDING. SEE MATERIAL GUIDE ON PAGE 5. MATERIALS THAT REQUIRE BANDING ARE ALREADY PRICED WITH THE BANDING. BANDING CAN STILL BE ADDED TO MATERIALS THAT DON'T REQUIRE IT.

SEE PAGE 9 FOR BANDING AND LINER SURCHARGES.

IMPORTANT: EDGE BANDING IS NOT AVAILABLE WITH CUT-OUTS.

SEE PAGE 9 FOR LINER AND EDGE BINDING PRICING OPTIONS. SEE PAGE 10 FOR MOTORIZATION CONTROL OPTIONS.





PG E: BUSAN BEIGE, BUSAN CURRY, CANEEL BARK, CANEEL SPICE, MAI KAI CHOCOLATE, MAI KAI RUST, RIO CAMEL, TAI IVORY, TOGO STEEL, TOGO WHEAT

w	IDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	Volta 110V. Motorization \$550
	30"	320	358	398	436	472	512	548	588	626	662	702	752	788	SOMFY 110V. RTS MOTORIZATION \$600
	36"	344	388	432	474	516	562	604	648	690	732	778	832	874	Volta Battery Motorization \$522
L	42″ 48″	366 390	416 444	466 500	514 552	560 604	610 660	658 712	708 768	756 820	802 872	852 928	914 994	958 1,044	Top Down Bottom Up \$50
N	54"	412	474	534	592	648	710	766	828	884	942	1,004	1,074	1,128	CUT-OUTS (PER SIDE) \$30
G	60"	436	502	568	630	692	758	820	888	950	1,012	1,078	1,154	1,214	Up to 90" in width shipped Net: \$5 Per shade
т	66"	460	530	602	670	736	808	874	946	1,014	1,082	1,154	1,234	1,298	Shad es ov er 90" width Shipp ed Net: \$125 Per order
н	72"	482	560	636	708	780	858	930	1,006	1,078	1,150	1,228	1,314	1,384	= VOLTA BATTERY MOTORIZATION AVAILABLE.
т	78"	506	588	670	746	824	906	984	1,066	1,144	1,220	1,304	1,394	1,468	MINIMUM WIDTH IS 24"
0	84"	528	616	704	786	868	956	1,038	1,126	1,208	1,290	1,378	1,474	1,554	Important: Some materials require Banding. See
	90"	552	644	738	824	912	1,006	1,092	1,186	1,272	1,360	1,454	1,554	1,638	MATERIAL GUIDE ON PAGE 5. MATERIALS THAT REQUIRE
	96"	576	674	772	864	956	1,054	1,146	1,246	1,338	1,430	1,528	1,634	1,724	BANDING ARE ALREADY PRICED WITH THE BANDING.
	108"	622	730	840	942	1,044	1,154	1,256	1,364	1,466	1,568	1,678	1,794	1,894	BANDING CAN STILL BE ADDED TO MATERIALS THAT DON'T REQUIRE IT.
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	See page 9 for banding and liner surcharges.
C	ord Loop	38	40	42	46	48	50	52	54	56	58	62	64	66	IMPORTANT: EDGE BANDING IS NOT AVAILABLE WITH
	Cordl ess	78	80	82	84	86	88	90	92	94	96	114	116	118	

PG F: ABACO THATCH, AKITA EARTH, AKITA NATURAL, AKITA PEARL, BUSAN GINGER, JAO ESPRESSO, JAPUIR BARK, JAPUIR IVORY, JAPUIR STONE, JAPUIR WHEAT, JIMA BARK, JIMA CAMEL, JIMA WHEAT, KAPAA BROWN, LAU SMOKE, MACAU SILVER, MALI BLACK, MALI GREY, MALI SHELL, MALI TAN, SINTRA CAMEL, SINTRA GREY, SINTRA STONE, SURAT IVORY, SUVA WHITE, TAI BARK

WID	отн То:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	VOLTA 110V. MOTORIZATION \$550
	30″	420	484	548	610	672	736	798	862	924	986	1,052	1,126	1,186	SOMFY 110V. RTS MOTORIZATION \$600
	36"	456	530	602	674	744	818	888	962	1,032	1,102	1,176	1,260	1,328	Volta Battery Motorization \$522
L	42" 48"	494 532	576 622	658 714	738 802	816 888	898 980	978 1,068				1,302 1,426			Top Down Bottom Up \$50
E N	54"	570	668	768	866	962		, 1,158					,	-	Cut-Outs (Per Side) \$30
G	60"	606	716	824	928	1,034	1,142	1,248	1,356	1,462	1,566	1,676	1,794	1,896	Up to 90" IN WIDTH SHIPPED NET: \$5 Per SHADE
т н	66"	644	762	880	992	1,106	1,224	1,338	1,456	1,568	1,682	1,800	1,926	2,038	Shad es ov er 90" width Shipp ed Net: \$125 Per order
	72"	682	808	934	1,056	1,178	1,306	1,428	1,554	1,676	1,798	1,926	2,060	2,180	= VOLTA BATTERY MOTORIZATION AVAILABLE.
т о	78″	720	854	990	1,120	1,250	1,386	1,518	1,654	1,784	1,914	2,050	2,194	2,322	MINIMUM WIDTH IS 24"
U	84"	756	900	1,046	1,184	1,324	1,468	1,606	1,752	1,892	2,030	2,176	2,328	2,464	IMPORTANT: SOME MATERIALS REQUIRE BANDING, SEE
	90″	794	948	1,100	1,248	1,396	1,550	1,696	1,850	1,998	2,146	2,300	2,460	2,606	MATERIAL GUIDE ON PAGE 5. MATERIALS THAT REQUIRE
	96"	832	994	1,156	1,312	1,468	1,630	1,786	1,950	2,106	2,262	2,426	2,594	2,748	BANDING ARE ALREADY PRICED WITH THE BANDING.
	108"	906	1,086	1,266	1,440	1,612	1,794	1,966	2,148	2,320	2,494	2,674	2,862	3,032	Banding can still be added to materials that don't require it.
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	SEE PAGE 9 FOR BANDING AND LINER SURCHARGES.
Co	ord Loop	38	40	42	46	48	50	52	54	56	58	62	64	66	
(	Cordl ess	78	80	82	84	86	88	90	92	94	96	114	116	118	IMPORTANT: Edge banding is not available with

SEE PAGE 9 FOR LINER AND EDGE BINDING PRICING OPTIONS. SEE PAGE 10 FOR MOTOR ZATION CONTROL OPTIONS.

CUT-OUTS.



PG G: Buhtan Aqua, Jao White, Java Bark, Java Clay, Kaapa Grey, Kaapa Ivory, Sintra Steel, Sintra Wheat, Sintra White,

SURAT CHOCOLATE, SURAT CINNAMON, SURAT GREIGE, SURAT STORM, SURAT WHEAT, TAI GOLD

WI	DTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
	30"	450	522	594	662	732	804	874	946	1,016	1,086	1,158	1,240	1,308
	36"	492	574	656	734	814	896	974	1,056	1,136	1,216	1,298	1,390	1,468
г	42"	534	626	716	806	894	986	1,076	1,168	1,256	1,346	1,438	1,540	1,626
E	48"	576	676	778	878	976	1,078	1,176	1,278	1,378	1,476	1,578	1,690	1,786
N	54"	618	728	840	948	1,056	1,168	1,276	1,390	1,498	1,606	1,718	1,840	1,946
G	60"	658	780	902	1,020	1,138	1,260	1,378	1,500	1,618	1,736	1,858	1,990	2,106
т	66"	700	832	964	1,092	1,218	1,352	1,478	1,610	1,738	1,866	1,998	2,138	2,264
н	72"	742	884	1,026	1,164	1,300	1,442	1,580	1,722	1,858	1,996	2,138	2,288	2,424
_	78"	784	936	1,088	1,234	1,382	1,534	1,680	1,832	1,980	2,126	2,278	2,438	2,584
т о	84"	826	988	1,150	1,306	1,462	1,624	1,780	1,944	2,100	2,256	2,418	2,588	2,742
•	90"	868	1,040	1,212	1,378	1,544	1,716	1,882	2,054	2,220	2,386	2,558	2,738	2,902
	96"	910	1,092	1,274	1,448	1,624	1,806	1,982	2,164	2,340	2,516	2,698	2,888	3,062
	108"	994	1,194	1,398	1,592	1,786	1,988	2,184	2,386	2,582	2,776	2,978	3,186	3,380
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
Co	ord Loop	38	40	42	46	48	50	52	54	56	58	62	64	66
	Cordl ess	78	80	82	84	86	88	90	92	94	96	114	116	118

VOLTA 110V. MOTORIZATION	\$550
Somey 110V. RTS MOTORIZATION	\$600
VOLTA BATTERY MOTORIZATION	\$522
TOP DOWN BOTTOM UP	\$50
Cut-Outs (Per Side)	\$30
Up to 90" in width shipped Net:	\$5 Per shade
Shad es ov er $90^{\prime\prime}$ width Shipp ed Net:	\$125 Per order
= Volta Battery Motoriz	ATION AVAILABLE.
MINIMUM WIDTH IS 24"	

IMPORTANT: SOME MATERIALS REQUIRE BANDING. SEE MATERIAL GUIDE ON PAGE 5. MATERIALS THAT REQUIRE BANDING ARE ALREADY PRICED WITH THE BANDING. BANDING CAN STILL BE ADDED TO MATERIALS THAT DON'T REQUIRE IT.

SEE PAGE 9 FOR BANDING AND LINER SURCHARGES.

**IMPORTANT:** Edge banding is **not** available with cut-outs.

#### LINER & EDGE BINDING PRIONG

		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
PRIVACY	Up to 48"	64	66	69	71	74	76	79	81	84	86	89	91	94
TRANSLUSCENT	48 1/8" то 90"	71	75	79	84	88	92	96	101	105	109	113	118	122
	90 1/8" то 108"	74	79	84	89	94	99	104	109	114	119	124	129	134
Room	Up to 48"	70	73	77	81	85	89	93	97	101	105	109	113	117
DARKENING	48 1/8" то 90"	81	87	94	101	107	114	121	127	134	141	147	154	161
	90 1/8" то 108"	85	93	101	109	117	125	132	140	148	156	164	172	180
EDGE BINDING	Up to 48"	55	55	55	55	55	55	55	55	55	55	55	55	55
2" & 4"	48 1/8" то 90"	83	83	83	83	83	83	83	83	83	83	83	83	83
2 0 4	90 1/8" то 108"	95	95	95	95	95	95	95	95	95	95	95	95	95

#### LINERS

COLOR	Түре
WHITE	LIGHT FILTERING & ROOM DARKENING
IVORY	LIGHT FILTERING & ROOM DARKENING
Кнакі	LIGHT FILTERING & ROOM DARKENING
BLACK	ROOM DARKENING ONLY

#### 1" EDGE BINDING

COLOR CODE	
E-1	E-8
E-2	E-10
E-3	
E-5	
E-7	

**IMPORTANT:** EDGE BANDING IS NOT AVAILABLE WITH CUT-OUTS.



#### **SOMFY MOTORIZATION & CONTROL PRIGNG**

	FLOOP P COMP C C C C C C C C C C C C C C C C C C C	€ • • • • • • • • • • • • •	Contraction of the second seco	2	
TELIS 4	TELIS 16	DECOFLEX 5	MYLINK		
ΝΑΜΕ	NAME DESCRIPTION		COLOR OPTION	PRICE	
TEUS 1	1 Сна	NNEL REMOTE	Pure*	125	
Telis 4	5 Сна	NNEL REMOTE	Pure*	161	
Telis 16	16 CH4	ANNEL REMOTE	Pure*	514	
DECOFLEX 1	1 Chann	EL WALL SWITCH	WHITE OR IVORY* 290		
DECOFLEX 5	5 Chann	WHITE OR IVORY* 30			
URTSI 16 CHANNEL	16 CHANNEL SM	WHITE	920		
REPEATER	Radio S	IGNAL BOOSTER	WHITE	418	
MYLINK	Remote Using Tabl	et/Cell Phone Technology	WHITE (PLUG-IN ADAPTOR)		

### **VOLTA MOTORIZATION & CONTROL PRICING**











1 CHANNEL REMOTE

15 CHANNEL REMOTE

5 CHANNEL WALLSWITCH

1 CHANNEL WALL SWITCH 15 CHANNEL WALL SWITCH

SIGNAL REPEATER

DESCRIPTION	COLOR OPTION	PRICE
1 CHANNEL REMOTE	WHITE	104
15 CHANNEL REMOTE	WHITE	122
5 CHANNEL WALL SWITCH	WHITE	94
1 CHANNEL WALL SWITCH	WHITE	80
15 CHANNEL WALL SWITCH	WHITE	98
SIGNAL REPEATER	BLACK	156
WI-FI TO 433 - 2 WAY RF BRIDGE	BLACK	372



						Ord	ler F		DATEP.O. NOHOUSE SIDEMARKWOVEN WOOD S H A D E S					
						С	HARGE	ΕΤΟ CL		SHIP TO:				
					NAME									
					ADDRESS									
					CITY									
-				1	STATE			ZIP			PHONE	( )	-	
TE	XT ON C	ORDEF	2 #			OXIMA <sup>.</sup>		SPEC INSTR	IAL UCTIONS:					
						ND ARE								
CU	STOME	r p.o	. #		ALL PF	RODUC	<u>TS</u>							
					IB - W	'ID TH 1/2	2"							
PAGE		OF			OB - W	IDTH ZE	RO				1			
LINE	QTY	IB/	WIE	тн	LENGTH	CON	TROL	FABRIC INFORMATION			-	RE- TURNS		
		OB				LEFT	RIGHT	TERN	COLOR	COLOR #	LINER	TURINS	INFORMATION	
1														
2														
3														
4														
5														
6														
7														
8														
9														
10														

Liner Options Tran slu cent Blackout WH White BLWH White BLIV Ivor y lvor y KH Khaki BLKH Khaki BLBLK Black

IV

ORDER ED BY

Custom orders cannot be canceled



### LIMITED LIFETIME WARRANTY

TEXTON, INC. WARRANTS THAT WOVEN WOOD SHADES WILL BE FREE FROM DEFECTS\* IN MATERIALS AND WORKMANSHIP FOR AS LONG AS THE ORIGINAL RETAIL PURCHASER OWNS THE PRODUCT, PROVIDED THAT PRODUCTS WERE PROPERLY INSTALLED IN RESIDENTIAL DWELLINGS AND PRODUCTS WERE MADE OR ASSEMBLED EXCLUSIVELY FROM TEXTON MATERIALS AND COMPONENTS.

THE OBLIGATION OF TEXTON, INC. IS LIMITED TO REPAR OR REPLACE THE WOVEN WOODS OR COMPONENTS FOUND TO BE DEFECTIVE, AND EXCLUDES SHIPPING CHARGES AND LABOR COSTS FOR MEASURING, FABRICATING AND INSTALLATION. REPAIRS WILL BE MADE WITH LIKE OR SMILAR PARTS.

THIS WARRANTY DOESNOT INCLUDE ANY CONDITIONS OR DAMAGES RESULTING FROM ACCIDENTS, ALTERATIONS, EXPOSURE TO ELEMENTS (WHICH COULD CAUSE, AMONG OTHER THINGS, THE FADING OF SHADE COLORS), MISUSE, ABUSE, MOTORIZED DEVICES, OR FAILURE TO FOLLOW OUR INSTRUCTIONS WITH RESPECT TO

MEASUREMENT, INSTALLATION, CLEANING OR MAINTENANCE. THIS WARRANTY DOES NOT COVER DAMAGE TO MATERIALS AS A RESULT OF USING WINDOW CLEANERS OR SIMILAR SUBSTANCES, WHICH COULD CAUSE DISCOLORATION OF THE SHADES.

THIS WARRANTY DOES NOT COVER ANY CONDITION OR DAMAGE RESULTING FROM REMOVAL OF THE WOVEN WOODS AND REINSTALLATION IN THE SAME OR ANOTHER WINDOW.

THIS WARRANTY DOES NOT APPLY TO CONDITIONS CAUSED BY NORMAL WEAR AND TEAR UPON THE PRODUCT.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER OBLIGATIONS, LIA BILITIES OR WARRANTIES. IN NO EVENT SHALL TEXTON, INC. BE LIABLE OR REPONSIBLE FOR INCI-DENTAL OR CONSEQUENTIAL DAMAGES OR FOR ANYOTHER DIRECTOR INDIRECT DAMAGE, LOSS, COST, EXPENSE OR FEE. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION OR LIMITATION MAY NOT APPLY TO YOU.

\*IMPORTANT - WOVEN WOODS ARE CREATED FROM NATURAL PRODUCTS SUCH AS REEDS, BANBOO GRASSES, AND WOOD, THAT WILL AGE BEAUTIFULLY OVER TIME. IT IS POSSIBLE THAT SOME PATTERNS MAY GROW SLIGHTLY LIGHTER OR DARKER IN COLOR, DEPENDING ON THE FABRIC PATTERN.

VARIATIONS IN PAINT AND STAIN, MINOR CRACKS, SLIGHT PATTERN IRREGULARITIES AND KNOTS ARE ALL ENHANCEMENTS THAT ADD TO THE NATURAL BEAUTY AND CHARACTER OF YOUR SHADE.

#### SOMFY MOTORIZATION WARRANTY

SOMFY OFFERSA 5 YEAR WARRANTY ON ALL MOTORSAND CONTROLS.

SPECIRCALLY, SOMFY WARRANTS ITS MOTORS AND CONTROLS TO BE FREE FROM DEFECTS IN MATERIAL AND WORKMANSHIP UNDER NORMAL AND PROPER USE FOR A PERIOD OF 5 YEARS COMMENCING WITH THE DATE STAMPED ON EACH PRODUCT. IF THE SOMFY PRODUCT FALS WITHIN THIS 5 YEAR PERIOD, SOMFY WILL REPAR OR REPLACE IT FREE OF CHARGE THROUGH YOUR IND PRODUCT SUPPLIER. BATTERIES ARE NOT COVERED BY THIS WARRANTY.



#### **VOLTA MOTORIZATION WARRANTY**

TEXTON ITS VOLTA WIRED MOTORS AND ELECTRONIC ACCESSORIES TO BE FREE FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR **7 YEARS**, AND WARRANTS BATTERY POWERED DC MOTORS TO BE FREE FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR **5 YEARS** WHEN INSTALLED PROPERLY AND OPERATED UNDER NORMAL USE FROM THE DATE STAMPED OR AFFICED LABEL ON EACH DEVICE.

IF A VOLTA MOTOR AND ELECTRONIC ACCESSORY IS FOUND TO BE DEFECTIVE AND COVERED BY THE WARRANTY, WE WILL, AT OUR OPTION, REPAR OR REPLACE IT REE OF CHARGE. REPAIRS OR REPLACEMENTS WILL BE MADE WITH LIKE OR SIMILAR PARTS AND PRODUCTS, AND EXCLUDE THE COST OF REMOVAL AND REINSTALLATION. THIS PRODUCT WARRANTY DOES NOT COVER ANY CONDITIONS OR DAMAGES RESULTING FROM MISUSE OR ABUSE, ACCIDENTS, ALTERATIONS, NEGLECT, DAMAGE BY OTHERS, NATURAL DISASTERS, EXPOSURE TO THE ELEMENTS, OR FAILURE TO FOLLOW ROLLEASE ACMEDA INSTRUCTIONS WITH RESPECT TO INSTALLATION, USE AND MAINTENANCE.

THE REPAIR OR REPLACEMENT OF DEFECTIVE PRODUCTIS THE PURCHASER'S SOLE REMEDY AND THE LIMIT OF ROLLEASE ACMEDA'S OBLIGATION. EXCEPT AS EXPRESSLY PROVIDED IN THIS PARAGRAPH, TEXT ON MAKES NO REPRESENTATIONS OR WA RRANT IES OF ANY KIND, NATURE OR DESCRIPTION, EXPRESSED OR IMP LIED, I NCLUDING WITH OUT LIMITATION ANY WA RRANTY OF MER CHANTABILITY OR FITNESS OF ANY PRODUCTS FOR ANY PARTICULA R PURP OSE, AND HERE BY DISCLAIMS THE SAME. IN NO EVENT SHALL TEXTON BELIABLE OR RESPONSIBLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OR FOR ANYOTHER DIRECT OR INDIRECT DAMAGE, LOSS, COST, EXPENSE OR FEE. TO RETURN PRODUCTS FOR INSPECTION AND, IF THE CONDITION OR DAMAGE IS COVERED BY THE WARRANTY, REPAIR OR REPLACEMENT, CONTACT US FOR A RETURN GOODS AUTHORIZATION (RGA) NUMBER, AND THEN SHIP THE PARTS IN QUESTION BACK TO TEXTON, FREIGHT CHARGES PRE-PAID. TEXTON WILL INSPECT AND REPAIR OR REPLACE ANY COVERED, DEFECTIVE ITEMS AND RETURN THEM FREIGHT PRE-PAID.

