

Woven Woods

COLLECTION



TEXTON.COM 800-442-1540 Fax: 972-276-5104



### Measuring Instructions

MEASURE EACH WINDOW INDIVIDUALLY AS SIZES MAY VARY. RECORD WIDTH FIRST, THEN HEIGHT (LENGTH) TO THE NEAREST 1/8". MEASURE WIDTH FROM LEFT TO RIGHT, HEIGHT FROM TOP TO BOTTOM USING A METAL TAPE MEASURE.

#### DO NOT USE CLOTH TAPE.

#### INSIDE MOUNT

INSIDE MOUNT BLINDS ARE INSTALLED INSIDE THE WINDOW FRAME.


- MEASURE THE EXACT INSIDE WIDTH OF WINDOW FRAME FROM ONE INSIDE EDGE TO THE OTHER. TAKE THREE MEASURE-MENTS, ONE NEAR THE TOP, ONE IN THE CENTER AND ONE NEAR THE BOTTOM. RECORD THE NARROWEST MEASUREMENT.
- 2. MEASURE THE EXACT HEIGHT IN THREE PLACES, LEFT, CENTER AND RIGHT FROM TOP EDGE OF OPENING TO TOP OF SILL. RE-CORD THE LONGEST MEASUREMENT FOR WOVEN WOOD SHADES.
- 3. DO NOT TAKE DEDUCTIONS ON INSIDE MOUNT MEASUREMENTS. THE FACTORY WILL TAKE AN 3/8" ALLOWANCES FOR
- 4. OPERATING CLEARANCE.
- MEASURE THE WINDOW DIAGONALLY IN TWO PLACES. IF THE TWO DIAGONAL MEASUREMENTS ARE NOT THE SAME, WE SUGGEST AN OUTSIDE MOUNT APPLICATION FOR THE BEST SHADE PERFORMANCE AND APPEARANCE.

#### **OUTSIDE MOUNT**

OUTSIDE MOUNT BLINDS ARE INSTALLED OUTSIDE THE WINDOW FRAME, COVERING AN AREA LARGER THAN THE WINDOW ITSELF.

- MEASURE THE EXACT WIDTH OF AREA TO BE COVERED. BE CERTAIN THE MEASUREMENT OVERLAPS THE WINDOW OPENING BY
- AT LEAST 1 1/2" ON EACH SIDE TO ENSURE PRIVACY AND LIGHT CONTROL.
- 3. MEASURE EXACT HEIGHT TO BE COVERED, INCLUDING DESIRED OVERLAP (USUALLY FROM TOP EDGE OF MOLDING TO BOTTOM EDGE, OR TO TOP OF SILL). IF THERE IS NO SILL, MEASURE TO WHERE THE BLIND IS TO REACH.
- 4. THE FACTORY DOES NOT MAKE DEDUCTIONS FOR AN OUTSIDE MOUNT.






# **TABLE OF CONTENTS**

HOW TO MEASURE	PAGE 2
SHADE STYLES	PAGE3 & 4
SIZE LIMITATIONS	PAGE3
CHILD SAFETY	PAGE3
MOUNTING INFORMATION	PAGE3
STACKING HEIGHTS	
FINISHED DIMENSIONS	PAGE3
HEADRAIL INFORMATION	PAGE3
LINING, EDGE BINDING, & ADDITIONAL OPTION INFORMATION	PAGE 4
MATERIAL GUIDE	PAGE 5
Suggested Retail Pricing	PAGE 6-8
LINER & EDGE BINDING PRIGNG	PAGE8
MOTORIZATION & CONTROL PRICING	PAGE 9
Meausure/ Order Form	PAGE11
WARRANTY	PAGE12
SOMFY MOTORIZATION WARRANTY	PAGE12
VOLTA MOTORITATION WARRANTY	DACE 12




# SHADE STYLES, TECHNICAL DATA, & CHILD SAFETY

#### SHADE STYLES



#### STANDAR D ROMAN:

MATERIAL ATTACHED TO BACK OF HEADRAIL. HANGS FLAT WHEN LOWERED AND WATERFALL FOLDS BEHIND THE SHADE NEATLY AND EVENLY WHEN RAISED.




#### **OLD STYLE ROMAN:**

MATERIAL ATTAC HED TO FRONT OF HEADRAIL. HANGS FLAT WHEN LOW-ERED AND WATER FALL FOLDS BEHIND THE SHADE NEATLY AND EVENLY.



### TOP-DOWN/BOTTOM-UP:

VERSATILE, THIS STYLE IS PERFECT FOR THOSE PLACES WHERE PRIVACY IS NEEDED WHILE STILL PRESERVING A CLEAR VIEW TO THE OUTSIDE AND ALLOWING NATURAL LIGHT INTO THE ROOM.





### ROMAN WITH CONTINUOUS CORD LOOP:

LOOKS JUST LIKE THE CLASSIC ROMAN, BUT IT HAS A CONTINUOUS CORD CLUTCH MECHANISM FOR ONE EASY CONTROL THAT LOCKS AUTOMATICALLY AT THE DESIRED HEIGHT.

AVAILABLE ON STANDAR D AND OLD STYLE ROMAN.

#### **SIZE LIMITATIONS:**

STANDAR D & OLD STYLE:

MINIMUM SIZE: 8" x 12" \*MAXIMUM SIZE: 108" x 108" TOP DOWN/BOTTOM UP:

**CONTINUOUS CORD LOOP:** 

MINIMUM SIZE: 18" x 18" MAXIMUM SIZE: 72" x 84"

MINIMUM SIZE: 20" x 12" \*MAXIMUM SIZE: 108" x 108"

CORDLESS:

MINIMUM SIZE: 22" x 18" MAXIMUM SIZE: 22-48" x 72"

MAXIMUM SIZE: 48 1/8"-96" X 60"

ANGLE TOPS:

ARCHES:

MINIMUM WIDTH: 18" MAXIMUM WIDTH: 72" MINIMUM WIDTH: 20"

MAXIMUM WIDTH: 72"

\* LIMITED TO MATERIAL WIDTH


#### CHILD SAFETY:



SAFETYSHROUD™ ALLOWS THE TRADITIONAL OPERATION OF ROMAN-STYLE

OPERATION, WHILE CONCEAL-ING THE CORDS THAT HAVE BEEN DEEMED A POTENTIAL SAFETY HAZARD TO CHILDREN, BY THE U.S. CONSUMER PRODUCT SAFETY COUNCIL.

FOR HOUSEHOLDS WITH CHIL-DREN, SAFETY SHROUD™ OFFERS AN ADDITIONAL PIECE OF MIND WHILE PROTECTING ENTANGLEM ENT.



IMPORTANT: IT IS NECESSARY THAT THE CORD TENSION DEVICE BE INSTALLED WITH ALL WOVEN WOOD SHADES. THE ABOVE IMAGE ILLUSTRATES TWO DIF-FERENT POSITIONS IN WHICH THE CORD TENSION DEVICE CAN BE ATTACHED.

### **MOUNTING INFORMATION:**

#### INSIDE (IB) MOUNT

1 1/2" FOR FLUSH MOUNT MINIMUM MOUNTING DEPTH

#### **OUTSIDE (OB) MOUNT**

MINIMUM MOUNTING DEPTH 1" FLAT. VERTICAL SURFACE

3

#### BRACKET QTY.

SHADE WIDTH QTY OF BRACKETS INCLUDED

18"-40"

72 1/4" - 96"

40" - 72 1/4"

#### STACKING CHART:

## STACKING HEIGHTS\* SHADE LENGTH

Uр то 96"-9" 96" to 108"-10"

#### **FINISHED DIMENSIONS:**

#### Inside (IB) Mount

Headrail & Material Width Minus 3/8" Shade Height Ordered Height

#### Outside (OB) Mount

Headrail & Material Width Ordered Width Shade Height Ordered Height

\*IMPORTANT: ALL WOVEN WOODMATERIAL HASSLIGHTLY DIFFERENT CHARACTERISTICS AND TENDENCIES. BECAUSE OF THIS, THE "STACKING HEIGHTS" CHART IS MERELY A GENERAL ESTIMATE OF MATERIAL STACK. IN THE EVENT THAT YOU NEED A MORE PRECISE STACK ESTIMATE, PLEASE CONTACT TEXTON CUSTOMER SERVICE.

#### **HEADRAIL INFORMATION:**

#### STANDARD & TOP DOWN/BOTTOM UP SHADES

MOUNTED ON A 3/4" x 1 5/8" HEADRAIL

### LOW PROFILE (UPON REQUEST) NO BRACKETS REQUIRED

MOUNTED ON A 3/4" X 3/4" HEADRAIL

### CONTINUOUS CORD LOOP, LOW VOLTAGE, & BATTERY

MOUNTED ON A 3/4" X 2 1/2" HEADRAIL

#### 110 VOLT MOTORIZATION


MOUNTED ON A 3/4" x 3 1/2" HEADRAIL






## SHADE STYLES EDGE LINING INFORMATION

### SHADE STYLES (CONTINUED)



#### TWO-ON-ONE HEADRAIL:

Due to material inconsistencies & potential freight damages, Texton HAS DISCONTINUED MULTIPLE SHADES ON ONE HEADRAIL. HOWEVER, THE SAME RESULTS CAN BE ACHIEVED AT NO ADDITIONAL COST BY ORDERING SHADES INDIVIDUALLY WITH ONE CONTINUOUS VALANCE. PLEASE SP ECIFY WHEN ORDERING.



#### ARCHES & ANGLE TOPS:

TEXTON CAN CREATE ARCHES IN ANY CURVE OR ANGLE. THE SHADES VALANCE IS SUSPENDED FROM THE STATIONARY ARCH SECTION. A ROW OF GIMP FRINGE IS GLUED TO THE EDGES OF THE ARCH SECTION IN ORDER TO COVER THE ROUGH CUT OF THE WOVEN WOOD MATERIAL.

#### \$175 (SUGGESTED) PER ARCH.

A TEMPLATE IS REQUIRED UNLESS THE ARCH IS PERFECT.

PLEASE NOTE: GIMP WILL NOT NECESSARILY MATCH THE WOVEN WOOD MATERIAL. IT IS MERELY MEANT TO CONCEAL THE CLIT OF THE MATERIAL.

### LINING, BANDING, & ADDITIONAL OPTIONS

CUT-OUTS: CUT-OUTS CAN BE DONE UP TO 10" WIDE ON MOST PATTERNS. HOWEVER, CUT-OUT HEIGHT MAY BE RESTRICTED BY PATTERN STYLE AND CUTOUT WIDTH. IMPORTANT: EDGE BANDING IS NOT AVAILABLE WITH CUT-OUTS.

VALANCE RETURNS: STANDARD ON OUTSIDE MOUNT SHADES. FABRIC FLAP IS STAPLED TO THE HEADRAIL BUT NOT ATTACHED TO THE VALANCE, NO CHARGE.

DOUBLE VALANCES: OFTEN REQUESTED ON TOP-DOWN/BOTTOM-UP SHADES, AND OLD STYLE SHADES. AN EXTRA 6 1/2" VALANCE FLAP IS ATTACHED TO THE BACK OF THE HEADRAIL IN ORDER TO HELP CONCEAL THE HARDWARE. 10% SURCHARGE ADDITIONAL TO PRICE OF SHADE.

CONTINUOUS CORD LOOP OPERATING SYSTEM: COMES WITH WHITE, IVORY, OR BRONZE CORD IN LENGTHS OF 2, 3, 4, 6, 8, 10 & 12 FEET ONLY. IMPORTANT: CORD LOOP MUST BE ANCHORED WITH PROVIDED CORD TENSION DEVICE. SEE PRICE LISTS FOR PRICING.

LIGHT FILTERING & ROOM DARKENING LINER: MAKE ANY WOVEN WOOD SHADE EITHER PRIVACY OR ROOM-DARKENING. LININGS ARE AVAILABLE IN IN WHITE, IVORY, KHAKI, OR BLACK. THE LINING IS ATTACHED TO THE HEADRAIL AND BOTTOM HEM OF THE SHADE, AND AT EACH CORD-RING FOR UNIFORM OPERATION AND MAXIMUM EFFECT. LININGS ARE SLIGHTLY NARROWER THAN THE SHADE IN ORDER TO ELIMINATE SEPARATION DURING OPERATION. ROOM DARKENING LINING MAY ALLOW SLIGHT LIGHT TO PENETRATE THROUGH PINHOLES WHICH ARE CREATED WHEN THE RINGS ARE BROUGHT THROUGH THE LINING MATERIAL.

SEE PAGE 8 FOR PRICING.

EDGE BANDING\*: FABRIC TAPES WILL ADD A MORE TAILORED AND COMPLETE LOOK TO YOUR WOVEN WOOD SHADES AND ARE AVAILABLE IN 10 DIFFERENT COLORS.

EDGE BANDING IS OFFERED IN 10 COLORS THAT COORDINATE WITH YOUR PRODUCT LOOK AND OVERALL DÉCOR. PLEASE REFER TO YOUR WOVEN WOOD SHADE SAMPLE BOOKS TO SEE SAMPLES OF ALL EDGE BANDING OPTIONS. 1'' EDGE BANDING OPTION IS EQUIVALENT TO 1'' OF BANDING ON THE FRONT OF THE FABRIC AND 1" OF BANDING ON THE BACK OF SHADE. 2" EDGE BANDING IS EQUIVALENT TO 2" OF BANDING ON THE FRONT OF THE FABRIC AND 2" OF BANDING ON THE BACK OF THE SHADE. SEE PAGE 8 FOR PRICING.

\*Some materials are not available with edge banding options. See Material Guide on Pages 5.

**IMPORTANT:** EDGE BANDING IS **NOT** AVAILABLE WITH CUT-OUTS.



## MATERIAL GUIDE

PATTERN	SKU	Max. Width	PRICE GROUP	EDGE BANDING	Pattern	SKU	Max. Width	PRICE GROUP	EDGE BANDING
ASHWOOD		96"	4	Available YES	MAJESTIC ISLE	02-756	96"	3	Available Yes
BELMONT TEAK		96"	5	YES	Maui Sands		96"	3	YES
BELMONT WALNUT	03-446	96"	5	YES	MILD DUSK	101010	108"	2	YES
Сосо Веасн	01-774	96"	2	No	MIXED WEAVES	070707	108"	2	YES
EDGARTON DUO	02-555	96"	2	YES	Napa Valley	03-156	96"	4	YES
EDGARTON NATURAL	02-130	96"	2	YES	NATURAL BLEND	060606	108"	2	YES
EDGARTON WHITE	02-131	96"	2	YES	NEAR COCO	111111	108"	2	YES
ESPERANZA	03-251	96"	3	YES	Nova	03-104	96"	3	YES
GOLDEN BEACH	03-029	96"	3	YES	OAK BLUFF ESPRESSO	01-807	96"	3	No
GRASS DANCE	121212	108"	2	YES	OAK BLUFF WALNUT	01-805	96"	3	No
HANOVER MAHOGANY	01-004	96"	2	YES	OLD CALCUTTA	131313	108"	3	YES
HAVANA	03-303	96"	2	YES	Palma	03-410	96"	4	YES
HAWAIIAN HAVEN	03-268	96"	3	YES	PALMETTO	02-300	96"	2	YES
ISLAND REEF	01-904	96"	2	YES	RIVIERA FOREST	02-350	96"	2	YES
Kaina	03-201	96"	3	YES	SAMANA	01-201	96"	1	YES
KENDALL MAHOGANY	01-400	96"	1	YES	SAND CHUTE	03-252	96"	3	YES
La Playa	01-304	96"	2	YES	TAHA SANDS	03-039	96"	4	YES
LANAI CINNAMON	02-413	96"	2	YES	TEWKSBURY	01-050	96"	1	YES
Lanai Gold	02-411	96"	2	YES	TORTOISE JAVA	02-509	96"	3	YES
LEEDS TAN	01-300	96"	1	YES	TORTOISE MAHOGANY	02-674	96"	3	YES
LEEDS WHITE	01-041	96"	1	YES	TORTOISE OAK	01-844	96"	1	YES
LUCAYA WHITE	02-030	96"	3	YES	TROPICAL FOREST		96"	3	YES
MAHOGANY GRASSES	03-334	96"	3	YES	TROPICAL WOODS	03-443	96"	3	YES

**IMPORTANT:** EDGE BANDING IS **NOT** AVAILABLE WITH CUT-OUTS.

IMPORTANT- WOVEN WOODS ARE CREATED FROM NATURAL PRODUCTS SUCH AS REEDS, BAMBOO GRASSES, AND WOOD, THAT WILL AGE BEAUTIFULLY OVER TIME. IT IS POSSIBLE THAT SOME PATTERNS MAY GROW SLIGHTLY LIGHTER OR DARKER IN COLOR, DEPENDING ON THE FABRIC PATTERN. VARIATIONS IN PAINT AND STAIN, MINOR CRACKS, SLIGHT PATTERN IRREGULARITIES AND KNOTS ARE ALL ENHANCEMENTS THAT ADD TO THE NATURAL BEAUTY AND CHARACTER OF YOUR SHADE.



PG 1: KENDALL MAHOGANY (96"), LEEDS TAN (96"), LEEDS WHITE (96"), SAMANA (96"), TEWKSBURY (96"), TORTOISE OAK (96")

WIE	тн то:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	VOLTA 110V. MOTORIZATION \$550
	30"	152	166	172	192	196	200	260	266	268	270	274	290	290	294	SOMFY 110V. RTS MOTORIZATION \$600
	36"	158	174	178	202	204	210	280	284	286	288	294	310	310	314	Volta Battery Motorization \$522
	42"	164	180	186	212	214	220	298	304	306	308	314	328	330	334	·
E	48"	168	188	192	222	224	230	316	322	324	326	334	348	348	354	TOP DOWN BOTTOM UP \$50
N	54"	174	194	200	232	234	242	336	342	344	346	352	368	368	374	CUT-OUTS (PER SIDE) \$30
G	60"	178	200	206	242	244	252	354	360	364	366	372	388	388	394	UP TO 90" IN WIDTH SHIPPED NET: \$5 PER SHADE
Т	66"	184	208	214	252	254	262	372	380	382	384	392	408	408	414	Shad es ov er 90" width Shipp ed Net: \$125 Per order
Н	72"	188	214	222	262	264	272	392	400	402	404	412	426	426	434	SHADES OVER 30 WIDTH SHIPP ED INET. \$123 PER ORDER
	78"	194	220	228	272	274	282	410	418	420	422	430	446	446	454	
T	84"	198	228	236	282	284	292	430	438	440	442	450	466	466	474	
0	90"	204	234	244	292	294	304	448	456	458	462	470	486	486	494	= VOLTA BATTERY MOTORIZATION AVAILABLE.
	96"	208	242	250	302	304	314	466	476	478	480	490	504	506	514	MINIMUM WIDTH IS 24".
							-		-							IMPORTANT. Foor outputs to the public to the
	108"	218	256	264	322	324	334	504	514	516	518	528	544	544	554	IMPORTANT: EDGE BANDING IS NOT AVAILABLE WITH CUT-OUTS.
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	Will Co. 1 0013.
Co	rd Loop	38	40	42	46	48	50	52	54	56	58	62	64	66	70	
(	Cordl ess	78	80	82	84	86	88	90	92	94	96	114	116	118	N/A	•

PG 2: COCO BEACH (96"), EDGARTON DUO (96"), EDGARTON NATURAL (96"), EDGARTON WHITE (96"), GRASS DANCE (108"), HANOVER MAHOGANY (96"), HAVANA (96"), ISLAND REEF (96"), LA PLAYA (96"), LANAI CINNAMON (96"), LANAI GOLD (96"), MILD DUSK (108"), MIXED WEAVES (108"), NATURAL BLEND (108"), NEAR COCO (108"), PALMETTO (96"), RIVIERA FOREST (96")

WIDT	н то:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	Volta 110V. Motorization \$550
	30"	162	178	182	210	212	216	294	298	300	302	308	322	322	326	SOMFY 110V. RTS MOTORIZATION \$600
	36"	168	186	190	222	224	228	316	322	324	326	332	346	348	352	Volta Battery Motorization \$522
L	42"	174	194	200	234	236	242	340	346	348	350	356	370	372	376	Top Down Bottom Up \$50
E	48"	180	202	208	246	248	254	364	370	372	374	380	396	396	400	
N	54"	186	212	218	258	260	266	386	394	396	398	404	420	420	424	Cut-Outs (Per Side) \$30
G	60"	192	220	226	270	272	280	410	416	420	422	428	444	444	450	UP TO 90" IN WIDTH SHIPPED NET: \$5 PER SHADE
т	66"	198	228	234	284	286	292	434	440	442	446	452	468	468	474	SHAD ES OV ER 90" WIDTH SHIPP ED NET: \$95 PER ORDER
Н	72"	204	236	244	296	298	304	458	464	466	470	476	492	492	498	
T	78"	210	244	252	308	310	318	480	488	490	492	500	516	516	524	
0	84"	216	252	260	320	322	330	504	512	514	516	526	540	540	548	
	90"	224	262	270	332	334	344	528	536	538	540	550	564	566	572	<ul> <li>= Volta Battery Motorization Available.</li> <li>Minimum width is 24".</li> </ul>
	96"	230	270	278	344	346	356	550	560	562	564	574	588	590	598	
	108"	242	286	296	370	372	382	598	608	610	612	622	638	638	646	IMPORTANT: EDGE BANDING IS NOT AVAILABLE
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	WITH CUT-OUTS.
<b>C</b>	مد د ا اد					_	_				_	_				
Cor	d Loop	38	40	42	46	48	50	52	54	56	58	62	64	66	70	•
С	ordl ess	78	80	82	84	86	88	90	92	94	96	114	116	118	N/A	

SEE PAGE 8 FOR LINER AND EDGE BANDING PRICING OPTIONS. SEE PAGE 9 FOR MOTORIZATION CONTROL OPTIONS.



PG 3: ESPERANZA (96"), GOLDEN BEACH (96"), HAWAIIAN HAVAN (96"), KAINA (96"), LUCAYA WHITE (96"), MAHOGANY GRASSES (96"), MAJESTIC ISLE (96"), MAUI SANDS (96"), NOVA (96"), OAK BLUFF ESPRESSO (96"), OAK BLUFF WALNUT (96"), OLD CALCUTTA (108"), SAND CHUTE (96"), TORTOISE JAVA (96"), TORTOISE MAHOGANY (96"), TROPICAL FOREST (96"), TROPICAL WOODS (96")

WIE	тн То:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	Volta 110V. Motorization \$550
	30"	176	198	202	238	240	246	352	356	358	360	366	380	382	384	SOMFY 110V. RTS MOTORIZATION \$600
	36"	184	208	214	254	256	262	384	388	390	392	398	414	414	418	Volta Battery Motorization \$522
	42"	192	220	224	272	274	280	416	420	422	424	430	446	446	450	TOP DOWN BOTTOM UP \$50
E	48"	200	230	236	288	290	296	446	452	454	458	464	478	478	484	
N	54"	208	242	248	304	306	312	478	484	488	490	496	512	512	516	Cut-Outs (Per Side) \$30
G	60"	218	252	260	320	322	330	510	518	520	522	528	544	544	550	Up to 90" IN WIDTH SHIPPED NET: \$5 PER SHADE
T 	66"	226	264	270	338	340	346	542	550	552	554	562	576	576	582	SHAD ES OVER 90" WIDTH SHIPP ED NET: \$125 PER ORDER
Н	72"	234	276	282	354	356	364	574	582	584	586	594	608	610	616	
т	78"	242	286	294	370	372	380	606	614	616	618	626	642	642	648	
0	84"	250	298	306	386	388	396	638	646	648	650	658	674	674	682	= Volta Battery Motorization Available.
	90"	258	308	316	404	406	414	670	678	680	682	692	706	706	714	MINIMUM WIDTH IS 24".
	96"	266	320	328	420	422	430	702	710	712	714	724	740	740	748	
	108"	284	342	352	452	454	464	764	774	776	778	790	804	804	814	IMPORTANT: EDGE BANDING IS NOT AVAILABLE
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	WITH CUT-OUTS.
Co	rd Loop	38	40	42	46	48	50	52	54	56	58	62	64	66	70	_
C	ordl ess	78	80	82	84	86	88	90	92	94	96	114	116	118	N/A	•

<b>4</b> : /	Ashwoo	op (96	"). Na	PA <b>V</b> AL	LEY (96	"). Pai	ма (9	6"). T	AHA SA	NDS (9	6")					
	отн то:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	Volta 110V. Motorization \$550
	30"	234	264	270	322	324	330	484	490	492	494	498	514	514	518	SOMFY 110V. RTS MOTORIZATION \$600
	36"	250	284	288	348	350	356	534	538	540	542	548	564	564	568	Volta Battery Motorization \$522
L	42"	264	302	306	374	376	382	582	586	590	592	598	612	612	618	TOP DOWN BOTTOM UP \$50
E	48"	278	320	326	400	402	408	630	636	638	640	646	662	662	666	·
N	54"	292	338	344	426	428	434	678	684	686	688	696	710	710	716	Cut-Outs (Per Side) \$30
G	60"	306	356	362	452	454	460	726	734	736	738	744	760	760	766	Up to 90" IN WIDTH SHIPPED NET: \$5 PER SHA
т	66"	320	374	382	478	480	488	774	782	784	786	794	808	810	816	SHAD ES OVER 90" WIDTH SHIPP ED NET: \$125 PER
Н	72"	334	392	400	504	506	514	824	830	832	834	842	858	858	864	••••••••••••••••••••••••••••••••••••••
T	78"	348	410	418	530	532	540	872	880	882	884	892	908	908	914	
0	84"	364	430	438	556	558	566	920	928	930	932	940	956	956	964	
	90"	378	448	456	582	584	592	968	976	978	982	990	1,006	1,006	1,014	= Volta Battery Motorization Ava
	96"	392	466	474	608	610	620	1,016	1,026	1,028	1,030	1,040	1,054	1,054	1,062	William Wall 5 24 .
	108"	420	502	512	660	662	672	1,114	1,122	1,126	1,128	1,138	1,152	1,154	1,162	IMPORTANT: EDGE BANDING IS NOT AVAILABLE WITH CUT-OUTS.
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	with Cot-OUIS.
Co	rd Loop	38	40	42	46	48	50	52	54	56	58	62	64	66	70	
(	Cordl ess	78	80	82	84	86	88	90	92	94	96	114	116	118	N/A	•

SEE PAGE 8 FOR LINER AND EDGE BANDING PRICING OPTIONS. SEE PAGE 9 FOR MOTORIZATION CONTROL OPTIONS.





### PG 5: BELMONT TEAK (96"), BELMONT WALNUT (96")

WID.	тн То:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	VOLTA 110V. MOTORIZATION \$550
	30"	254	290	294	360	362	366	560	564	566	570	574	590	590	594	SOMFY 110V. RTS MOTORIZATION \$600
	36"	270	312	316	392	394	398	620	624	626	628	634	650	650	654	Volta Battery Motorization \$522
L	42"	288	334	338	422	426	430	678	684	686	688	694	710	710	714	Top Down Bottom Up \$50
E	48"	304	356	360	454	456	462	738	744	746	748	754	768	770	774	, , , , , , , , , , , , , , , , , , , ,
N	54"	322	378	384	486	488	494	796	802	804	808	814	828	830	834	CUT-OUTS (PER SIDE) \$30
G	60"	338	398	406	516	518	526	856	862	864	866	874	888	890	894	Up to 90" in width shipped Net: \$5 Per shade
т	66"	356	420	428	548	550	558	914	922	924	926	934	948	948	954	SHAD ES OV ER 90" WIDTH SHIPP ED NET: \$125 PER ORDER
Н	72"	372	444	450	580	582	588	974	982	984	986	994	1,008	1,008	1,016	
т	78"	390	464	472	612	614	620	1,032	1,040	1,042	1,044	1,054	1,068	1,068	1,076	
0	84"	406	486	494	642	644	652	1,092	1,100	1,102	1,104	1,112	1,128	1,128	1,136	
	90"	424	508	516	674	676	684	1,150	1,160	1,162	1,164	1,172	1,188	1,188	1,196	= VOLTA BATTERY MOTORIZATION AVAILABLE.  MINIMUM WIDTH IS 24".
	96"	440	530	538	704	706	716	1,210	1,218	1,222	1,224	1,232	1,248	1,248	1,256	WIINIMUM WIDTH 5 24 .
	108"	474	574	584	768	770	780	1,328	1,338	1,340	1,342	1,352	1,368	1,368	1,376	IMPORTANT: EDGE BANDING IS NOT AVAILABLE WITH CUT-OUTS.
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	
Cor	d Loop	38	40	42	46	48	50	52	54	56	58	62	64	66	70	
C	ordl ess	78	80	82	84	86	88	90	92	94	96	114	116	118	N/A	

SEE PAGE 8 FOR LINER AND EDGE BANDING PRICING OPTIONS.

SEE PAGE 9 FOR MOTORIZATION CONTROL OPTIONS.

### LINER & EDGE BINDING PRIGNG

		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"
PRIVACY	UP TO 48"	64	66	69	71	74	76	79	81	84	86	89	91	94	99
TRANSLUSCENT	48 1/8" то 90"	71	75	79	84	88	92	96	101	105	109	113	118	122	130
	90 1/8" то 108"	74	79	84	89	94	99	104	109	114	119	124	129	134	144
Rooм	UP TO 48"	70	73	77	81	85	89	93	97	101	105	109	113	117	125
DARKENING	48 1/8" то 90"	81	87	94	101	107	114	121	127	134	141	147	154	161	174
	90 1/8" то 108"	85	93	101	109	117	125	132	140	148	156	164	172	180	195
EDGE BANDING	UP TO 48"	55	55	55	55	55	55	55	55	55	55	55	55	55	55
2" & 4"	48 1/8" то 90"	83	83	83	83	83	83	83	83	83	83	83	83	83	83
- ~ .	90 1/8" то 108"	95	95	95	95	95	95	95	95	95	95	95	95	95	95

LINERS 1" & 2" EDGE BANDING

COLOR TYPE COLOR WHITE LIGHT FILTERING & ROOM DARKENING WHITE Duck IVORY LIGHT FILTERING & ROOM DARKENING FAWN **TAUPE** Кнакі LIGHT FILTERING & ROOM DARKENING WHEAT COCOA BLACK ROOM DARKENING ONLY OLIVE **FOREST** MULBERRY DESERT TAN

**IMPORTANT:** EDGE BANDING IS NOT AVAILABLE WITH CUT-OUTS.





### **SOMFY Motorization & Control Priding**









MYL	ın

NAME	DESCRIPTION	COLOR OPTION	PRICE
TELIS 1	1 CHANNEL REMOTE	Pure*	125
Telis 4	5 Channel Remote	Pure*	161
Teus 16	16 CHANNEL REMOTE	Pure*	514
DECOFLEX 1	1 CHANNEL WALL SWITCH	WHITE OR IVORY*	290
DecoFlex 5	5 CHANNEL WALL SWITCH	WHITE OR IVORY*	304
URTSI 16 CHANNEL	16 CHANNEL SMART HOME INTERFACE	WHITE	920
REPEATER	RADIO SIGNAL BOOSTER	WHITE	418
MYLINK	REMOTE USING TABLET/CELL PHONE TECHNOLOGY	WHITE (PLUG-IN ADAPTOR)	438

## **VOLTA MOTORIZATION & CONTROL PRICING**













1 CHANNEL REMOTE

5 CHANNEL WALLSWITCH

1 CHANNEL WALL SWITCH 15 CHANNEL WALL SWITCH

SIGNAL REPEATER

DESCRIPTION	COLOR OPTION	PRICE
1 Channel Remote	WHITE	104
15 CHANNEL REMOTE	WHITE	122
5 CHANNEL WALL SWITCH	WHITE	94
1 CHANNEL WALL SWITCH	WHITE	80
15 CHANNEL WALL SWITCH	WHITE	98
SIGNAL REPEATER	BLACK	156
WI-FI TO 433 - 2 WAY RF BRIDGE	Black	372





Notes:

Woren	Woods

# **Order Form**

DATE	
P.O. NO	<del></del>
SIDEMARK_	

				y cr							SIDEMAF	₹K		
	CHARGE TO CUSTOMER										SHIP TO:			
NAME														
					ADDRESS									
					CITY									
				_	STATE			ZIP			PHONE ( ) -			
TEXT ON ORDER #				APPROXIMATE STANDARD DEDUCTIONS		SPECIAL INSTRUCTIONS:								
CUSTOMER P.O. #			ALL PI	RODUC	TS_									
					IB - W	/IDTH 1/2	2"							
			OB - W	IDTH ZE	RO									
I INF	LINE QTY		WIF	- DTH	LENGTH	CONTROL		FABRIC INFORM		MATION	_	RE-	ADDITIONAL	
	ОВ		LENGIII	LEFT	RIGHT	PAT- TERN	COLOR	COLOR #	LINER	TURNS	INFORMATION			
1														
2														
3														
4														
5														
6														
7														
8														
9														
10														
Liner Options Tran slu cent						Blackout		ORDER ED B	Y					
WH White IV Ivory					BLWH White BLIV Ivory	(	Custom orders cannot be canceled							

BLKH Khaki BLBLK Black

KH Khaki



COLLECTION

TEXTON, INC. WARRANTS THAT WOVEN WOODSHADES WILL BE FREE FROM DEFECTS\* IN MATERIALS AND WORKMANSHIP FOR AS LONG AS THE ORIGINAL RETAIL PURCHASER OWNS THE PRODUCT, PROVIDED THAT PRODUCTS WERE PROPERLY INSTALLED IN RESIDENTIAL DWELLINGS AND PRODUCTS WERE MADE OR ASSEMBLED EXCLUSIVELY FROM TEXTON MATERIALS AND COMPONENTS.

THE OBLIGATION OF TEXTON, INC. IS LIMITED TO REPAIR OR REPLACE THE WOVEN WOODS OR COMPONENTS FOUND TO BE DEFECTIVE, AND EXCLUDES SHIPPING CHARGES AND LABOR COSTS FOR MEASURING. FABRICATING AND INSTALLATION. REPAIRS WILL BE MADE WITH LIKE OR SIMILAR PARTS.

THIS WARRANTY DOES NOT INCLUDE ANY CONDITIONS OR DAMAGES RESULTING FROM ACCIDENTS, ALTERATIONS, EXPOSURE TO ELEMBNTS (WHICH COULD CAUSE,

AMONG OTHER THINGS, THE FADING OF SHADE COLORS), MISUSE, ABUSE, MOTORIZED DEVICES, OR FAILURE TO FOLLOW OUR INSTRUCTIONS WITH RESPECT TO MEASUREMENT, INSTALLATION, CLEANING OR MAINTENANCE. THIS WARRANTY DOES NOT COVER DAMAGE TO MATERIALS AS A RESULT OF USING WINDOW CLEANERS OR SIMILAR SUBSTANCES,

WHICH COULD CAUSE DISCOLORATION OF THE SHADES.

THIS WARRANTY DOES NOT COVER ANY CONDITION OR DAMAGE RESULTING FROM REMOVAL OF THE WOVEN WOODS AND REINSTALLATION IN THE SAMEOR ANOTHER WIN DOW.

THIS WARRANTY DOES NOT APPLY TO CONDITIONS CAUSED BY NORMAL WEAR AND TEAR UPON THE PRODUCT.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER OBLIGATIONS, LIA BILITIES OR WARRANTIES. IN NO EVENT SHALL TEXTON, INC. BE LIABLE OR REPONSIBLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OR FOR ANYOTHER DIRECTOR INDIRECT DAMAGE, LOSS, COST, EXPENSE OR FEE. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION OR LIMITATION MAYNOT APPLY TO YOU.

\*IMPORTANT - WOVEN WOODS ARE CREATED FROM NATURAL PRODUCTS SUCH AS REEDS, BAMBOO GRASSES, AND WOOD, THAT WILL AGE BEAUTIFULLY OVER TIME. IT IS POSSIBLE THAT SOME PATTERNS MAY GROW SLIGHTLY LIGHTER OR DARKER IN COLOR, DEPENDING ON THE FABRIC PATTERN.

VARIATIONS IN PAINT AND STAIN, MINOR CRACKS, SLIGHT PATTERN IRREGULARITIES AND KNOTS ARE ALL ENHANCEMENTS THAT ADD TO THE NATURAL BEAUTY AND CHARACTER OF YOUR SHADE.

### SOMEY MOTORIZATION WARRANTY

SOMFY OFFERSA 5 YEAR WARRANTY ON ALL MOTORSAND CONTROLS.

SPECIFICALLY, SOMEY WARRANTS ITS MOTORS AND CONTROLS TO BE FREE FROM DEFECTS IN MATERIAL AND WORKMANSHIP UNDER NORMAL AND PROPER USE FOR A PERIOD OF 5 YEARS COMMENCING WITH THE DATE STAMPED ON EACH PRODUCT. IF THE SOMEY PRODUCT FAILS WITHIN THIS 5 YEAR PERIOD, SOMEY WILL REPAIR OR REPLACE IT FREE OF CHARGE THROUGH YOUR BND PRODUCT SUPPLIER. BATTERIES ARE NOT COVERED BY THIS WARRANTY.



#### VOLTA MOTORIZATION WARRANTY

TEXTON ITS VOLTA WIRED MOTORS AND ELECTRONIC ACCESSORIES TO BE FREE FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR **7 YEARS**, AND WARRANTS BATTERY POWERED DC MOTORS TO BE FREE FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR **5 YEARS** WHEN INSTALLED PROPERLY AND OPERATED UNDER NORMAL USE FROM THE DATE STAMPED OR AFFIXED LABEL ON EACH DEVICE.

IF A VOLTA MOTOR AND ELECTRONIC ACCESSORY IS FOUND TO BE DEFECTIVE AND COVERED BY THE WARRANTY, WE WILL, AT OUR OPTION, REPAIR OR REPLACE IT REE OF CHARGE.

REPAIRS OR REPLACEMENTS WILL BE MADE WITH LIKE OR SIMILAR PARTS AND PRODUCTS, AND EXCLUDE THE COST OF REMOVAL AND REINSTALLATION. THIS PRODUCT WARRANTY DOES NOT COVER
ANY CONDITIONS OR DAMAGES RESULTING FROM MISUSE OR ABUSE, ACCIDENTS, ALTERATIONS, NEGLECT, DAMAGE BY OTHERS, NATURAL DISASTERS, EXPOSURE TO THE ELEMENTS, OR FAILURE TO
FOLLOW ROLLEASE ACMEDA INSTRUCTIONS WITH RESPECT TO INSTALLATION, USE AND MAINTENANCE.

THE REPAIR OR REPLACEMENTOF DEFECTIVE PRODUCTIS THE PURCHASER'S SOLE REMEDY AND THE LIMITOF ROLLEASE ACMEDA'S OBLIGATION. EXCEPT AS EXPRESSLY PROVIDED IN THIS PARAGRAPH, TEXT ON MAKES NO REPRESENTATIONS OR WARRANT IES OF ANY KIND, NATURE OR DESCRIPTION, EXPRESSED OR IMPLIED, INCLUDING WITH OUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS OF ANY PRODUCTS FOR ANY PARTICULAR PURPOSE, AND HERE BY DISCLAIMS THE SAME. IN NO EVENT SHALL TEXTON BELIABLE OR RESPONSBLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OR FOR ANYOTHER DIRECTOR INDIRECT DAMAGE, LOSS, COST, EXPRISE OR FEE.

TO RETURN PRODUCTS FOR INSPECTION AND, IF THE CONDITION OR DAMAGE IS COVERED BY THE WARRANTY, REPAIR OR REPLACEMENT, CONTACT US FOR A RETURN GOODS AUTHORIZATION (RGA) NUMBER, AND THEN SHIP THE PARTS IN QUESTION BACK TO TEXTON, REIGHT CHARGES PRE-PAID. TEXTON WILL INSPECT AND REPAIR OR REPLACE ANYCOVERED, DEFECTIVE ITEMS AND RETURN THEM FREIGHT PRE-PAID.