

TEXTON



FAUX WOOD

BLINDS

Effective February 3, 2020

design simplified™

TABLE OF CONTENTS

Product Overview

- Features & Benefits 2
- Color Charts 3

Pricing Information

- 2" Faux – Whites & Neutrals Price Chart and Surcharges 4
- 2" Faux – Wood Tones Price Chart and Surcharges 5
- 2-1/2" Faux – Whites & Neutrals Price Chart and Surcharges. 6
- 2-1/2" Faux – Wood Tones Price Chart and Surcharges 7
- 2" Faux – Premium Grain Price Chart and Surcharges 8
- RemoteTilt™ System and Option Surcharges 9

Valance Information

- Individual Valance Ordering and Pricing/Tape Valance Option and Color Chart 10
- Valances and Valance Return Information and Specifications 11

Cordless Lift & Lock Bottomrail Color Coordination 12

Solid and Decorative Tape Option and Listing 13

Product and Specifications

- Product Specifications 14
- Size Specifications 15
- Finished Dimensions and Mounting Requirements. 15

Controls, Components, Ladder/Tape Placement & Stack-up Charts

- Standard Rectangular 16
- Cordless 17
- RemoteTilt. 18
- Cordless Lift & Lock™ 19
- Component Diagrams 20-22

RemoteTilt Motorization

- RemoteTilt Motorization – Overview. 23
- Radio Frequency (RF) Features, Options and Part Numbers 24

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width are considered oversize. Therefore, a net shipping charge of \$45 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.



FEATURES & BENEFITS

- Durable engineered material that won't crack, chip, or peel.
- Offered in a wide selection of whites, neutrals and wood tones, including the rich colors and wood grain patterns of the Premium Grain collection.
- Whites, Neutrals and Woodtones available in 2" and 2-1/2" slat styles, Premium Grain available in 2" slats.
- Come standard with a 3" decorative valance and trapezoid bottomrail. Contemporary Crescent or simply elegant Modern valance profiles are optional.
- Heavy-duty slim design headrail and crash-proof cordlock that provide smooth, reliable operation.
- Decorative tassels and lift cord with a unique Stop Ball that breaks apart under pressure to help protect children and pets.
- A wide selection of solid and decorative tapes that add a stylish accent.
- Optional LightsOut routeless feature that blocks additional light and enhances privacy.
- Available with upgraded operating systems including Cordless Lift & Lock™, Cordless Lift and RemoteTilt™ for enhanced control convenience.
- Cordless Lift & Lock™ is certified Best For Kids when ordered with wand tilt.
- Limited Lifetime Warranty ensures your customers' satisfaction.

COLOR CHART

2" FAUX WOOD

WHITES AND NEUTRALS	COLOR #
Dolphin	S921
Eggshell	S904
Gobi	S920
Pearl	S903
Smoke	S922
Snow	S901
Textured Pearl	T903
Textured Pure White	T901
Ultra White	S951

WOOD TONES	COLOR #
Burmese Teak	P925
Honey Maple	P924
Light Oak	P913

2-1/2" FAUX WOOD

WHITES AND NEUTRALS	COLOR #
Dolphin	S921
Eggshell	S904
Gobi	S920
Pearl	S903
Smoke	S922
Snow	S901
Textured Pearl	T903
Textured Pure White	T901
Ultra White	S951

WOOD TONES	COLOR #
Burmese Teak	P925
Honey Maple	P924
Light Oak	P913

2" PREMIUM GRAIN

Espresso	PG507
Harvest	PG504
Heathered	PG500
Peppercorn	PG503

Slate	PG501
Sterling Gray	PG502
Tawny	PG506
Toasted Almond	PG505

CHARACTERISTICS OF FAUX WOOD BLINDS

Faux wood blinds are an excellent and economical alternative to wood blinds for many applications and offer long lasting performance. The Whites and Neutrals and the Wood Tones colors are constructed of a durable engineered polymer material, and the Premium Grain colors are constructed of a non-PVC acrylic-based material. Both materials will not crack, chip or fade – perfect for high traffic areas. They are also easy to clean and are moisture resistant for placement in kitchens and bathrooms.

Faux wood blinds are not intended for installation near heat sources such as radiators and heat registers which can potentially compromise the integrity of the faux wood material, or in locations where temperatures within the window casing will exceed 120 degrees Fahrenheit, including older single pane or aluminum frame windows that conduct and amplify outside heat into the window casing.

Faux wood blinds in all colors are certified GOLD for Greenguard Indoor Air Quality. The Whites and Neutrals colors and the Wood Tone colors are FR Certified NFPA 701 (Premium Grain colors are not FR certified).

GROUP 1 – 2" WHITES & NEUTRALS

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$126	140	152	168	178	198	216	248	264	288	306	324	348
36"	138	148	158	176	192	210	230	264	284	314	324	348	376
42"	146	158	172	192	208	226	250	286	308	334	356	378	412
48"	156	168	178	204	220	244	266	304	330	362	376	408	442
54"	168	186	200	226	246	266	294	334	362	392	418	444	478
61"	178	196	214	236	260	280	312	360	382	420	442	478	518
66"	190	206	222	254	272	300	330	378	408	450	474	510	550
73"	202	218	236	270	292	322	356	408	436	478	508	548	592
78"	210	228	250	280	306	334	372	428	462	504	534	574	
84"	218	236	262	298	322	356	396	450	486	536	562	594	
90"	228	250	272	312	338	372	410	468	508	560	576		
96"	236	264	288	324	356	392	434	494	532	588			
102"	248	270	300	334	366	408	450	518	554				
108"	268	294	320	366	402	438	484	552	584				

 Note: Blinds over 50 sq. ft.
require 2 or 3 on 1 Headrail

 Cordless Lift & Lock not available
in sizes over 40 sq ft outside the
thick black line

SOLID & DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift & Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
Solid	\$36	36	36	36	44	44	54	54	62	62	70	70	78
Decorative	78	78	78	78	94	94	116	116	132	132	150	150	162

NO CHARGE OPTIONS

- 3" Modern Valance (in place of standard Decorative Valance)
- 3" Crescent Valance (in place of standard Decorative Valance)
- LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes)
- Controls – LR, RL or Grouped
- Hold-Down Brackets
- Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets
- Spacer Blocks – small (3/8") and large (3/4")
- Special Wand and Cord Length (please see available lengths on p.16)
- Cord Tilter (please see available lengths on p.16)
- 2 or 3 On 1 Headrail (max. 120" on 2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift)
- (3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER

- Cordless Lift & Lock™ Systemadd **\$106 each**
- Cordless Lift System.....add **\$152 each**
- Blinds Under 12" Wide.....add **\$20 each**
- Tape Valanceadd **\$18 each**
- Keystone Valance Option (for blinds under 102" wide)add **\$18**

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™	Motorization	
				2" RemoteTilt w/ Std Lift ¹	2" RemoteTilt w/ Cordless Lift ¹
Minimum Width (Net)	8" 12" with Tapes	18" Tapes NA	10-1/2" Tapes NA	20" 22" with Tapes	20" Tapes N/A
Maximum Width (One blind)	96"	78"	96"	96"	78"
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"	72"
Max. AREA (SQ/FT) ²	50 sq/ft	40 sq/ft	40 sq/ft	50 sq/ft	40 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" ³	N/A	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"	102"

¹ RemoteTilt Motorization is not available with Cordless Lift & Lock

² Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

³ Cordless Lift & Lock™ not available as a 3 on 1 headrail

GROUP 2 – 2" WOOD TONES

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$138	150	160	178	198	216	236	270	300	318	344	362	390
36"	146	160	174	196	212	234	258	294	320	344	372	392	422
42"	158	174	190	212	230	256	278	320	350	374	408	428	464
48"	168	184	200	222	248	272	300	342	376	408	436	460	496
54"	186	204	220	250	272	300	330	376	418	448	484	508	548
61"	196	216	236	266	292	318	350	404	444	480	518	546	588
66"	208	228	254	280	310	340	378	436	478	518	562	588	634
73"	220	248	266	304	332	370	408	468	516	552	600	638	688
78"	236	260	280	324	356	390	430	496	552	596	650	680	
84"	254	274	304	346	378	422	466	534	596	638	702	706	
90"	264	292	322	370	404	448	500	576	634	678	718		
96"	280	308	342	388	426	472	528	604	672	724			
102"	292	322	356	404	444	494	552	630	704				
108"	316	348	384	438	482	532	596	676	730				

Note: Blinds over 50 sq. ft. require 2 or 3 on 1 Headrail

Cordless Lift & Lock not available in sizes over 40 sq ft outside the thick black line

SOLID & DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift & Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
Solid	\$36	36	36	36	44	44	54	54	62	62	70	70	78
Decorative	78	78	78	78	94	94	116	116	132	132	150	150	162

NO CHARGE OPTIONS

- 3" Modern Valance (in place of standard Decorative Valance)
- 3" Crescent Valance (in place of standard Decorative Valance)
- LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes)
- Controls – LR, RL or Grouped
- Hold-Down Brackets
- Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets
- Spacer Blocks – small (3/8") and large (3/4")
- Special Wand and Cord Length (please see available lengths on p.16)
- Cord Tilter (please see available lengths on p.16)
- 2 or 3 On 1 Headrail (max. 120" on 2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift)
- (3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER

- Cordless Lift & Lock™ Systemadd \$106 each
- Cordless Lift Systemadd \$152 each
- Blinds Under 12" Wideadd \$20 each
- Tape Valanceadd \$18 each
- Keystone Valance Option (for blinds under 102" wide)add \$18

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	Motorization				
	2" Standard	2" Cordless	2" Cordless Lift & Lock™	2" RemoteTilt w/ Std Lift ¹	2" RemoteTilt w / Cordless Lift ¹
Minimum Width (Net)	8" 12" with Tapes	18" Tapes NA	10-1/2" Tapes NA	20" 22" with Tapes	20" Tapes N/A
Maximum Width (One blind)	96"	78"	96"	96"	78"
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"	72"
Max. AREA (SQ/FT) ²	50 sq/ft	40 sq/ft	40 sq/ft	50 sq/ft	40 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" ³	N/A	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"	102"

¹ RemoteTilt Motorization is not available with Cordless Lift & Lock

² Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

³ Cordless Lift & Lock™ not available as a 3 on 1 headrail

GROUP 3 – 2-1/2" WHITES & NEUTRALS

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$144	154	168	184	202	226	246	282	302	334	360	386	418
36"	154	166	178	200	220	244	270	308	334	366	394	422	456
42"	170	176	188	214	234	264	286	324	356	392	422	452	490
48"	176	188	202	230	252	282	310	354	386	428	460	496	534
54"	186	200	220	246	270	306	334	386	422	466	500	544	586
61"	196	216	232	262	288	330	362	414	456	502	546	590	636
66"	224	244	264	296	326	370	408	466	514	562	604	656	706
73"	238	260	282	316	352	396	436	502	546	608	654	706	764
78"	248	272	296	334	374	422	464	528	578	644	698	760	
84"	264	288	318	356	400	450	500	572	626	690	760	786	
90"	282	308	338	378	424	480	530	608	676	746	794		
96"	294	324	358	404	456	516	570	656	722	798			
102"	314	346	382	428	482	552	610	698	778				
108"	332	366	404	460	520	586	652	756	798				

Note: Blinds over 50 sq. ft. require 2 or 3 on 1 Headrail

Cordless Lift & Lock not available in sizes over 31 sq ft outside the thick black line

SOLID & DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift & Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
Solid	\$36	36	36	36	44	44	54	54	62	62	70	70	78
Decorative	78	78	78	78	94	94	116	116	132	132	150	150	162

NO CHARGE OPTIONS

- 3" Modern Valance (in place of standard Decorative Valance)
- 3" Crescent Valance (in place of standard Decorative Valance)
- LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes)
- Controls – LR, RL or Grouped
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets
- Cord Tilter (please see available lengths on p.16)
- Spacer Blocks – small (3/8") and large (3/4") (one 3/8" spacer set standard with 2-1/2" blinds)
- Special Wand and Cord Length (please see available lengths on p.16)
- 2 or 3 On 1 Headrail (maximum 120" on 2-1/2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift) (3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER

- Cordless Lift & Lock™ Systemadd \$106 each
- Cordless Lift Systemadd \$152 each
- Blinds Under 12" Wideadd \$20 each
- Tape Valanceadd \$18 each
- Keystone Valance Option (for blinds under 102" wide)add \$18

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	Motorization				
	2-1/2" Standard	2-1/2" Cordless	2-1/2" Cordless Lift & Lock™	2-1/2" RemoteTilt w/ Std Lift ¹	2-1/2" RemoteTilt w / Cordless Lift ¹
Minimum Width (Net)	12	18" Tapes NA	10-1/2" Tapes NA	20" 22" with Tapes	20" Tapes N/A
Maximum Width (One blind)	96"	78"	96"	96"	78"
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"	72"
Max. AREA (SQ/FT) ²	50 sq/ft	36 sq/ft	31 sq/ft	50 sq/ft	36 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" ³	N/A	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"	102"

¹ RemoteTilt Motorization is not available with Cordless Lift & Lock

² Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

³ Cordless Lift & Lock™ not available as a 3 on 1 headrail

GROUP 4 – 2-1/2" WOOD TONES

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$158	168	184	204	220	250	270	310	332	370	396	424	460
36"	168	184	196	220	242	268	296	338	368	404	434	464	502
42"	186	192	208	234	256	288	314	358	392	432	464	496	536
48"	192	206	220	252	278	310	340	390	422	472	506	546	588
54"	206	220	242	270	298	334	368	424	464	512	550	598	644
61"	216	236	256	288	318	362	398	456	500	552	600	650	702
66"	246	268	288	326	360	406	448	514	564	620	662	720	778
73"	264	286	310	348	388	436	480	552	600	670	718	778	838
78"	272	300	324	368	410	464	510	582	636	708	764	834	
84"	288	318	348	392	440	496	550	630	688	762	834	868	
90"	310	340	372	420	466	528	584	672	744	820	872		
96"	324	358	392	444	500	566	628	722	794	880			
102"	344	378	420	474	532	608	672	764	854				
108"	362	402	444	506	574	644	716	834	880				

 Note: Blinds over 50 sq. ft.
require 2 or 3 on 1 Headrail

 Cordless Lift & Lock not available
in sizes over 31 sq ft outside the
thick black line

SOLID & DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift & Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
Solid	\$36	36	36	36	44	44	54	54	62	62	70	70	78
Decorative	78	78	78	78	94	94	116	116	132	132	150	150	162

NO CHARGE OPTIONS

- 3" Modern Valance (in place of standard Decorative Valance)
- 3" Crescent Valance (in place of standard Decorative Valance)
- LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes)
- Controls – either LR, RL or Grouped
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets
- Cord Tilter (please see available lengths on p.16)
- Spacer Blocks – small (3/8") and large (3/4") (one 3/8" spacer set standard with 2-1/2" blinds)
- Special Wand and Cord Length (please see available lengths on p.16)
- 2 or 3 On 1 Headrail (maximum 120" on 2-1/2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift) (3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER

- Cordless Lift & Lock™ Systemadd \$106 each
- Cordless Lift System.....add \$152 each
- Blinds Under 12" Wide.....add \$20 each
- Tape Valanceadd \$18 each
- Keystone Valance Option (for blinds under 102" wide)add \$18

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	Motorization				
	2-1/2" Standard	2-1/2" Cordless	2-1/2" Cordless Lift & Lock™	2-1/2" RemoteTilt w/ Std Lift ¹	2-1/2" RemoteTilt w/ Cordless Lift ¹
Minimum Width (Net)	12	18" Tapes NA	10-1/2" Tapes NA	20" 22" with Tapes	20" Tapes N/A
Maximum Width (One blind)	96"	78"	96"	96"	78"
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"	72"
Max. AREA (SQ/FT) ²	50 sq/ft	36 sq/ft	31 sq/ft	50 sq/ft	36 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" ³	N/A	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"	102"

¹ RemoteTilt Motorization is not available with Cordless Lift & Lock

² Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

³ Cordless Lift & Lock™ not available as a 3 on 1 headrail

GROUP 5 – 2" PREMIUM GRAIN

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$158	172	184	206	226	248	272	312	344	366	394	416	450
36"	168	184	200	226	244	268	296	340	370	394	426	450	484
42"	182	200	218	244	264	294	318	370	404	430	470	490	532
48"	190	210	230	256	284	314	346	392	432	470	502	528	572
54"	214	234	256	288	314	346	378	432	480	516	556	584	630
61"	226	248	270	308	334	366	404	466	512	552	596	628	676
66"	240	262	292	322	356	390	436	502	550	594	646	676	730
73"	256	284	308	348	382	424	470	538	594	634	690	734	792
78"	270	296	322	372	408	450	496	570	636	686	746	782	
84"	292	316	348	400	438	484	536	614	686	734	806	812	
90"	304	338	370	424	466	516	574	660	730	782	828		
96"	320	352	392	444	490	542	606	692	770	832			
102"	334	370	408	464	512	568	634	724	808				
108"	362	400	440	502	556	612	686	778	838				

Note: Blinds over 50 sq. ft. require 2 or 3 on 1 Headrail

Cordless Lift & Lock not available in sizes over 40 sq ft outside the thick black line

SOLID & DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift & Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
Solid	\$36	36	36	36	44	44	54	54	62	62	70	70	78
Decorative	78	78	78	78	94	94	116	116	132	132	150	150	162

NO CHARGE OPTIONS

- 3" Modern Valance (in place of standard Decorative Valance)
- 3" Crescent Valance (in place of standard Decorative Valance)
- LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes)
- Controls – LR, RL or Grouped
- Hold-Down Brackets
- Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets
- Spacer Blocks – small (3/8") and large (3/4")
- Special Wand and Cord Length (please see available lengths on p.16)
- Cord Tilter (please see available lengths on p.16)
- 2 or 3 On 1 Headrail (max. 120" on 2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift)
- 3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER

- Cordless Lift & Lock™ Systemadd \$106 each
- Cordless Lift Systemadd \$152 each
- Blinds Under 12" Wide.....add \$20 each
- Tape Valanceadd \$18 each
- Keystone Valance Option (for blinds under 102" wide)add \$18

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™	Motorization	
				2" RemoteTilt w/ Std Lift ¹	2" RemoteTilt w / Cordless Lift ¹
Minimum Width (Net)	8" 12" with Tapes	18" Tapes NA	10-1/2" Tapes NA	20" 22" with Tapes	20" Tapes N/A
Maximum Width (One blind)	96"	78"	96"	96"	78"
Minimum Height	12"	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"	72"
Max. AREA (SQ/FT) ²	50 sq/ft	40 sq/ft	40 sq/ft	50 sq/ft	40 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" ³	N/A	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"	102"

¹ RemoteTilt Motorization is not available with Cordless Lift & Lock

² Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

³ Cordless Lift & Lock™ not available as a 3 on 1 headrail

REMOTETILT™ – Tilt Motorization System

NOTE: Must select RF RemoteTilt power source when ordering.

Radio Frequency (RF) RemoteTilt power options are: Single Battery Wand (reloadable), Dual Battery Wand (reloadable), and Transformer (plugs into wall outlet). Each Reloadable Battery Wand comes with a set of 8 AA lithium batteries on initial shade orders at the prices shown below. The part # below references the battery wand only.

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER (Must select RemoteTilt power source when ordering)

RADIO FREQUENCY (RF) MOTORIZATION

- Radio Frequency (RF) Tilt Motoradd \$418 per blind
- Radio Frequency (RF) Remote Control Unit – 1 Channel Part #RC445069 add \$152 each
- Radio Frequency (RF) Remote Control Unit – 5 Channel Part #RC445079 add \$196 each
- Radio Frequency (RF) Wireless Wall Switch – 1 Channel..... Part #RC445135 add \$386 each
- Radio Frequency (RF) Wireless Wall Switch – 5 Channel..... Part #RC445136 add \$386 each
- Radio Frequency (RF) Programmable Timer – 1 Channel Part #1805237A..... add \$614 each

- Radio Frequency (RF) Single Battery Wand – Reloadable (Includes 8 AA)..... Part #RC445268 add \$206 each
- Radio Frequency (RF) Dual Battery Wand – Reloadable (Includes 16 AA) Part #RC445268 add \$418 each
- Radio Frequency (RF) Transformer Part #1822445 add \$208 each
- Radio Frequency (RF) 10" Battery Wand Extension Cable Part #9013282 add \$16 each
- Radio Frequency (RF) 48" Battery Wand Extension Cable Part #9013279 add \$22 each
- Radio Frequency (RF) 96" Battery Wand Extension Cable Part #9013277 add \$30 each
- Radio Frequency (RF) 8 AA Lithium Batteries – Reloadable Wand Replacements Part #9014834 add \$70 each

- Solar Recharge Kit (**batteries NOT included** if ordered as a stand alone kit) Part #9019034add \$378 each
(Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mount adhesive tape, solar panel mounting brackets – 4 qty.)
- NiMh Rechargeable Batteries (quantity of 10) Part #9018621add \$108 each
- Plug-in AC Battery Rapid Charger (for solar recharge kit only) (includes 12" cable) Part #9018620add \$376 each
- 48" Extension Cable for Y Harness..... Part #9016736add \$26 each

Notes: • For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

REMOTETILT MOTORIZATION	2" w/ Std Lift	2" w/ Cordless lift	2-1/2" w / Std Lift	2-1/2" with Cordless Lift
Minimum Width (Net)	20" 22" with Tapes	20" Tapes N/A	20" 22" with Tapes	20" Tapes N/A
Maximum Width (One blind)	96"	78"	96"	78"
Maximum Height	96"	72"	96"	72"
Maximum AREA (SQ/FT)	50 sq/ft	40 sq/ft	50 sq/ft	36 sq/ft
Maximum Continuous Valance Width (not spliced)	102"	102"	102"	102"

Note: RemoteTilt not available with Cordless Lift & Lock.

INDIVIDUAL VALANCE ORDERING & PRICING



Refer to this pricing for "individual" valances only. (Valances on all blind orders are already standard and included in the blind price.)

Valance Deductions for Faux Wood Blinds

Order Configuration		How Valance Will Be Produced
IB	RETURN LENGTH OVERRIDE	Inside miter to miter valance will be 1" wider than ordered width
OB	NET (Valance Only)	Inside miter to miter valance will be exact ordered width
IB	NET (Valance Only)	Valance will be exact ordered width
IB	CONTINUOUS	Valance will be exact size of continuous valance measurement
IB	CONTINUOUS with RETURN LENGTH OVERRIDE	Inside miter to miter valance will be 1" wider than ordered width
OB	CONTINUOUS	Inside miter to miter valance will be exact ordered width

2" & 2-1/2" FAUX WOOD COLOR NAMES	3" STANDARD DECORATIVE, 3" CRESCENT, AND 3" MODERN VALANCE COLOR #
Burmese Teak	P925
Dolphin	S921
Eggshell	S904
Espresso	PG507
Gobi	S920
Harvest	PG504
Heathered	PG500
Honey Maple	P924
Light Oak	P913
Pearl	S903
Peppercorn	PG503
Slate	PG501
Smoke	S922
Snow	S901
Sterling Gray	PG502
Tawny	PG506
Textured Pearl	T903
Textured Pure White	T901
Toasted Almond	PG505
Ultra White	S951

*NOTE: When ordering Textured Pure White and Textured Pearl, the Decorative Valance will be textured; Crescent Valance and Modern Valance will be smooth.

INDIVIDUAL VALANCE PRICING (FOR 3" STANDARD DECO, CRESCENT AND MODERN VALANCE)

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
3" Standard Deco, Crescent, and Modern Valance	\$34	34	34	34	50	50	50	50	70	70	70	70	84	84	86	112	112	112	144	162

TAPE VALANCE OPTION



With this option, the 1" or 1-1/8" Tape is attached (glued) across the flat section of the 3" Standard Deco Valance. Refer to the faux wood/tape sample deck to coordinate faux wood and tape colors to your customer's liking. The tape names available for this option and the 4 digit tape color numbers are listed below. (Tape pattern orientation flows from left to right.)


SOLID TAPE NAMES	Color Number
Alabaster	1113
Black	1899
Chocolate	1376
Dark Beige	1323
Dark Gray	1850
Light Beige	1322
Light Gray	1861

SOLID TAPE NAMES	Color Number
Pecan	1334
Steel	1867
Taupe	1302
White	1100
DECORATIVE TAPE NAMES	Color Number
Gray Cream Band	5007
Gray Gold Band	5006

NOTE: Decorative Keystone can be ordered with the tape valance option but the tape will not be placed on the Keystone, as it will butt up to it on each side.

VALANCES


VALANCE & RETURN CONFIGURATIONS (OUTSIDE MOUNTS)



Standard Decorative - 3" Profile

Crescent Valance - 3" Profile (optional)

Modern Valance - 3" Profile (optional)



NOTE: Outside mount returns are adjusted longer by the factory when short or long (1-3/8" or 3-1/2") extension brackets or when small or large (3/8" or 3/4") spacer blocks are ordered. Only the 1st set of ordered spacer blocks will affect the return length adjustment. Please specify longer custom return lengths when ordering if additional spacer blocks will be used.

Slat Size/Style

- 2" Faux Wood Blinds
- 2-1/2" Faux Wood Blinds

Standard OB Returns

3"
3-3/8"

NOTE: Inside mount blind valances do not come with returns unless specified on the order.


KEYSTONE VALANCE OPTION

Keystones are designed to cover splices in oversized valances or can be used as a decorative element to add dimensional appeal.

Valances under 102" – a keystone may be added to a valance for a small surcharge. The valance will come fully assembled with the keystone positioned in the center. The color of the keystone will match the valance.

Valances over 102" that are spliced - a keystone will automatically be provided at no charge to join the sides and cover the splice. Will require assembly.

Note: the addition of a keystone will not affect the overall width of the valance.





VALANCE / RETURN SPECIFICATIONS

- **Custom valance widths** are available upon request. Maximum widths for valance are as follows:
The maximum Continuous Valance width is **102"**
The maximum Spliced Valance width is **168"**. (See note below).
- **Custom return lengths** are available upon request.
The minimum return length is **1 1/2"**
The maximum return length is **6"**
- **3" Return lengths** are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.
Short Extension Brackets = **4-1/4"** Small Spacer Blocks (1st Set) = **3-3/8"**
Long Extension Brackets = **6-1/4"** Large Spacer Blocks (1st Set) = **3-3/4"**

NOTE: Valances over 102" will be spliced in the middle. **A decorative keystone will be supplied at no charge to join the sides and conceal the splice.**

CUSTOM VALANCE & RETURNS – MEASURED & CUT FROM THE INSIDE:

- **NOTE:** Valances are cut to measure from the inside miter to insure the most accurate fit when installed over the headrail or window frame.



CORDLESS LIFT & LOCK™ – BOTTOMRAIL COLOR COORDINATION

The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail in the color listed below.

Whites & Neutrals	2" Color #	2-1/2" Color #	Cordless Lift & Lock Bottomrail		
			Color	Color #	End Cap PCN
Dolphin	S921	S921	Pearl Gray	879	5003097879
Eggshell	S904	S904	Antique White	973	5003091973
Gobi	S920	S920	Antique White	973	5003091973
Pearl	S903	S903	Antique White	973	5003091973
Smoke	S922	S922	Gray Flannel	405	1005598
Snow	S901	S901	Flex White	885	1005682
Textured Pearl	T903	T903	Antique White	973	5003091973
Textured Pure White	T901	T901	Gloss White	110	5003097110
Ultra White	S951	S951	Pearl	974	1005683

Wood Tones	2" Color #	2-1/2" Color #	Cordless Lift & Lock Bottomrail		
			Color	Color #	End Cap PCN
Burmese Teak	P925	P925	Wild Ginger	463	1005680
Honey Maple	P924	P924	Camel	082	5003091082
Light Oak	P913	P913	Camel	082	5003091082

Premium Grain	2" Color #		Cordless Lift & Lock Bottomrail		
			Color	Color #	End Cap PCN
Espresso	PG507	N/A	Venetian Bronze	234	5003091234
Harvest	PG504	N/A	Cocoa	083	1005593
Heathered	PG500	N/A	Smokey Gray	443	1005599
Peppercorn	PG503	N/A	Bronze	064	5003091064
Slate	PG501	N/A	Smokey Gray	443	1005599
Sterling Gray	PG502	N/A	Pearl Gray	879	5003097879
Tawny	PG506	N/A	Sweet Chocolate	378	5003091378
Toasted Almond	PG505	N/A	Bronze	064	5003091064

NOTE: Bottomrail colors are pre-selected. Hardware color override is not available.
Please refer to the cordless Lift & Lock™ Hardware Color Card to see an example of the bottomrail color.

SOLID AND DECORATIVE TAPES

TAPES



TAPE SPECIFICATIONS

Select the tape width, color and design which will complement your 2" or 2-1/2" faux wood blind.

- Made from a poly/cotton blend
- Resists fading or shrinking
- *Lifetime Guarantee*
- Decorative tapes are attached to solid colored tape ladders that are slightly narrower than the width of the decorative tape (see chart below). The ladder is pre-selected based upon this width and for color coordination. A high tech gluing process is used to adhere the decorative tape. This process is superior to the commonly used sewing application which is visible and tends to pucker. **The decorative tape is only applied to the ladder on the front of the blind. The back of the blind will have a solid color tape visible (see chart below).**

Solid Tapes

1" Solid Tape	Color Number
Alabaster	1113
Black	1899
Chocolate	1376
Dark Beige	1323
Dark Gray	1850
Light Beige	1322
Light Gray	1861
Pecan	1334
Steel	1867
Taupe	1302
White	1100

1-1/2" Solid Tape	Color Number
Alabaster	8113
Black	8899
Chocolate	8376
Dark Beige	8323
Dark Gray	8850
Light Beige	8322
Light Gray	8861
Pecan	8334
Steel	8867
Taupe	8302
White	8100

Decorative Tapes

1-1/8" Deco Tape		Attached To
Gray Cream Band	5007	Alabaster
Gray Gold Band	5006	Alabaster
1-1/4" Deco Tape		Attached To
Stonewash Cocoa	5003	Light Beige
Stonewash Espresso	5005	Chocolate
Stonewash Gray	5002	Alabaster
Stonewash Khaki	5001	Alabaster

1-1/2" Deco Tape		Attached To
Dublin	6200	Alabaster
Ivory Accent	0911	Alabaster
Knit Fit	4300	Alabaster
White Accent	0910	White

Solid and Decorative Tapes are not available with:

- LightsOut Routeless Feature
- Cordless Lift
- Cordless Lift & Lock™

PRODUCT SPECIFICATIONS

FEATURES	2"	2-1/2"
# of Colors	20	12
Headrail Size	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"
Headrail Gauge	.024	.024
Bracket Style	Box	Box
Bottomrail - Standard/Cordless	Trapezoid	Trapezoid
Bottomrail - Cordless Lift & Lock	Aluminum Bottomrail made in 1 of 18 colors - see listing on Page 12 for color name and Wood/Faux Wood bottomrail color guide for color sample	
Ladder Space	44 mm	54 mm
Wand Tilt - not available with RemoteTilt option	Yes	Yes
Decorative Valance	Yes – 3"	Yes – 3"
Crescent Valance (Optional)	Yes – 3"	Yes – 3"
Modern Valance (Optional)	Yes – 3"	Yes – 3"
Valance Return Lengths (standard for outside mounts)	3"	3-3/8"
Adjustable Valance Attachment System	Yes	Yes
Decorative Tassel	Yes	Yes
Headrail End Stiffener	Yes	Yes
Break-Away Stop Ball	Yes	Yes
Warranty (Tilt motor systems are warranted for 5 years)	Limited Lifetime	Limited Lifetime
Flame Resistant – NFPA #701	Yes	Yes

OPTIONS AND UPGRADES	2"	2-1/2"
Cordless Lift - not available with tapes - not available with LightsOut Routeless feature	Yes	Yes
Cordless Lift & Lock™ - not available with tapes - not available with LightsOut Routeless feature	Yes	Yes
RemoteTilt System¹ - not available with cordless Lift & Lock™	Yes	Yes
LightsOut Routeless Slats² - not available with tapes - not available with cordless lift - not available with cordless Lift & Lock™	Yes	Yes
2 or 3 On 1 Headrail³ - 2-on-1 or 3-on-1 headrail not available with cordless lift - 3-on-1 headrail not available with cordless Lift & Lock™	Yes	Yes
Tapes⁴ (not available with LightsOut feature) - not available with cordless lift - not available with cordless Lift & Lock™ - not available with LightsOut Routeless feature	Yes	Yes
Tape Valance – Standard Decorative Valance Only	Yes	Yes
Crescent Valance Option⁵	Yes	Yes
Modern Valance Option⁵	Yes	Yes
Keystone Valance Option	Yes	Yes

CONTROL/MOUNTING OPTIONS	2"	2-1/2"
Cord Tilt	Yes	Yes
Wand/Cord – Custom Lengths	Yes	Yes (Cord Only)
Control Positions	LR, RL or Grouped	LR, RL or Grouped
Tilt Control Position – Cordless	Left Tilt Only	Left Tilt Only
Tilt Control Position – Cordless Lift & Lock™	L or R Under 12-1/2" net - center tilt only	L or R Under 12-1/2" net - center tilt only
Lift Control Position – RemoteTilt (Motor will be on opposite side)	L or R	L or R
Tile Cut-out(s) - not available with cordless Lift & Lock™	Yes	Yes
Spacer Blocks⁶ (3/8" and 3/4" Depths)	Yes	3/8" Standard
Extension Brackets (Short & Long)	Yes	Yes
Hold-down Brackets - not available with 2-1/2" cordless Lift & Lock	Yes	Yes

FOOTNOTES (FEATURES & SPECIFICATIONS)
¹ RemoteTilt motorization system requires a hand-held REMOTE CONTROL unit. The quantity of remote control units must be specified when ordering. RemoteTilt requires both a remote and a power source. Please specify when ordering.
² The LightsOut configuration may cause slight "puckering" of the lift cords on the front of the blind when the slats are tilted backwards (reverse tilt) due to the use of interlacing cords on the front (the back uses looped ladders). A gentle tug down on the lift cord tassel will eliminate any puckering.
³ The slats on LightsOut routeless blinds feature notches in the slat instead of route holes. Regardless of blind size, there will notches in the front and rear of the slat on the far right and far left ladders only, approximately 6" in from the end of the slat.
⁴ There will be a 1/2" maximum light gap between multiple blinds on 1 headrail. 2 or 3 on 1 headrail not available with the RemoteTilt upgrades.
⁵ Wood tone blinds will include Antique Brass tape clamps and White/Neutral tone blinds will include White tape clamps on the bottomrail.
⁶ When ordered with T901 Textured Pure White or T903 Textured Pearl, the Crescent Valance and Modern Valance will be a smooth finish.
⁷ On outside mount valances, the 1st set of ordered spacer blocks will automatically lengthen the default 3" valance return length by the depth of the spacer, either 3/8" or 3/4".

SIZE SPECIFICATIONS

STANDARD RECTANGULAR	2"	2-1/2"
Minimum Width (Net)	8" 12" with Tapes	12" 12" with Tapes
Maximum Width (One blind)	96"	96"
Minimum Height	12"	12"
Maximum Height	108"	108"
Max. AREA (SQ/FT) (Blinds over 50 SQ/FT require 2 or 3 on 1 headrail)	50 sq/ft	50 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	120"
Maximum Continuous Valance Width (not spliced)	102"	102"

CORDLESS LIFT	2"	2-1/2"
Minimum Width (Net)	18"	18"
Maximum Width (One blind)	78"	78"
Minimum Height	12"	12"
Maximum Height	72"	72"
Maximum AREA (SQ/FT)	40 sq/ft	36 sq/ft

CORDLESS LIFT & LOCK™	2"	2-1/2"
Minimum Width (Net)	10-1/2"	10-1/2"
Maximum Width (One blind)	96"	96"
Minimum Height	12"	12"
Maximum Height	84"	84"
Maximum AREA (SQ/FT)	40 sq/ft	31 sq/ft
Maximum Width 2 on 1 Headrail	120"	120"
Maximum Continuous Valance Width (not spliced)	102"	102"

REMOTETILT MOTORIZATION	2" w/ Std Lift	2" w/ Cordless lift	2-1/2" w/ Std Lift	2-1/2" w/ Cordless Lift
Minimum Width (Net)	20" 22" with Tapes	20" Tapes N/A	20" 22" with Tapes	20" Tapes N/A
Maximum Width (One blind)	96"	78"	96"	78"
Maximum Height	96"	72"	96"	72"
Maximum AREA (SQ/FT)	50 sq/ft	40 sq/ft	50 sq/ft	36 sq/ft
Maximum Continuous Valance Width (not spliced)	102"	102"	102"	102"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

Inside (IB) Mount	
Headrail width ¹	- 3/4"
Blind width	- 1/2"
Blind height	ordered height
Valance	- 1/8"
Outside (OB) Mount	
Headrail width ¹	- 1/4"
Blind width	ordered width
Blind height	ordered height
Valance	+ 1"
2 on 1 Headrail	
Gap between panels	- 1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth:	1-1/8"
Minimum mounting depth, flush mount - 2" Slat:	3-1/2"
Minimum mounting depth, flush mount - 2-1/2" Slat:	3-3/4"
Outside (OB) Mount	
Minimum flat vertical surface:	1-3/4"

FOOTNOTE

1 The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.

CONTROL CHARTS – STANDARD CORD LIFT

TILT CORD (OPTIONAL)

- Cords are **color-coordinated** with slats
- Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request.
 - For 2" blinds, minimum cord length is 6". For blinds under 15" in height, a cord length override to at least 6" must be requested.
 - For 2-1/2" blinds, minimum cord length is 10". For blinds under 24-3/4" in height, a cord length override to at least 10" must be requested.
- For **RemoteTilt**, the **tilt** function is controlled by remote unit

CONTROL POSITIONS:

Tilt Cord center and no Lift Cord*
 Tilt Cord **left** / Lift Cord **right** (standard)
 Lift Cord **left** / Tilt Cord **right**
 Tilt & Lift Cords **grouped left**
 Tilt & Lift Cords **grouped right**

Min. Width (NET)
Under 12"
12"
12"
18-1/8"
18-1/8"

* Available on 2" blinds only

TILT WAND (STANDARD)

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths.
- For **RemoteTilt**, tilt function is controlled by remote unit
- Tilt Length Override – specify length when ordering

Color wands up to 48" long. Clear in 60", 70", 78", 90" or 120".
 Wand length optional. Specify above optional lengths when ordering.

2" Faux	
Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 108"

Lift Cord Control – Standard lift cord length is 40% of the blind height as required by child safety standards. Customized lengths are available upon request. Minimum cord length is 6". For blinds under 15" in height, a cord length override to at least 6" must be requested.

LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux		
Blind Width	# of Ladders	# of Routes
8" to 20" **	2	2
20-1/8" to 32"	3	2
32-1/8" to 44"	4	4
44-1/8" to 56"	5	4
56-1/8" to 68"	6	4
68-1/8" to 80"	7	4
80-1/8" to 96"	8	4


**Under 12" NET for 2" slats only

**Routes are positioned approximately 2" from the end of the slat for blinds less than 12 1/8" wide, and 4" from the end of the slat for all others. Exceptions are standard and LightsOut blinds with grouped controls will be approximately 4 1/2" from end of slat, and 4 3/4" for blinds with cloth tapes and grouped controls.

BREAK-AWAY STOP BALL

- Stop balls are standard for ALL lift cords.

The stop ball separates under pressure. It easily snaps together again.




BOTTOMRAIL (STANDARD)

- 2" **Trapezoid** bottomrails are standard on faux wood blinds with **standard lift cords**

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).

Trapezoid Bottomrail



STACK-UP-CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- Headrail+Bottomrail = 2-1/2"

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"
96"	10-7/8"

PLUS + 2-1/2"

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"
96"	9"

PLUS + 2-1/2"

CONTROL CHARTS – CORDLESS

TILT CORD (OPTIONAL)

- Tilt cords are **color coordinated** with slats
- Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request.
 - For 2" blinds**, minimum cord length is 6". For blinds under 15" in height, a cord length override to at least 6" must be requested.
 - For 2-1/2" blinds**, minimum cord length is 10". For blinds under 24-3/4" in height, a cord length override to at least 10" must be requested.
- LIFT** function is controlled from the bottom rail

TILT CONTROL POSITIONS - LEFT ONLY

Tilt Wand (Standard), Tilt Cords (Optional)
or RemoteTilt (Optional)

Min. Width (NET)
18"
20" with Remote Tilt

TILT WAND (STANDARD)

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths.
- For RemoteTilt**, tilt function is controlled by remote unit
- Tilt Length Override – specify length when ordering

Color wands up to 48" long. Clear in 60", 70", 78", 90" or 120".

Wand length optional. Specify above optional lengths when ordering.

2" & 2-1/2" Faux	
Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"

LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux		
# of Routes	# of Ladders	# of Routes
18" to 24"	2	2
24-1/8" to 36"	3	2
36-1/8" to 48"	4	4
48-1/8" to 60"	5	4
60-1/8" to 72"	6	4
72-1/8" to 78"	7	4


**Routes are positioned approximately 6" from the end of the slat for all blinds.

BOTTOMRAIL – CORDLESS LIFT

- 2" Trapezoid** bottomrails are standard on faux wood blinds with **cordless lift**

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).

Trapezoid Bottomrail



STACK-UP-CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"

PLUS	+ 2-1/2"
------	----------

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"

PLUS	+ 2-1/2"
------	----------

CONTROL CHARTS – REMOTETILT

CONTROLS

- Lift cords are **color coordinated** with slats
- Standard lift cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request.
 - For 2" blinds, minimum cord length is 6". For blinds under 15" in height, a cord length override to at least 6" must be requested.
 - For 2-1/2" blinds, minimum cord length is 10". For blinds under 24-3/4" in height, a cord length override to at least 10" must be requested.

CONTROL POSITIONS:

Lift Cord **right** (standard) or **left**


Min. Width
20"
22" with Tapes

Motor position will be on the opposite side of Lift Cord

BREAK-AWAY STOP BALL

- Stop balls are standard for ALL lift cords.

The stop ball separates under pressure. It easily snaps together again.



LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" FAUX		
Blind Width	# of Ladders	# of Routes
20" to 24"	2	2
24-1/8" to 36"	3	2
36-1/8" to 48"	4	4
48-1/8" to 60"	5	4
60-1/8" to 72"	6	4
72-1/8" to 84"	7	4
84-1/8" to 96"	8	4

**Routes are positioned approximately 5" from the end of the slat for blinds less than 18 1/8" wide, and 6" from the end of the slat for all others.

STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- Headrail+Bottomrail = 2-1/2"

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"
96"	10-7/8"

2 1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"
96"	9"

CONTROL CHARTS – CORDLESS LIFT & LOCK SYSTEM

TILT CORD (OPTIONAL)

- Cords are **color-coordinated** with slats
- Standard tilt cord lengths are 40% of the blind height as required by child safety standards. Customized lengths are available upon request.
 - For 2" blinds, minimum cord length is 6". For blinds under 15" in height, a cord length override to at least 6" must be requested.
 - For 2-1/2" blinds, minimum cord length is 10". For blinds under 24-3/4" in height, a cord length override to at least 10" must be requested.
- For cordless Lift & Lock the lift function is controlled by the bottomrail

CONTROL POSITIONS:

Tilt Cord **center ONLY**

Tilt **Left or Right ONLY**

Min. Width (NET)

10-1/2" to 12-3/8"

12-1/2" and more

TILT WAND (STANDARD)

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths.
- Tilt Length Override (Optional) – specify length when ordering

Color wands up to 48" long. Clear in 60", 70", 78", 90" or 120". Wand length optional. Specify above optional lengths when ordering.

2" & 2-1/2" Faux

Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 84"



LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the NET width of the blind.

2" & 2-1/2" Faux		
Blind Width	# of Ladders	# of routes
10-1/2" to 12-1/2"	2	2
12-5/8" to 18"	2	2
18-1/8" to 21-1/2"	2	2
21-5/8" to 33-1/2"	3	2
33-5/8" to 45-1/2"	4	2
45-5/8" to 57-1/2"	5	4
57-5/8" to 69-1/2"	6	4
69-5/8" to 81-1/2"	7	4
81-5/8" to 96"	8	4


**Routes are positioned approximately 2 1/2" from the end of the slat for blinds less than 12 1/2" wide, 3" from the end of the slat for blinds less than 18 1/8" wide, and 4 3/4" from the end of the slat for all others.

BOTTOMRAIL – CORDLESS LIFT & LOCK™

- A 2" deep by 1" tall aluminum bottomrail is standard

The aluminum bottomrail comes in one of the available colors pre-selected to best complement the color of the slat. A list of the coordinating bottomrail colors can be found on page 12. Please refer Cordless Lift & Lock Bottomrail Colors sheet to see an example of the bottomrail color.

Aluminum Bottomrail



NOTE: Bottomrail colors are pre-selected. Hardware color override is not available.

STACK-UP CHART (APPROXIMATE)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- Headrail+Bottomrail = 2-1/2"


2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"

PLUS + 2-1/2"


2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"

PLUS + 2-1/2"

PRODUCT COMPONENTS – STANDARD RECTANGULAR




PRODUCT COMPONENTS – CORDLESS LIFT & LOCK™ SYSTEM



*when ordered with wand tilt

Effective 2/3/20

PRODUCT COMPONENTS – CORDLESS LIFT SYSTEM



REMOTETILT™ MOTORIZATION: OVERVIEW

With RemoteTilt motorized blinds, a better quality of life and have more time to enjoy life's daily pleasures. At the touch of a button, window coverings can be instantly adjusted to changing activities or the varying sun conditions.



An ideal solution is to manage glare with a RemoteTilt hand-held remote control. At the simple touch of a button, blinds will tilt open or closed to adjust to the changing sunlight in a room.



RemoteTilt motorized blinds provide ultra-quiet operation. This RF system can operate blinds from virtually anywhere in the house without direct line of sight. Similar to how a garage door opener operates, radio signals travel through walls and make it possible to control multiple coverings throughout the home alone or as a group. It is also available in a 5-channel version. The multi-channel RF system allows for independent control of individual blinds and/or group control.

The RemoteTilt motorization system provide many benefits, such as improving energy efficiency, providing easily controllable privacy and also enhancing home security.



The RemoteTilt RF timer allows users to program specific times of the day to automatically adjust blinds in different areas of the house, protecting interiors from the fading effects of direct sunlight. This feature provides added security to an unoccupied home by creating a lived in look even while homeowners are away on vacation.



The battery powered RemoteTilt RF wireless wall switch allows blinds to be controlled when entering or exiting a room, just like the lights. The switch may be seamlessly installed without wiring next to any light switch or stand alone, and is never misplaced. This one touch privacy helps create the ideal environment whether preparing for a bath, relaxing in bed or enjoying time with the family at home.

Alta RemoteTilt motorized blinds are powered by Somfy, an industry leader in automated window coverings. All motorized products are backed by a 5 year warranty.



RADIO FREQUENCY REMOTETILT™ MOTORIZATION: FEATURES & OPTIONS














RADIO FREQUENCY (RF) REMOTETILT FEATURES:

- Highest quality patent protected design by Somfy
- Advanced motor with quiet operation
- Motor is fully enclosed within the headrail
- RemoteTilt blinds install with standard installation hardware
- RF motor is programmable with 1-channel and 5-channel versions

Note: The power source must be selected when ordering. The options are: reloadable and non-reloadable single or dual battery wand, and the plug-in transformer.



 <p>Radio Frequency (RF) RemoteTilt Motor Motor (Part #1002822) Headrail Adapter (Part #9014528) Tilt Hex Rod Adapter – Standard (Part #9014535) Tilt D Rod Adapter – Cordless Lift (Part #9014536)</p>	<ul style="list-style-type: none"> • Fully concealed motor unit • Flexible and programmable operation • 12 Volt System
 <p>Radio Frequency (RF) Remote Control (must order separately) Color: 2 tone white and gray 2 Types: programmable 1-channel and programmable 5-channel (1-Channel: Part #RC445069) (5-Channel: Part #RC445079)</p>	<ul style="list-style-type: none"> • Controls tilting operation • Programmable features • Easy blind tilting up to 90 feet away • 5-channel remote allows for multiple and independent blind operation
 <p>Single Battery Wand (reloadable) and Installation Clips Wand (Part #RC445268) Clips (Part #9013263) 8 AA Lithium Batteries (not shown) (Part #9014834)</p>	<ul style="list-style-type: none"> • On initial blind orders, the reloadable wand comes with 8 AA lithium batteries • Comes with wall mounting installation clips • For parts ordering the reloadable wand INCLUDING 8 AA lithium batteries, order both part #s • Replacement 8 AA lithium batteries may also be ordered separately
 <p>Optional, Dual Battery Wand (reloadable) & Installation Clips (RF) (Clips: Part #9013263) (Wand: Part #RC445268) x2 (Y-Harness: Part #9018625) (Y-Harness Ext. Cable: Part #9016374)</p>	<ul style="list-style-type: none"> • On initial shade orders, the reloadable wands come with 16 AA lithium batteries • Combines (reloadable) Single Battery Wands for extended life • Comes with wall mounting installation clips
 <p>Transformer 10' Cable (Part #1822445)</p>	<ul style="list-style-type: none"> • Plug-in operation, no batteries required • Works in standard wall outlet (10' wire length)
 <p>Battery Wand Extension Cables (RF) Color: White (10" Cable: Part #9013282) (48" Cable: Part #9013279) (96" Cable: Part #9018624)</p>	<ul style="list-style-type: none"> • Available in 10", 48" and 96" • Allows battery wand installation away from headrail
 <p>Wireless Wall Switch (RF) Color: white 2 Types: programmable 1-channel and 5-channel (1 Channel: Part #RC445135) (5 Channel: Part #RC445136)</p>	<ul style="list-style-type: none"> • Control wireless operation from the wall up to 90 feet away • Works like turning a light on/off
 <p>Programmable Timer (RF) 1 Type: programmable 1-channel (Part #1805237A)</p>	<ul style="list-style-type: none"> • Program operation based on pre-set times • Excellent home security feature
<p>WireFree™ Solar Pack Kit – Batteries NOT included (Part #9019034)</p> <p>Photovoltaic Panel </p> <p>48" Extension Cable for Y Harness (Part #9016736)</p> <p>Batteries (Part #9018621) </p> <p>Accessories Plug-in AC battery (Part #9018620) rapid charger (required for charging battery prior to installation) </p>	<ul style="list-style-type: none"> • Uses sunlight to power a motorized shade. • Easy to install. Low profile, easy to conceal. • Solar Recharge Kit (batteries NOT included if ordered as a stand alone kit) (Part #9019034) – Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mount adhesive tape, solar panel mounting brackets – 4 qty.) • NiMh Rechargeable Batteries (quantity of 10) (Part #9018621) • Plug-in AC Battery Rapid Charger (for solar recharge kit only) (includes 12" cable) (Part #9018620) • 48" Extension Cable for Y Harness (Part #9016736)