

TEXTON



NATURAL WOVEN SHADES

Effective February 3, 2020

design simplified™

NATURAL WOVEN SHADES – TABLE OF CONTENTS

• Features & Benefits	3
• Color Charts	4-6

Pricing and Options

• Woven Woods – Groups 1-5	7-11
• Decorative Wovens – Groups 6-9	12-15
• Privacy Linings	16
• Simplicity Rechargeable & RemoteLift™ Motorization	17

Shade Specifications

• Standard Shade Diagram	18
• Cord Loop Shade Diagram	19
• Cordless Breeze Shade Diagram	20
• Cordless Lift Shade Diagram	21
• Configuration Options	22-23
• Faux Silk Binding and Valance Upgrades	24
• Twill Edge-Binding and Valance Upgrades	25
• Binding Features and Fabric Lists	26
• Operable and Fixed Privacy Lining Options	27
• Product Specifications	28
• Size Specifications	29-38
• Finished Dimensions and Mounting Requirements	39-40

TriLight Shades®	41-45
-----------------------------------	-------

Tandem™ Shades	46-48
---------------------------------	-------

• Simplicity Rechargeable Motorization	49
• RemoteLift™ Motorization	50-51
• Product Components	52-55

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width are considered oversize. Therefore, a net shipping charge of \$45 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

FEATURES & BENEFITS



- Woven Wood shades are offered in a wide selection of natural material styles featuring unique patterns and rich tones.
- Decorative Woven shades feature two collections. Select Weave shades are woven out of natural fibers and exotic yarns. Grass Weave shades provide a natural look, yet are constructed of unique man-made fibers for a consistent appearance.
- Durable Wood Headrail System comes pre-routed for easy installation.
- Standard swivel multi-cord lock and guided pulley system ensures smooth, long-lasting operation.
- Matching valance available in customized lengths, conceals the operating system. Woven Wood shades feature a built-in stabilizer on outside mounts.
- Antique brass finish and brackets complements the shade's natural appearance.
- Available with upgraded operating systems including top-down/bottom-up, continuous loop, cordless, and motorization for enhanced control convenience.
- Unique light and privacy controls such as TriLight Shades and Tandem provide versatile operating flexibility.
- Optional operable privacy liners or optional fixed privacy liners provide additional light control features including light filtering, room darkening and a neutral outside appearance.
- Optional twill edge-bindings and faux silk bindings frame the shade and valance using a high-quality process, and add a finishing touch.
- Limited Lifetime Warranty ensures your customers' satisfaction.

WOVEN WOODS COLOR CHART

FABRIC CODE	COLOR CODE	COLOR NAME	DOWEL SIZE	TWILL EDGE BINDING	PANEL TRACK
-------------	------------	------------	------------	--------------------	-------------

FABRIC CODE	COLOR CODE	COLOR NAME	DOWEL SIZE	TWILL EDGE BINDING	PANEL TRACK
-------------	------------	------------	------------	--------------------	-------------

PRICE GROUP 1					
CUL	2108	Bimini	1/2"	Yes	No
TER	2002	Ensenada Terra	3/4"	Yes	No
TER	2004	Jolo	1/2"	Yes	No
TER	2076	Kota	1/2"	Yes	No
TER	2078	Ensenada Tranquil	3/4"	Yes	No
TER	2110	Kano Greywood	3/4"	Yes	No
TER	2111	Kano Mahogany	3/4"	Yes	No
TER	2208	Hi-Lo Espresso	3/4"	Yes	No

PRICE GROUP 4					
CUL	2060	Saba Sunset	3/4"	Yes	No
CUL	2061	Saba Dusk	3/4"	Yes	No
CUL	2072	Hunan	3/4"	Yes	Yes
CUL	2155	Katni Intrigue	3/4"	Yes	No
CUL	2223	Mesa Mocha	3/4"	Yes	No
EXO	2052	Serengeti Sunrise	3/4"	Yes	Yes
EXO	2053	Serengeti Cocoa	3/4"	Yes	Yes
EXO	2150	Sumatra Surprise	3/4"	Yes	Yes
EXO	2232	Taos	3/4"	Yes	Yes

PRICE GROUP 2					
CUL	2099	Tortuga Coral	3/4"	Yes	No
CUL	2100	Tortuga Cocoa	3/4"	Yes	No
ELI	2049	Katmandu	1/2"	Yes	No
ELI	2059	Veracruz Earth	1/2"	Yes	No
ELI	2080	Veracruz Mocha	1/2"	Yes	No
ELI	2083	Honduras Timbre	1/2"	Yes	No
ELI	2084	Honduras Rust	1/2"	Yes	No
TER	2003	Kaui	1/2"	Yes	No
TER	2011	Sonora Desert	3/4"	Yes	Yes
TER	2057	Ensenada Negro	1/2"	Yes	No
TER	2210	Hi-Lo White	3/4"	Yes	No
TER	2211	Hi-Lo Tan	3/4"	Yes	No
TER	2212	Hi-Lo Gray	3/4"	Yes	No

PRICE GROUP 5					
CUL	2070	Tobago	3/4"	Yes	Yes
CUL	2085	Antigua Maze	1/2"	Yes	Yes
CUL	2086	Antigua Surf	1/2"	Yes	Yes
ELI	2153	Sakura Etude	3/4"	Yes	Yes
EXO	2054	Indo Chic	3/4"	Yes	Yes
EXO	2068	Kiribati Jungle	3/4"	Yes	Yes
EXO	2069	Kiribati Rainforest	3/4"	Yes	Yes
EXO	2096	Zulu	3/4"	Yes	Yes

PRICE GROUP 3					
CUL	2157	Banjar Artisan	3/4"	Yes	No
CUL	2204	Kyoto Ebony	3/4"	Yes	No
ELI	2104	Nagoya Harvest	3/4"	Yes	Yes
EXO	2151	Mandalay Mystique	3/4"	Yes	No
EXO	2230	Kyoto Sunset	3/4"	Yes	No
TER	2234	Zee Gray	3/4"	Yes	No
TER	2236	Zee Tan	3/4"	Yes	No
TER	2237	Zee White	3/4"	Yes	No

- No wood dowel under edge-binding and/or cordless lift operation
- Seam option is not available with Woven Wood Shades due to the characteristic of the material.
- A surcharge will be added for shade/valance ordered with edge binding

IMPORTANT NOTE ABOUT NATURAL WOVEN MATERIALS:

Our Woven Wood shades are uniquely constructed from natural bamboo, reeds, jutes, rattan, grasses and woods. Many materials, such as natural grasses, are hand tied and braided with expert care. Each shade is one of a kind. **Slight cracks, imperfections and variations in color are all inherent in natural products and are not considered flaws.**

Shade material may stretch slightly over time and with use depending on the material style. The average stretching amount is approximately 1/2" for every 3 feet of shade length plus or minus 1/4".

Hold-downs are not available with shades made without wood dowel bottom rail (ex. cordless lift shade, shade with edge binding, and shade under Select Weave Collection).

The irreplaceable feature and beauty of the Natural Woven Shades is it's unique variation in the material.

DECORATIVE WOVEDS COLOR CHART

GRASS WEAVES (GRW) COLOR CHART						
COLOR CODE	COLOR NAME	DOWEL SIZE/ HEM BAR	FAUX SILK/ TWILL ** EDGE BINDING	TWILL EDGE BINDING*** DEFAULT COLOR	SEAM/ CUSTOM SEAM PLACEMENT	PANEL TRACK
PRICE GROUP 3						
9474	Celebes* Cornsilk	Hem Bar	Yes	Not Required	No	Yes
9475	Celebes* Seashell	Hem Bar	Yes	Not Required	No	Yes
9476	Celebes* Ivory	Hem Bar	Yes	Not Required	No	Yes
PRICE GROUP 6						
2337	Singapore Bisque	3/4"	Yes	Not Required	Yes	Yes
2338	Singapore Talc	3/4"	Yes	Not Required	Yes	Yes
2339	Singapore Cotton	3/4"	Yes	Not Required	Yes	Yes
9450	Singapore Gray	3/4"	Yes	Not Required	Yes	Yes
PRICE GROUP 7						
2304	Caracas Tortoise	3/4"	Yes	CT408 Beige	Yes	Yes
2305	Coban Parchment	3/4"	Yes	CT400 White	Yes	Yes
2310	Granada Cinnamon	3/4"	Yes	Not Required	Yes	Yes
2311	Granada Ginger	3/4"	Yes	Not Required	Yes	Yes
2312	Granada Nutmeg	3/4"	Yes	Not Required	Yes	Yes
2323	Luzon Whisper	3/4"	Yes	CT400 White	Yes	Yes
2324	Luzon Cornsilk	3/4"	Yes	CT403 Duck	Yes	Yes
2325	Luzon Greige	3/4"	Yes	CT420 Silver	Yes	Yes
2331	Nassau Pewter	3/4"	Yes	CT404 Latte	Yes	Yes
2340	St. Lucia Sand	3/4"	Yes	Not Required	Yes	Yes
2343	St. Lucia Storm	3/4"	Yes	Not Required	Yes	Yes
2345	Zaire Camel	3/4"	Yes	Not Required	NA	Yes
9410	Coban Gray	3/4"	Yes	CT420 Silver	Yes	Yes
9420	Granada Bark	3/4"	Yes	Not Required	Yes	Yes
9440	Nassau Cocoa	3/4"	Yes	CT418 Chocolate	Yes	Yes
PRICE GROUP 8						
9400	St. Kitts Dune	3/4"	Yes	CT403 Duck	Yes	Yes
9401	St. Kitts Greywood	3/4"	Yes	CT420 Silver	Yes	Yes
9460	Aruba Summer	3/4"	Yes	CT400 White	Yes	Yes
9461	Aruba Straw	3/4"	Yes	CT403 Duck	Yes	Yes
9462	Aruba Sand Dune	3/4"	Yes	CT408 Beige	Yes	Yes
9463	Aruba Driftwood	3/4"	Yes	CT420 Silver	Yes	Yes
9464	Aruba Café	3/4"	Yes	CT419 Espresso	Yes	Yes
9470	Martinique White Wash	3/4"	Yes	CT400 White	Yes	Yes
9471	Martinique Sea Grass	3/4"	Yes	CT403 Duck	Yes	Yes
9472	Martinique Surf	3/4"	Yes	CT420 Silver	Yes	Yes
9473	Martinique Coral	3/4"	Yes	CT409 Jute	Yes	Yes

* Not available under motorization and head rail can't be wrapped.

** No wood dowel with twill edge-binding

*** A surcharge must be added for all patterns that require twill edge binding or shade/valance ordered with edge

NOTE:

- Hold-downs are not available with shades made without wood dowel bottom rail (ex. cordless, shades with edge binding, and Select Weaves)
- The irreplaceable feature and beauty of the Natural Woven Shades is it's unique variation in the material.

DECORATIVE WOVEDS COLOR CHART

SELECT WEAVES (SLW) COLOR CHART						
COLOR CODE	COLOR NAME	HEM BAR	FAUX SILK/ TWILL EDGE BINDING	TWILL EDGE BINDING** DEFAULT COLOR	SEAM/ CUSTOM SEAM PLACEMENT	PANEL TRACK
PRICE GROUP 8						
2420	Macau	Yes	Yes	Not Required	NA	Yes
2423	Mali Tan	Yes	Yes	Not Required	NA	Yes
2438	Suva	Yes	Yes	Not Required	NA	Yes
2526	Salvador Driftwood	Yes	Yes	Not Required	Yes	Yes
2527	Cancun Light Gray	Yes	Yes	CT403 Duck	NA	Yes
2528	Cancun Off White	Yes	Yes	CT402 Natural	NA	Yes
2529	Cano Cream	Yes	Yes	Not Required	NA	Yes
2530	Madeira Green	Yes	Yes	Not Required	NA	Yes
2531	Rio Gray	Yes	Yes	Not Required	NA	Yes
PRICE GROUP 9						
2411	Jaipur Natural	Yes	Yes	Not Required	NA	Yes
2417	Lagos	Yes	Yes	Not Required	NA	Yes
2419	Lomaloma	Yes	Yes	Not Required	NA	Yes
2431	Santos Natural	Yes	Yes	Not Required	NA	Yes
2433	Sintra Dust	Yes	Yes	Not Required	NA	Yes
2441	Tunisia	Yes	Yes	Not Required	NA	Yes

** A surcharge must be added for all patterns that require twill edge binding or shade/valance ordered with edge

NOTE:

- Hold-downs are not available with shades made without wood dowel bottom rail (ex. cordless, shades with edge binding, and Select Weaves)
- The irreplaceable feature and beauty of the Natural Woven Shades is it's unique variation in the material.

CUL
 2108 Bimini

TER
 2002 Ensenada Terra
 2004 Jolo
 2076 Kota
 2078 Ensenada Tranquil
 2110 Kano Greywood
 2111 Kano Mahogany
 2208 Hi-Lo Espresso

GROUP 1

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$172	220	232	270	282	310	332	384	418	458	502	542	588
42"	212	224	238	278	288	324	348	404	440	502	524	570	616
48"	218	232	244	288	294	336	360	418	458	526	552	600	650
54"	222	236	248	294	308	346	374	436	478	548	576	626	676
61"	228	252	278	310	348	360	390	456	494	576	594	652	708
66"	236	258	286	318	360	370	404	470	516	592	618	670	736
72"	240	266	296	330	370	384	416	488	532	622	642	698	756
78"	270	300	332	372	404	434	470	518	570	662	690	748	816
84"	284	318	350	394	428	460	502	574	608	712	734	802	882
90"	298	338	372	414	454	490	534	614	650	756	792	866	916
96"	316	356	394	444	478	526	570	652	694	812	848	906	954
108"	340	384	428	478	526	576	618	720	764	898	912	954	1004

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$64	68	72	76	84	94	102	114	120	130	140	150	160
6"	66	72	78	82	94	104	116	124	138	146	154	166	178
8"	70	80	84	94	102	116	126	138	150	164	172	184	200
10"	72	88	100	100	114	126	138	152	166	176	190	198	210
12"	74	96	102	108	124	138	158	166	178	192	196	204	212
16"	116	136	160	180	206	228	250	274	296	320	344	368	390
18"	118	142	166	190	214	240	264	286	314	338	360	384	410
20"	124	148	174	200	222	250	274	300	324	352	374	404	428
22"	130	152	180	208	234	262	286	316	340	366	394	418	444
24"	138	160	186	214	242	270	298	324	354	382	410	438	464

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
- Valance Returns for Inside Mounts - Valance Custom Heights to 12" - Control Positions (R or L) - Extension Brackets - Hold Down Brackets - Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) - Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
2 On 1 Headrail.....Price as 2 separate shades and add \$72 3 On 1 Headrail.....Price as 3 separate shades and add \$88 - Top-Down add \$64 - Top-Down/Bottom-Up add \$72 - Continuous Cord Loop add \$94 - Cordless Breeze add \$110 - Cordless Lift add \$128 - Operable Lining – add to grid size liner pricing..... add \$122 - Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) ... add \$118 – Shade Only (TSB, TSO) add \$74 – Valance Only (TVSB, TVSO)..... add \$44

CUL	ELI	TER
2099 Tortuga Coral	2049 Katmandu	2003 Kauai
2100 Tortuga Cocoa	2059 Veracruz Earth	2011 Sonora Desert
	2080 Veracruz Mocha	2057 Ensenada Negro
	2083 Honduras Timbre	2210 Hi-Lo White
	2084 Honduras Rust	2211 Hi-Lo Tan
		2212 Hi-Lo Gray

GROUP 2

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$198	288	316	352	368	406	434	478	524	578	636	690	726
42"	268	298	330	366	382	422	458	504	552	636	664	726	764
48"	280	310	340	380	390	442	470	530	580	676	704	766	802
54"	290	322	352	392	412	464	478	552	606	704	742	814	850
61"	296	332	366	406	438	480	516	578	636	734	772	854	896
66"	310	344	382	422	452	496	542	600	660	764	812	880	922
72"	316	356	386	434	464	516	560	626	688	796	834	924	968
78"	334	374	418	472	508	556	602	674	742	860	912	954	1000
84"	356	398	452	504	550	604	646	720	794	934	942	1002	1046
90"	376	428	478	540	590	642	696	772	854	972	990	1036	1084
96"	396	452	510	574	628	688	748	828	898	1012	1012	1080	1136
108"	434	496	556	636	688	752	828	886	948	1084	1084	1144	1218

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$70	76	84	90	94	102	114	124	132	144	154	166	176
6"	72	82	88	96	102	118	130	142	152	166	176	188	200
8"	74	86	100	102	120	130	144	158	170	186	198	212	222
10"	78	94	106	118	130	146	160	176	188	204	220	234	248
12"	78	106	110	126	132	158	170	188	198	216	222	252	292
16"	126	154	182	210	234	260	286	312	338	366	390	418	444
18"	136	162	190	220	248	274	302	332	356	386	414	440	470
20"	142	170	202	230	260	288	316	348	376	406	434	466	494
22"	148	182	212	244	274	302	334	366	394	426	458	488	516
24"	154	188	220	252	286	316	348	382	414	444	474	508	540

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
- Valance Returns for Inside Mounts - Valance Custom Heights to 12" - Control Positions (R or L) - Extension Brackets - Hold Down Brackets - Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) - Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
2 On 1 Headrail.....Price as 2 separate shades and add \$72 3 On 1 Headrail.....Price as 3 separate shades and add \$88 - Top-Down add \$64 - Top-Down/Bottom-Up add \$72 - Continuous Cord Loop add \$94 - Cordless Breeze add \$110 - Cordless Lift add \$128 - Operable Lining – add to grid size liner pricing..... add \$122 - Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) ... add \$118 – Shade Only (TSB, TSO) add \$74 – Valance Only (TVSB, TVSO)..... add \$44

GROUP 3

CUL 2157 Banjar Artisan 2204 Kyoto Ebony	ELI 2104 Nagoya Harvest	EXO 2151 Mandalay Mystique 2230 Kyoto Sunset	GRW 9474 Celebes Cornsilk 9475 Celebes Seashell 9476 Celebes Ivory	TER 2234 Zee Gray 2236 Zee Tan 2237 Zee White
---	-----------------------------------	---	--	---

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$276	326	356	400	420	466	508	564	624	686	752	820	858
42"	304	340	372	422	432	502	540	598	660	756	800	876	926
48"	316	356	386	438	444	526	572	628	694	798	852	930	980
54"	326	372	394	458	480	552	584	662	734	854	902	990	1030
61"	338	386	426	474	524	578	624	696	776	898	942	1044	1102
66"	354	398	448	508	556	600	658	732	816	942	990	1094	1150
72"	362	414	466	526	578	636	688	770	844	976	1040	1154	1214
78"	390	444	502	564	618	682	742	822	916	1064	1140	1194	1270
84"	418	472	540	604	670	738	794	886	1000	1150	1182	1256	1330
90"	444	508	574	656	724	792	860	968	1076	1192	1238	1316	1376
96"	478	546	618	698	778	856	928	1040	1124	1240	1284	1362	1424
108"	518	602	684	784	866	954	1030	1134	1204	1350	1378	1478	1552

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft (Woven Woods) or 65 sq.ft. (Grass Weaves); dual battery wand or transformer is RECOMMENDED for shade exceed the limit.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$72	86	92	102	114	122	136	158	162	178	198	222	260
6"	84	90	102	114	118	132	156	162	176	198	218	240	278
8"	86	100	110	118	130	154	160	176	196	214	234	272	298
10"	88	106	116	126	142	158	172	192	210	226	252	284	302
12"	94	108	116	132	152	166	178	200	212	230	266	300	306
16"	152	186	214	248	280	310	340	372	404	434	466	496	532
18"	162	198	228	264	296	330	366	396	430	466	496	532	564
20"	172	212	244	280	316	350	386	422	458	494	530	564	602
22"	184	220	256	294	334	370	410	444	482	524	560	598	636
24"	190	232	268	310	352	388	430	472	508	550	592	628	668

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.**MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.****TRILIGHT SHADES OPTION (SEE PAGES 35-39)****TANDEM SHADES OPTION (SEE PAGES 40-42)**

OPTIONS: NO CHARGE
- Valance Returns for Inside Mounts - Valance Custom Heights to 12" - Control Positions (R or L) - Extension Brackets - Hold Down Brackets - Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) - Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
2 On 1 Headrail.....Price as 2 separate shades and add \$72 3 On 1 Headrail.....Price as 3 separate shades and add \$88 - Top-Down add \$64 - Top-Down/Bottom-Up add \$72 - Continuous Cord Loop add \$94 - Cordless Breeze add \$110 - Cordless Lift add \$128 - Operable Lining – add to grid size liner pricing add \$122 - Faux Silk Binding Option – Default - All add \$182 – Custom Placement..... add \$120 – Valance Only add \$62 - Twill Edge-Binding Option – Shade & Valance add \$118 – Shade Only add \$74 – Valance Only add \$44

CUL	EXO
2060 Saba Sunset	2052 Serengeti Sunrise
2061 Saba Dusk	2053 Serengeti Cocoa
2072 Hunan	2150 Sumatra Surprise
2155 Katni Intrigue	2232 Taos
2223 Mesa Mocha	

GROUP 4

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$302	356	396	442	484	524	572	632	696	776	854	934	986
42"	332	372	418	470	510	562	606	670	744	856	910	1000	1050
48"	348	390	438	496	536	586	640	714	786	910	966	1068	1124
54"	360	414	454	518	562	624	676	762	836	968	1030	1134	1180
61"	376	428	492	546	614	654	714	796	886	1020	1088	1204	1262
66"	388	452	514	574	642	690	756	836	930	1064	1144	1270	1328
72"	404	466	528	598	656	726	786	882	972	1130	1206	1328	1404
78"	434	502	568	646	718	782	854	960	1062	1230	1308	1388	1466
84"	470	542	614	694	778	850	928	1040	1154	1342	1378	1466	1550
90"	502	578	658	746	828	912	1000	1120	1258	1398	1442	1528	1612
96"	534	624	712	812	902	996	1080	1222	1318	1454	1500	1584	1686
108"	598	698	792	906	1004	1110	1208	1324	1424	1574	1628	1722	1836

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$74	78	88	100	114	124	138	148	166	176	188	202	214
6"	82	90	106	122	136	152	166	182	198	212	228	244	256
8"	88	106	124	142	158	176	192	212	230	248	252	256	278
10"	96	118	126	148	160	184	202	222	236	250	258	280	288
12"	100	120	130	154	164	188	208	226	242	256	264	288	294
16"	172	210	244	280	316	350	384	420	460	494	530	564	600
18"	186	220	260	298	338	376	414	452	490	530	568	604	642
20"	198	240	278	322	360	400	442	480	524	564	604	646	688
22"	212	252	294	340	384	428	472	512	556	602	642	688	730
24"	220	264	310	360	406	452	496	540	592	636	682	726	772

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.**MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.****TRILIGHT SHADES OPTION (SEE PAGES 35-39)****TANDEM SHADES OPTION (SEE PAGES 40-42)**

OPTIONS: NO CHARGE
- Valance Returns for Inside Mounts - Valance Custom Heights to 12" - Control Positions (R or L) - Extension Brackets - Hold Down Brackets - Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) - Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
2 On 1 Headrail.....Price as 2 separate shades and add \$72 3 On 1 Headrail.....Price as 3 separate shades and add \$88 - Top-Down add \$64 - Top-Down/Bottom-Up add \$72 - Continuous Cord Loop add \$94 - Cordless Breeze add \$110 - Cordless Lift add \$128 - Operable Lining – add to grid size liner pricing..... add \$122 - Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) ... add \$118 – Shade Only (TSB, TSO) add \$74 – Valance Only (TVSB, TVSO)..... add \$44

CUL	ELI	EXO
2070 Tobago	2153 Sakura Etude	2054 Indo Chic
2085 Antigua Maze		2068 Kiribati Jungle
2086 Antigua Surf		2069 Kiribati Rainforest
		2096 Zulu

GROUP 5

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$326	384	430	482	530	574	628	698	772	866	946	1038	1096
42"	354	408	460	518	568	614	670	748	832	950	1018	1118	1180
48"	378	430	486	550	606	662	722	808	896	1018	1092	1198	1266
54"	390	456	514	578	626	704	764	860	950	1092	1166	1290	1358
61"	414	476	548	612	684	742	810	908	1006	1164	1246	1366	1458
66"	430	502	572	644	724	786	860	956	1066	1218	1316	1440	1532
72"	446	524	594	678	738	830	902	1016	1136	1300	1388	1534	1622
78"	486	562	644	732	812	896	982	1110	1228	1408	1522	1612	1714
84"	518	608	696	792	874	974	1072	1194	1340	1556	1602	1684	1794
90"	560	656	754	858	948	1054	1162	1304	1458	1630	1674	1788	1896
96"	606	708	820	920	1032	1132	1252	1416	1522	1700	1756	1862	1986
108"	676	786	906	1044	1164	1288	1424	1522	1650	1832	1914	2018	2138

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- 1 Use this grid to price your INDIVIDUAL valance.
- 2 Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$86	88	96	106	122	138	148	166	176	188	204	218	232
6"	92	94	118	132	152	168	184	202	218	236	252	268	258
8"	96	100	126	144	160	182	200	226	234	258	268	274	280
10"	100	102	130	154	170	194	210	234	244	264	274	286	298
12"	104	124	132	160	172	200	216	236	250	266	278	302	312
16"	194	234	274	314	354	392	436	476	516	554	596	636	676
18"	210	252	294	340	384	426	470	514	556	600	642	688	730
20"	226	272	318	366	412	460	504	552	598	642	694	736	782
22"	242	290	340	388	438	488	538	590	638	688	738	788	836
24"	252	306	356	414	466	518	574	624	676	730	786	836	888

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.**MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.****TRILIGHT SHADES OPTION (SEE PAGES 35-39)****TANDEM SHADES OPTION (SEE PAGES 40-42)**

OPTIONS: NO CHARGE
• Valance Returns for Inside Mounts • Valance Custom Heights to 12" • Control Positions (R or L) • Extension Brackets • Hold Down Brackets • Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) • Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
• 2 On 1 Headrail.....Price as 2 separate shades and add \$72 • 3 On 1 Headrail.....Price as 3 separate shades and add \$88 • Top-Down add \$64 • Top-Down/Bottom-Up add \$72 • Continuous Cord Loop add \$94 • Cordless Breeze add \$110 • Cordless Lift add \$128 • Operable Lining – add to grid size liner pricing..... add \$122 • Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) ... add \$118 – Shade Only (TSB, TSO) add \$74 – Valance Only (TVSB, TVSO)..... add \$44

* Most Grass Weave shades are available up to 72" widths without a seam.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$378	428	470	526	574	614	668	748	834	918	1014	1110	1162	1232	1304
42"	394	444	494	554	610	658	716	792	886	1018	1082	1192	1258	1334	1412
48"	414	466	520	586	636	696	760	834	928	1078	1152	1268	1334	1414	1500
54"	428	488	538	608	666	730	792	888	986	1156	1218	1346	1400	1484	1574
61"	442	504	564	642	702	768	828	932	1040	1214	1278	1424	1508	1600	1694
66"	464	524	588	668	742	794	876	980	1096	1280	1340	1498	1578	1670	1772
72"	476	540	612	698	768	842	914	1032	1140	1326	1414	1580	1668	1770	1874
78"	512	586	660	750	824	906	990	1106	1238	1452	1562	1634	1744	1848	1960
84"	546	628	718	806	896	990	1066	1200	1362	1584	1622	1720	1824	1934	2052
90"	588	676	766	880	976	1066	1162	1312	1474	1636	1700	1808	1888	2000	2120
96"	636	728	830	942	1052	1158	1264	1422	1544	1706	1760	1872	1956	2074	2198
108"	698	808	922	1064	1178	1298	1408	1552	1652	1860	1894	2038	2142	2270	2406
120"	740	858	978	1126	1252	1376	1490	1646	1750	1972	2008	2160	2270	2406	2550

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

1 Use this grid to price your INDIVIDUAL valance.

2 Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
4"	\$74	80	88	94	100	108	118	130	138	150	162	170	180	192	204
6"	78	82	92	104	116	128	142	152	166	176	190	204	214	226	240
8"	80	90	102	118	132	146	162	176	190	206	220	234	248	262	274
10"	86	100	118	132	150	168	182	198	216	232	248	264	282	298	314
12"	94	112	130	148	166	184	204	220	240	258	274	294	312	330	348
16"	148	176	206	236	264	294	318	348	376	406	436	464	490	520	548
18"	160	190	220	252	280	312	342	372	404	434	464	494	524	556	586
20"	168	200	232	266	298	330	362	394	428	460	494	526	556	588	624
22"	176	212	244	282	314	350	384	418	452	486	524	556	590	626	662
24"	188	222	258	296	330	368	404	438	478	512	550	586	620	658	696

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE	OPTIONS: EXTRA CHARGE
• Valance Returns for Inside Mounts • Valance Custom Heights to 12" • Control Positions (R or L) • Extension Brackets • Hold Down Brackets • Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) • Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)	• 2 On 1 Headrail.....Price as 2 separate shades and add \$72 • 3 On 1 Headrail.....Price as 3 separate shades and add \$88 • Top-Down add \$64 • Top-Down/Bottom-Up add \$72 • Continuous Cord Loop add \$94 • Cordless Breeze.....add \$110 • Cordless Lift add \$128 • Operable Lining – add to grid size liner pricing add \$122 • Faux Silk Binding Option – Default - All add \$182 (Grass Weaves Only) – Custom Placement.....add \$120 – Valance Only add \$62 • Twill Edge-Binding Option – Shade & Valance add \$118 – Shade Only add \$74 – Valance Only add \$44

Grass Weave*
 2304 Caracas Tortoise
 2305 Coban Parchment
 2310 Granada Cinnamon
 2311 Granada Ginger
 2312 Granada Nutmeg
 2323 Luzon Whisper
 2324 Luzon Cornsilk
 2325 Luzon Greige
Grass Weave*
 2331 Nassau Pewter
 2340 St. Lucia Sand
 2343 St. Lucia Storm
 2345 Zaire Camel
 9410 Coban Gray
 9420 Granada Bark
 9440 Nassau Cocoa
GROUP 7

* Most Grass Weave shades are available up to 72" widths without a seam.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$392	438	508	568	614	674	738	814	908	1012	1124	1236	1304	1384	1460
42"	420	474	526	600	650	724	782	868	970	1124	1198	1326	1394	1478	1562
48"	442	496	542	624	652	756	826	924	1030	1198	1270	1418	1492	1582	1674
54"	460	526	542	646	676	804	874	992	1096	1282	1360	1504	1570	1662	1756
61"	478	548	578	694	740	846	922	1038	1164	1350	1440	1604	1686	1790	1890
66"	494	576	654	742	816	896	980	1094	1224	1406	1518	1700	1772	1876	1986
72"	514	598	674	770	850	940	1024	1154	1282	1494	1600	1774	1876	1990	2102
78"	560	642	732	844	928	1016	1116	1260	1402	1642	1752	1862	1964	2082	2202
84"	604	702	800	904	1016	1114	1222	1374	1534	1804	1844	1966	2080	2206	2330
90"	646	754	860	976	1088	1198	1318	1488	1684	1880	1934	2054	2166	2296	2426
96"	696	816	934	1068	1192	1316	1432	1636	1766	1956	2010	2124	2268	2406	2542
108"	780	922	1044	1204	1336	1478	1610	1774	1914	2122	2190	2322	2474	2624	2774
120"	826	976	1108	1276	1416	1568	1706	1880	2030	2250	2324	2460	2624	2780	2938

RemoteLift Shades: Single battery wand size recommendation limit is 65 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 65 sq.ft.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
4"	\$72	78	84	96	106	118	128	140	152	162	174	188	198	210	220
6"	82	88	100	116	128	142	158	170	186	198	212	226	242	254	266
8"	86	102	118	132	152	168	184	200	216	232	250	264	282	298	316
10"	98	118	136	156	172	192	212	230	248	266	288	304	324	344	366
12"	108	128	150	170	192	216	236	258	278	300	322	344	366	386	408
16"	168	200	232	264	296	334	366	394	430	462	496	526	560	594	628
18"	182	216	250	286	320	356	390	424	464	496	532	566	604	638	676
20"	192	230	266	304	344	382	418	456	494	530	570	606	646	684	724
22"	204	246	286	326	366	406	444	484	526	566	606	646	688	730	770
24"	216	258	298	344	384	430	470	512	556	600	642	686	730	772	816

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.**MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.****TRILIGHT SHADES OPTION (SEE PAGES 35-39)****TANDEM SHADES OPTION (SEE PAGES 40-42)****OPTIONS: NO CHARGE**

- Valance Returns for Inside Mounts
- Valance Custom Heights to 12"
- Control Positions (R or L)
- Extension Brackets
- Hold Down Brackets
- Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
- Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE

- 2 On 1 Headrail.....Price as 2 separate shades and **add \$72**
- 3 On 1 Headrail.....Price as 3 separate shades and **add \$88**
- Top-Down **add \$64**
- Top-Down/Bottom-Up **add \$72**
- Continuous Cord Loop **add \$94**
- Cordless Breeze **add \$110**
- Cordless Lift **add \$128**
- Operable Lining – add to grid size liner pricing **add \$122**
- Faux Silk Binding Option – Default - All **add \$182**
- (Grass Weaves Only) – Custom Placement..... **add \$120**
- Valance Only **add \$62**
- Twill Edge-Binding Option – Shade & Valance **add \$118**
- Shade Only **add \$74**
- Valance Only **add \$44**

Grass Weave*
 9400 St. Kitts Dune
 9401 St. Kitts Greywood
 9460 Aruba Summer
 9461 Aruba Straw
 9462 Aruba Sand Dune
 9463 Aruba Driftwood
Grass Weave*
 9464 Aruba Café
 9470 Martinique White Wash
 9471 Martinique Sea Grass
 9472 Martinique Surf
 9473 Martinique Coral
Select Weave
 2420 Macau
 2423 Mali Tan
 2438 Suva
 2526 Salvador Driftwood
Select Weave
 2527 Cancun Light Gray
 2528 Cancun Off White
 2529 Cano Cream
 2530 Madeira Green
 2531 Rio Gray
GROUP 8

* Most Grass Weave shades are available up to 72" widths without a seam.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$440	508	566	630	660	762	840	928	1038	1168	1288	1418	1496	1586	1682
42"	466	536	604	690	734	818	896	1006	1124	1290	1384	1534	1618	1718	1820
48"	490	568	640	730	748	882	942	1082	1208	1384	1488	1646	1738	1844	1956
54"	514	602	650	770	764	944	960	1162	1288	1488	1596	1776	1870	1982	2100
61"	544	628	720	816	904	994	1082	1224	1364	1592	1706	1884	2010	2130	2258
66"	568	666	756	860	960	1052	1158	1290	1446	1664	1806	1988	2116	2242	2378
72"	592	696	794	908	1002	1114	1208	1374	1548	1788	1908	2122	2246	2380	2522
78"	644	748	864	982	1096	1206	1332	1510	1680	1944	2108	2234	2378	2522	2672
84"	694	816	928	1068	1182	1318	1458	1630	1848	2166	2220	2336	2490	2640	2798
90"	750	882	1016	1162	1290	1440	1586	1794	2020	2268	2326	2486	2638	2794	2962
96"	816	962	1112	1258	1412	1548	1718	1960	2112	2374	2440	2592	2768	2934	3110
108"	918	1072	1240	1436	1604	1780	1978	2112	2298	2554	2670	2810	2986	3164	3354
120"	972	1134	1314	1522	1700	1886	2092	2238	2434	2708	2832	2978	3162	3352	3554

RemoteLift Shades: Single battery wand size recommendation limit is 65 sq.ft. (Grass Weaves) or 28 sq.ft. (Select Weaves); dual battery wand or transformer is RECOMMENDED for shade exceed the limit.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
4"	\$86	88	96	104	122	138	148	166	176	188	200	218	234	248	264
6"	84	98	116	128	146	162	176	192	214	222	234	244	252	268	286
8"	98	118	122	154	162	186	198	222	232	244	254	264	276	294	310
10"	106	124	126	160	170	198	210	228	246	258	270	286	300	318	338
12"	120	128	132	164	172	210	216	242	250	266	278	296	312	330	348
16"	192	230	266	304	344	382	418	456	494	532	568	606	644	684	724
18"	208	248	290	330	370	412	452	494	532	574	614	658	698	738	784
20"	222	266	310	354	398	442	486	530	574	618	660	706	750	794	842
22"	236	286	334	380	426	474	520	568	614	660	708	756	802	852	902
24"	250	302	348	402	452	504	552	604	652	704	752	804	854	904	958

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.**MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.****TRILIGHT SHADES OPTION (SEE PAGES 35-39)****TANDEM SHADES OPTION (SEE PAGES 40-42)**

OPTIONS: NO CHARGE
- Valance Returns for Inside Mounts - Valance Custom Heights to 12" - Control Positions (R or L) - Extension Brackets - Hold Down Brackets - Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) - Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
2 On 1 Headrail.....Price as 2 separate shades and add \$72 3 On 1 Headrail.....Price as 3 separate shades and add \$88 - Top-Down add \$64 - Top-Down/Bottom-Up add \$72 - Continuous Cord Loop add \$94 - Cordless Breeze add \$110 - Cordless Lift add \$128 - Operable Lining – add to grid size liner pricing add \$122 - Faux Silk Binding Option – Default - All add \$182 (Grass Weaves Only) – Custom Placement..... add \$120 – Valance Only add \$62 - Twill Edge-Binding Option – Shade & Valance add \$118 – Shade Only add \$74 – Valance Only add \$44

Select Weave
 2411 Jaipur Natural
 2417 Lagos
 2419 Lomaloma
 2431 Santos Natural
 2433 Sintra Dust
 2441 Tunisia
GROUP 9

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$540	618	704	802	906	998	1096	1218	1326	1424	1566	1678	1804
42"	578	666	768	876	982	1086	1210	1332	1466	1630	1714	1862	2002
48"	620	726	842	954	992	1194	1320	1462	1602	1774	1872	2030	2186
54"	660	782	930	1030	1248	1302	1432	1592	1734	1940	2078	2250	2432
61"	708	838	968	1112	1260	1410	1556	1736	1900	2112	2260	2448	2610
66"	752	904	1034	1192	1352	1500	1676	1870	2062	2300	2472	2672	2844
72"	798	962	1112	1288	1462	1632	1814	2004	2218	2502	2654	2900	3120
78"	858	1022	1194	1370	1574	1758	1968	2164	2406	2678	2850	3126	3380
84"	910	1084	1268	1462	1674	1866	2086	2338	2562	2908	3082	3324	3600
90"	968	1142	1350	1578	1794	1998	2238	2488	2752	3096	3278	3622	3836
96"	1022	1224	1436	1660	1898	2146	2384	2674	2922	3348	3556	3770	4026
108"	1116	1336	1570	1844	2114	2408	2670	2970	3282	3718	3880	4146	4400
120"	1184	1416	1666	1956	2240	2552	2828	3150	3480	3942	4112	4394	4664

RemoteLift Shades: Single battery wand size recommendation limit is 28 sq.ft., dual battery wand or transformer RECOMMENDED for shade greater than 28 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- 1 Use this grid to price your INDIVIDUAL valance.
- 2 Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$116	124	138	154	168	184	198	220	228	252	266	278	296
6"	124	138	154	168	188	198	212	242	250	270	292	312	334
8"	136	152	168	188	208	228	250	272	294	316	338	360	382
10"	150	184	188	216	242	264	292	316	342	368	392	418	442
12"	178	186	212	242	268	298	326	356	386	414	442	472	502
16"	294	302	330	382	436	486	538	590	644	696	748	802	854
18"	320	330	362	418	474	532	590	646	702	758	820	878	936
20"	348	354	390	452	514	576	638	698	760	824	886	952	1012
22"	376	380	422	488	556	622	690	754	822	888	956	1028	1094
24"	396	398	448	520	594	664	736	808	880	952	1024	1098	1170

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.**MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.****TRILIGHT SHADES OPTION (SEE PAGES 35-39)****TANDEM SHADES OPTION (SEE PAGES 40-42)****OPTIONS: NO CHARGE**

- Valance Returns for Inside Mounts
- Valance Custom Heights to 12"
- Control Positions (R or L)
- Extension Brackets
- Hold Down Brackets
- Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
- Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE

- 2 On 1 Headrail.....Price as 2 separate shades and **add \$72**
- 3 On 1 Headrail.....Price as 3 separate shades and **add \$88**
- Top-Down **add \$64**
- Top-Down/Bottom-Up **add \$72**
- Continuous Cord Loop **add \$94**
- Cordless Breeze **add \$110**
- Cordless Lift **add \$128**
- Operable Lining – add to grid size liner pricing **add \$122**
- Faux Silk Binding Option – Default - All **add \$182**
 (Grass Weaves Only) – Custom Placement..... **add \$120**
 – Valance Only **add \$62**
- Twill Edge-Binding Option – Shade & Valance **add \$118**
 – Shade Only **add \$74**
 – Valance Only **add \$44**

GROUPS 1-9 (PRIVACY LINING PRICING IS THE SAME FOR ALL PRICE GROUPS)
Fixed Privacy Lining – Translucent (LF-# White, Ivory and Khaki)
Operable Privacy Lining – Light Filtering (OLF-# White, Cream, Café and Mink)

Add the price below to your shade price. For operable liners, also add the operable surcharge.

Lining is applied so the white side faces out and the colored side faces inside the room.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$56	68	78	88	92	102	106	124	138	148	154	160	166	178	194
42"	64	74	88	92	102	108	118	138	154	162	168	176	182	198	218
48"	66	78	92	102	114	124	130	150	166	174	182	192	200	220	240
54"	72	88	102	114	124	132	146	162	178	192	200	214	222	240	262
61"	74	92	106	122	130	146	154	176	196	210	218	226	240	262	286
66"	78	100	116	126	138	154	166	190	212	222	232	246	258	280	306
72"	84	102	124	138	150	162	176	200	222	234	250	260	278	304	330
78"	90	108	130	146	156	174	190	214	234	250	262	282	296	322	354
84"	92	116	138	154	168	184	200	226	250	262	282	298	314	340	370
90"	92	122	146	160	176	196	214	236	260	282	298	314	334	362	396
96"	102	126	150	168	190	210	222	250	278	296	314	334	350	382	414
108"	118	148	174	196	220	240	260	294	324	346	370	390	408	444	484

Note: Khaki Fixed Privacy Lining over 54" wide AND 54" high will be spliced together vertically, the maximum height is limited to 106", creating a seam. This applies to the lining ONLY and not the actual woven shade. Privacy Lining is attached to the back of the shade. Small slits are made in the lining at the ring cord-guide attachment locations. When Faux Silk or Twill Edge-Bindings are also ordered, the privacy lining will be sewn under the binding.

GROUPS 1-9 (PRIVACY LINING PRICING IS THE SAME FOR ALL PRICE GROUPS)
Fixed Privacy Lining – Room Darkening (RD-# White, Ivory, Khaki, Brown, Black, Beige-Deluxe, and Taupe-Deluxe)
Operable Privacy Lining – Room Darkening (OBO-# White, Cream, Café and Black)

Add the price below to your shade price. For operable liners, also add the operable surcharge.

Lining is applied so the white side faces out and the colored side faces inside the room.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$72	88	102	114	124	130	142	162	180	192	200	212	220	240	260
42"	78	98	114	126	132	148	156	178	200	214	222	232	244	264	288
48"	88	106	124	138	150	162	174	196	220	228	244	256	266	288	316
54"	92	114	130	148	160	174	190	216	236	250	262	280	294	322	350
61"	102	124	142	156	174	192	202	228	256	270	288	304	318	348	378
66"	102	126	152	166	182	200	220	246	274	294	310	326	344	374	408
72"	108	138	160	178	196	218	234	262	294	310	332	348	368	402	436
78"	116	146	168	192	212	228	250	282	310	334	350	374	390	424	464
84"	124	152	178	200	222	244	262	298	332	350	374	394	416	454	494
90"	126	156	190	214	234	258	280	314	346	374	394	418	442	482	524
96"	132	166	196	222	250	270	296	332	368	390	416	444	466	510	554
108"	154	192	228	260	290	314	344	386	424	456	486	516	542	592	642

Note: Khaki, Brown and Black Fixed Privacy Lining over 54" wide AND 54" high will be spliced together and the maximum height will be reduced to 106", creating a seam. Beige-Deluxe and Taupe-Deluxe Privacy Lining over 60" wide AND 60" high will be spliced together and the maximum height will be reduced to 118" creating a seam. This applies to the lining ONLY and not the actual woven shade. Privacy Lining is attached to the back of the shade. Small slits are made in the lining at the ring cord-guide attachment locations. When Faux Silk or Twill Edge-Bindings are also ordered, the privacy lining will be sewn under the binding.

Use appropriate grid for shade price, then add extra charge(s) below.

Motorization consists of a **motor, power source, and controller**. Be sure all of these elements are included when determining final price.

SIMPLICITY RECHARGEABLE OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER

NOTE: CHARGER OR SOLAR PANEL IS REQUIRED TO CHARGE THE SHADES

- Simplicity Rechargeable Motoradd \$418 per motor
- 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$64 each
- Plug-in ChargerPart #CS5199.....add \$48 each
- Solar Panel (Part #CS52096 Solar Panel & mounting brackets) (Part #02-70-9021 Mounting bracket screws)add \$226 each

REMOTELIFT™ OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER (Must select power source when ordering)

- RF RemoteLift Motorization Upgrade add \$482 per shade
- RF Remote Control – 1 Channel Part #RC445069 add \$152 each
- RF Remote Control – 5 Channel Part #RC445079 add \$196 each
- RF Wireless Wall Switch – 1 Channel Part #RC445135 add \$386 each
- RF Wireless Wall Switch – 5 Channel Part #RC445136 add \$386 each
- RF Programmable Timer – 1 Channel Part #1805237A add \$614 each
- RTS-Smoove 1 RTS add \$200 each
- RTS-myLink RTS interface add \$572 each
- RF Reloadable Single Battery Wand Part #KITRWR.....add \$206 each
- RF Reloadable Dual Battery Wand..... Part #KITRDWR..... add \$418 each
- RF Transformer Part #1822192..... add \$208 each
- RF Battery Wand Extension Wire – 10" Part #9013282 add \$16 each
- RF Battery Wand Extension Wire – 48" Part #9013279 add \$22 each
- RF Battery Wand Extension Wire – 96" Part #9013277 add \$28 each
- RF 8 AA Lithium Batteries (Reload-Wand) Part #9014834.....add \$70 each

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft (Woven Wood), 65 sq.ft (Grass Weaves) or 28 sq.ft. (Select Weaves); dual battery wand or transformer RECOMMENDED for shade exceed the limit.

SHADE CONFIGURATION DIAGRAM

Shades and Individual Valances Are Built on 1 of 3 Headrail Depths:

1-1/2" Headrail Depth: Standard Rectangular, Waterfall Style, Top-Down, Top-Down/Bottom-Up & Turned Headrail


2-1/2" Headrail Depth: RemoteLift, Continuous Cord Loop, Operable Liner, 2 or 3 on 1 Headrail & Individual Valances

3/4" Headrail Depth: For narrow mounts

OUTSIDE MOUNT (& CEILING MOUNT) VALANCE WIDTH ADDITIONS FOR:



Standard, Top-Down, Top-Down/Bottom-Up & RemoteLift Shades (see next pages for Cord Loop and Cordless Lift Shades)
A small width addition is made to the valance to create a "cornice style" box for approved appearance & shade operation/stacking.
Valance Width ADDITION = +1/2 "PER SIDE = +1" Total



VALANCE NOTE:

Standard valances are 6" in height. When shades are under 18" in width, the valance is 4" in height for improved proportion.

Custom valances up to 12" in height may be ordered with **NO extra charge**.

Custom valances over 12" in height are charged **EXTRA**.

Refer to the valance price grids by Group.

RETURN NOTES:

Standard outside mount return depths are 1-3/4" for the small headrail and 2-3/4" for the large headrail.

Outside mount returns are attached to the valance using the **VRS SYSTEM on woven wood only**.


The VRS System is NOT featured on Decorative Wovens due to the sheerness and fabric weight. Returns will use the classic velcro for attachment.

The outside mount valance width addition covers the front facing edge of the return and creates a clean corner.

If optional returns are ordered on an IB Mount, they will use the classic velcro "dog ear" attachment method (not VRS).

Returns not available on turned headrail or 3/4" headrail shades.


VALANCE RETURN STABILIZER (VRS) SYSTEM



Outside mount shade valances come with the innovative Valance Return Stabilizers (VRS) System. The VRS System includes clear corner pieces and are attached to the valance and returns, keeping them stable and in perfect alignment. The valance also covers the front edge of the returns. A tiny spring mechanism in each VRS keeps the valance hanging straight down off the headrail, while also allowing you to raise the valance for installing the shade and for periodic dusting/cleaning underneath.

Not Available on Decorative Wovens. Returns with velcro are available under Decorative Wovens.

LIMITED LENGTH ADJUSTER



Woven Wood shade configurations that have a bottom dowel will include a Limited Length Adjuster. Shades that have a edge-binding or tape-binding on the bottom will NOT include the adjuster. The Limited Length Adjuster allows up to a 1" shade height reduction (depending upon the dowel size and woven material). It works by simply **SLIDING UP** the Adjuster on each side of the shade which in turn rolls the dowel up. This is an innovative solution to adjust for some woven shade stretching, which may occur to some extent over time with all woven wood materials.

Not Available on Decorative Wovens


CORD LOOP SHADE DIAGRAM

INSIDE MOUNT WIDTH DEDUCTIONS FOR: Cord Loop Shades

Minor adjustments are made to the standard IB width deductions for cord loop shades to improve the cord loop operation. These adjustments allow the loop control, cord loop and safety tensioner to be shifted toward the outside edge of the shade.

Headrail & Valance Width DEDUCTION = $-1/4"$ (STANDARD) IB WIDTH DEDUCTION ON BOTH SIDES = $-1/2"$ Total

Shade Panel Width DEDUCTION = $-1/4"$ (ADJUSTED) IB WIDTH DEDUCTION ON BOTH SIDES = $-1/2"$ Total




OUTSIDE MOUNT (& CEILING MOUNT) WIDTH ADDITIONS FOR: Cord Loop Shades

Minor adjustments are made to the standard OB width additions for cord loop shades to improve the cord loop operation. These adjustments allow the loop control, cord loop and safety tensioner to be shifted toward the outside edge of the shade.

Headrail Width ADDITION = $+1/4"$ ON BOTH SIDES = $+1/2"$ Total

Valance Width ADDITION = $+3/4"$ ON BOTH SIDES = $+1-1/2"$ Total



CONTINUOUS CORD LOOP SYSTEM - MOUNTING AND WIDTH ADJUSTMENTS NOTES

Continuous Cord Loop Systems offer manually operated clutch mechanisms for raising and lowering shades. By simply putting on one side of the cord loop, shades can be quickly and precisely positioned. Left or Right side control positions may be specified.

Cord Loop shades are installed with special L-shaped (small roller shade cassette headrail style) mounting brackets, which snap into a flat, custom fit connector pre-attached to the headrail. This cord loop bracket system allows the cord loop mechanism to be shifted to the very edge of the headrail so that the cord loop is shifted toward the edge of the shade, rather than hanging in front of the shade. The width adjustments made on the cord loop control side allow the cord loop to hang straight down to the required, mounted safety tensioner and clear the edge of the woven material.


NOTE: There is a likelihood where cord will rub against the edge of the shade. Hence, edge binding is highly recommended.

CORDLESS BREEZE SHADE DIAGRAM

Cordless Breeze shades can be built on small 1-1/2" and/or large 2-1/2" depth headrail depending on shade material and size.

INSIDE MOUNT WIDTH DEDUCTIONS FOR: CORDLESS BREEZE


Headrail & Valance Width DEDUCTION = -1/4" (STANDARD) IB WIDTH DEDUCTION ON BOTH SIDES = -1/2" Total



standard -1/4" IB width deduction to headrail, fabric and valance ON BOTH SIDES

OUTSIDE MOUNT AND CEILING MOUNT WIDTH ADDITIONS FOR: CORDLESS BREEZE

Headrail Width ADDITION = +1/4" ON BOTH SIDES = +1/2" Total
Valance Width ADDITION = +3/4" ON BOTH SIDES = +1-1/2" Total



adjusted +1/4" OB width addition to headrail ON BOTH SIDES

adjusted +3/4" OB width addition to valance ON BOTH SIDES

NOTE: The adjusted OB width additions to the headrail (+1/4" on each side).

Valance and returns attach with the VRS system (Woven Woods only) which then adds the (standard) +1/2" beyond the headrail width on each side.

LIMITED LENGTH ADJUSTER

Woven Wood cordless lift shade without edge-binding will have a limited length adjuster. Insert a phillips screwdriver into the adjuster. Turn left to shorten and right to lengthen.


This is a solution to allow limited adjustment for some woven shade stretching, which may occur to some extent over time with all woven wood materials.



CORDLESS LIFT SHADE DIAGRAM


INSIDE MOUNT WIDTH DEDUCTIONS FOR: CORDLESS LIFT

Headrail & Valance Width DEDUCTION = $-1/4"$ (STANDARD) IB WIDTH DEDUCTION ON BOTH SIDES = $-1/2"$ Total
Shade Panel Width DEDUCTION = $-1/4"$ (ADJUSTED) IB WIDTH DEDUCTION ON BOTH SIDES = $-1/2"$ Total



OUTSIDE MOUNT AND CEILING MOUNT WIDTH ADDITIONS FOR: CORDLESS LIFT

Headrail Width ADDITION = $+1/4"$ ON BOTH SIDES = $+1/2"$ Total
Valance Width ADDITION = $+3/4"$ ON BOTH SIDES = $+1-1/2"$ Total



CORDLESS LIFT SYSTEM – MOUNTING AND WIDTH ADJUSTMENT NOTES

Cordless Lift shades are installed with special L-shaped (small roller shade cassette headrail style) mounting brackets, which snap into a flat, custom fit connector pre-attached to the headrail. Cordless Lift shades do not install with the standard woven wood screw-post brackets through routes in the headrail.

LIMITED LENGTH ADJUSTER

Woven Wood cordless lift shade without edge-binding will have a limited length adjuster. Insert a phillips screwdriver into the adjuster. Turn left to shorten and right to lengthen.


This is a solution to allow limited adjustment for some woven shade stretching, which may occur to some extent over time with all woven wood materials.



SHADE CONFIGURATION OPTIONS


STANDARD RECTANGULAR

- Returns standard on outside mount
- Returns for inside mount available upon request
- Valance is 6" long (4" for shades under 18" wide)
- Built on 1-1/2" depth headrail (unless specified)
- Available with Simplicity and RemoteLift Motorization (on 2-1/2" headrails)
- Shade Size over 72 Sq.ft. must be made as 2 or 3 on 1 whether it's bottom up, top down, or top down bottom up.




WATERFALL STYLE (FRONT-SIDE SHADE)

- Returns standard on outside mount
- Backside valance includes liner when ordered on shade
- Backside valance included on inside mount
- Front-side cord grommet (unless specified)
- Built on 1-1/2" depth headrail unless specified
- Available with Simplicity and RemoteLift Motorization (on 2-1/2" headrails)




3/4" HEADRAIL (FOR NARROW DEPTH MOUNTS ONLY)

- Available with standard or waterfall style only
- Returns are not available
- No valance width addition for outside mount
- Shade mounts with screws only, not brackets
- Mounting holes pre-drilled in headrail
- Not available as 2 or 3 on 1 headrail



2 OR 3 ON 1 HEADRAIL

- Standard, waterfall & top-down/bottom-up
- Cord loop, cordless, and Simplicity motorization are available under bottom-up in 2 on 1 only.
- Valance split at shade gap if over 96" wide
- Built on 1-1/2" and 2-1/2" depth headrails (see configurations)
- For 2 on 1 or 3 on 1 TDBU shade that is larger than 96" in width are build on 2-1/2" headrail




Note: We cannot guarantee fabric alignment on side-by-side shades.

SHADE CONFIGURATION OPTIONS


TOP-DOWN

- Returns standard on outside mount
- Backside valance included on inside mount
- Front & back valances include liner when ordered on shade
- Built on 1-1/2" depth headrail, unless specified
- Not available with motorized or cordless shade
- Not available with waterfall style




TOP-DOWN/BOTTOM-UP

- Returns standard on outside mount
- Backside valance included on inside mount
- Front & back valances include liner when ordered on shade
- Top-Down/Bottom-Up shades are built on 1-1/2" depth headrail
- For 2 in 1 or 3 in 1 shade that is larger than 96" in width are built on 2-1/2" headrail
- Not available with Waterfall style




CONTINUOUS CORD LOOP

- Built on 2-1/2" depth headrail only
- Available as 2 on 1 headrail (not 3 on 1 headrail)
- Available with waterfall shades;
- If waterfall, loop cord is behind shade
- Not available with top-down or top-down/bottom-up
- Note: inside and outside mount width adjustments
- Cord may rub against side of the shade during operation. Edge binding is highly recommended.
- Shade Size over 72 Sq.ft. must be made as 2 or 3 on 1.




SIMPLICITY RECHARGEABLE & REMOTELIFT MOTORIZATION

- Automated control options available
- Built on 2-1/2" depth headrail only
- Available with waterfall style
- Not available with top-down or top-down/bottom-up or 3 on 1 headrail
- When ordering multiple motorized shades/remotes, please provide programming instructions, otherwise, all shades will be programmed to one remote



CORDLESS BREEZE & CORDLESS LIFT

- Cordless Breeze can built on 1-1/2" and/or 2-1/2" depth headrail depending on shade material and size.
- Cordless Lift built on 2-1/2" depth headrail only
- Enclosed aluminum hem bar
- Available in standard rectangular style & waterfall
- Available as 2 on 1 headrail (not 3 on 1 headrail)
- Available with fixed liners
- Available with twill edge and faux silk bindings – valance sides & shade sides only




FAUX SILK BINDING SHADE & VALANCE UPGRADES

AVAILABLE ON DECORATIVE WOVEN PATTERNS


FAUX SILK BINDING OPTION (EFO)

Shade and valance sides and bottom available in all configurations




ESVB

Faux silk sides + bottom + valance sides



ES


Faux silk sides + valance sides



On materials that require binding, only ESVB & ES binding options are available.


ESB

Faux silk sides + bottom



ESO

Faux silk sides only



NOTE: Valance returns do not include bindings. They are comprised of Decorative Woven Material only.

NOTE: Corners on shades with faux silk bindings on the side and bottom are mitered, providing a high-end drapery workroom look.

INDIVIDUAL VALANCE

Large 2-1/2" depth headrail

Returns standard on outside mount only

Valance without headrail uses velcro



EVSB

Faux silk VALANCE sides + bottom (binding not on returns)



EVSO

Faux silk valance sides only (binding not on returns)



FAUX SILK ORDER ABBREVIATION TABLE

EFO	- option (default = all sides & bottom)
ESVB	- sides + bottom + valance sides
ES	- sides + valance sides
ESB	- sides + bottom
ESO	- sides only

EVSB	- valance sides + bottom
EVSO	- valance sides only

NOTE:

On outside mounts, the valance widths are adjusted 1/2" wider on each side to create a "Cornice Style" box and to cover the front edge of the returns creating a clean corner.

Due to the valance width addition, trim on the valance sides will also extend out slightly as compared to the trim on the shade sides.

Only EVSB & ES are available for materials that require binding.


NOTE: Some styles require faux silk or twill edge-bindings. See color chart for detail. See "Options: Extra Charge" on each Price Group page for appropriate surcharge.

TWILL EDGE-BINDING SHADE & VALANCE UPGRADES

AVAILABLE ON WOVEN WOOD AND DECORATIVE WOVEN PATTERNS


EDGE-TAPE OPTION (ETO)

Shade and valance sides and bottom available in all configurations




TSVB

Tape sides + bottom + valance sides



TS


Tape sides + valance sides



On materials that require binding, only TSVB & TS binding options are available.


TSB

Tape sides + bottom



TSO

Tape sides only



NOTE: Valance returns do not include bindings. They are comprised of woven material only.

NOTE: Corners on shades with twill edge-bindings are NOT mitered.

INDIVIDUAL VALANCE

Large 2 1/2" depth headrail
Returns standard on outside mount only
Valance without headrail uses velcro



TVSB

Tape valance sides + bottom
(binding not on returns)



TVSO

Tape valance sides only
(binding not on returns)



TWILL EDGE-BINDING ORDER ABBREVIATION TABLE

ETO	- edge tape option (default + all sides & bottom)
TSVB	- tape sides + bottom + valance sides
TS	- tape sides + valance sides
TSB	- tape sides + bottom
TSO	- tape sides only

TVSB	- tape valance sides + bottom
TVSO	- tape valance sides only

NOTE:

On outside mounts, the valance widths are adjusted 1/2" wider on each side to create a "Cornice Style" box and to cover the front edge of the returns creating a clean corner. See Shade Configuration Diagram. OB Valances and returns are attached using the "Valance Return Stabilizer" or VRS System. [Woven Wood patterns only].

Due to the valance width addition, edge-tape on the valance sides will also extend out slightly as compared to the edge-tape on the shade sides

Only TSVB & TS are available for materials that require binding.

NOTE: Some styles require faux silk or twill edge-bindings. See color chart for detail. See "Options: Extra Charge" on each Price Group page for appropriate surcharge.

BINDING FEATURES AND FABRIC LISTS

- Bindings come standard on shade and valance sides and bottom, front and back unless one of the custom placement options is specified.
- Bindings are sewn to the woven material for durability, structure, a cleaner appearance, and to protect the shade edges.
- Cordless only available with faux silk binding and twill edge-bindings.
- Not available on all woven materials – see color charts for availability.
- Available on all woven shade configurations.
- On materials require binding, valance will also have binding on the sides.



Faux Silk Bindings



Twill Edge-Bindings

TWILL EDGE-BINDING FABRIC LIST

Available on Woven Woods & Decorative Wovens

Color #	5/8" Folded	1-1/2" Folded
White	CT400	NA
Natural	CT402	CT802
Duck	CT403	NA
Latte	CT404	NA
Dusk	CT405	CT805
Sand	CT406	CT806
Beige	CT408	CT808
Jute	CT409	CT809
Camel	CT410	CT810
Desert	CT412	CT812
Mocha	CT417	CT817
Chocolate	CT418	CT818
Espresso	CT419	CT819
Silver	CT420	NA
Steel	CT421	CT821
Black	CT424	CT824

FAUX SILK BINDING FABRIC LIST (1" WIDTH)

Available on Decorative Wovens ONLY

Color #	Color Name
FT550	Optic
FT551	Cashmere
FT552	Crystal
FT554	Bubbly
FT555	Angora
FT557	Natural
FT562	Sand

Color #	Color Name
FT565	Jute
FT566	Chipmunk
FT568	Tiramisu
FT572	Granite
FT573	Oyster
FT574	Smoke

- Corners are mitered for a custom workroom look

OPERABLE PRIVACY LINING OPTIONS

Features

- Operable privacy liners may be raised and lowered independently of the front woven shade using a separate lift cord & cordlock.
- Operable liners allow for the most versatile woven shade light control.
- Available on all woven materials.
- Available on Standard & Waterfall-Style shade configurations ONLY.
- Operable liners are neutral white to the outside, are NOT reversible, and include spaced horizontal "tabs" on the back-side for the lift cords.
- Operable liner safety cord shrouds are WHITE-ONLY. The lift cords are color-coordinated to the woven material and match the shade lift cords.
- Valances DO NOT include operable liners (or same-color fixed liners).
- Cut-outs not available.

Front View



Back View



FIXED PRIVACY LINING OPTIONS

Features

- Fixed (traditional) privacy liners are physically attached to the back of the woven shade and operate in unison WITH them.
- Available on all woven materials.
- Available on ALL woven shade configurations.
- Fixed liners are neutral to the outside. Reversed liners (i.e. colored to the outside and white to the inside) must be specified when ordering.
- Light filtering liners are similar in color on both sides. Room darkening liners have a neutral back to the street and the color to the shade. Room darkening liners may be requested reversed, with the neutral backing to the shade and the liner color to the street.
- Front & back valances on Top-Down/Bottom-Up shades DO include liners.
- Back valances on Waterfall-Style shades DO include liners.
- Fixed liners are sewn UNDER faux silk, twill edge-binding when those options are ordered.
- Allows for traditional style woven wood shade light control.

Front & Back View



Back View with Binding



OPERABLE PRIVACY LINING

Family	Color #	Color Name
Light Filtering	OLF-4001	White
Light Filtering	OLF-4004	Cream
Light Filtering	OLF-4005	Café
Light Filtering	OLF-4007	Mink
Room Darkening	OBO-5001	White
Room Darkening	OBO-5004	Cream
Room Darkening	OBO-5005	Café
Room Darkening	OBO-5006	Black

Operable privacy liners are made of 100% Polyester.

FIXED PRIVACY LINING

Family	Color #	Color Name
Translucent	LF-1001	White
Translucent	LF-1002	Ivory
Translucent	LF-1003	Khaki
Room Darkening	RD-2001	White
Room Darkening	RD-2002	Ivory
Room Darkening	RD-2003	Khaki
Room Darkening	RD-2004	Brown
Room Darkening	RD-2006	Black
Room Darkening	RD-3008	Beige-Deluxe
Room Darkening	RD-3009	Taupe-Deluxe

Translucent fixed privacy liners are made of 100% Cotton.

Room Darkening fixed privacy liners are made of 30% Cotton and 70% Polyester.

Note: Khaki, Brown and Black Fixed Privacy Lining over 54" wide and 54" high will be spliced together and the maximum height will be reduced to 106", creating a seam. Beige-Deluxe and Taupe-Deluxe Privacy Lining over 60" wide and 60" high will be spliced together and the maximum height will be reduced to 118" creating a seam. This applies to the lining ONLY and not the actual woven shade. Privacy Lining is attached to the back of the shade. Small slits are made in the lining at the ring cord-guide attachment locations. When Faux Silk or Twill Edge-Bindings are also ordered, the privacy lining will be sewn under the binding.

PRODUCT SPECIFICATIONS

WOVEN WOODS, SELECT WEAVES, AND GRASS WEAVES

Shade Features		Footnotes
Number of Styles		92
Headrail Depth	(1)	3/4", 1-1/2" or 2-1/2"
Bracket Style (for each headrail size above)	(2)	L-Shaped
Swivel Multi Cord Lock & Pulley		Yes
Woven Valance	(3)	Yes
Valance Returns (Standard on OB)	(4)	Yes
Color-Coordinated Lift Cords		Yes
Color-Coordinated Decorative Wood Tassel		Yes
Color-Coordinated Cord Connector		Yes
Color-Coordinated Cord Tensioner		Yes
Wood Dowel Bottomrail	(5)	3/4"
Warranty		Lifetime Limited

Continuous Cord Loop Chart	
Shade Height	Cord Loop Length
12" to 18"	12"
18-1/8" to 26"	18"
26-1/8" to 38"	24"
38-1/8" to 50"	36"
50-1/8" to 62"	48"
62-1/8" to 74"	60"
74-1/8" to 86"	72"
86-1/8" to 98"	84"
98-1/8" to 120"	96"
special request, long cord loop	120"
special request, long cord loop	144"

Shade Configuration Options	
Faux Silk Bindings (not available on all patterns)	Yes
Translucent/Light Filtering Privacy Linings (Fixed or Operable)	Yes
Room Darkening Privacy Linings (Fixed or Operable)	Yes
Continuous Cord Loop System	(6) Yes
Cordless Breeze Shade	Yes
Cordless Lift Shades	Yes
Top-Down or Top-Down/Bottom-Up (TDBU)	(7) Yes
Top-Down/Bottom-Up Continuous Cord	No
Waterfall Style	(8) Yes
Simplicity, Automate & RemoteLift Motorization	Yes
2 or 3 On 1 Headrail	(9) Yes
3/4" Headrail (for extra shallow mounts)	Yes
Custom Valance Heights & Return Depths	(10) Yes

Stacking Chart	
Shade Height	Stack Height
24"	6" - 7"
36"	6" - 8"
48"	8" - 9"
60"	8" - 10"
72"	8" - 10"
84"	9" - 12"
96"	9" - 12"
108"	10" - 13"
120"	10" - 13"

NOTE: These are stacking averages for standard shades. Actual heights may vary + or - 1". Stacking heights for continuous cord and bindings add approximately 1" more (each).

Other Options	
Individual Valances	(3) Yes
Cut-Outs (max size 3"x8" on L or R shade bottom)	(10) Yes
Specialty Shapes	No
Control Positions	L or R
Ceiling Mount (Flat) Brackets	(2) Yes
Hold Down Brackets	Yes
Spacer Blocks; 3/4"	Yes
Extension Brackets; 2-1/2" and 4-1/2"	Yes
Cord Cleats (Standard with TD & TDBU)	(8) Yes

Please Note: fabric alignment on side-by-side shades cannot be guaranteed.

FEATURE & OPTION NOTES:
- Continuous Cord Loop shades, Cordless Lift Shades, RemoteLift shades and Individual Valances are made with the larger 2-1/2" depth headrail. - Wider shades may also come with ceiling mount bracket(s) used to support the center headrail area. Flat (T-Style) brackets may also be ordered by request. - Custom shade valance heights may be specified to 12" at NO extra charge. Over 12" valance is charged EXTRA. - Returns standard on OB shades and valance orders ONLY, unless specified. Return widths are 1-3/4" (for small HR) and 2-3/4" (for large HR). - Either of 2 size wood dowel bottomrails are wrapped with the selected woven material. Dowel size used depends on material style - see dowel size detail under color chart. - Cord may rub against Continuous Cordloop shade, edge binding is highly recommended. - Top-Down and TDBU shades require an EXTRA LONG lift cord and come with a CORD CLEAT to wrap excess cord. These shades are built on 1-1/2" depth headrail. For 2 on 1 and 3 on 1 TDBU shades over 96" are built on a 2-1/2" headrail. - Waterfall-Style shades may be motorized. They are not available in Top-Down or Top-Down/Bottom-Up. - Widths over 96" will always receive a spliced valance split at the shade gap. There is a 1/2" gap between individual shades. - Cord Loop, Cordless Breeze, Cordless Lift, Motorized shades are not available with 3 on 1 headrail. 2 on 1 Cordless Breeze is only available with 2-1/2" depth headrail. - Cut-Out maximum size is 3" x 8" and only available on the Left or Right bottom corner of the shade. Cut-Outs are NOT available when Edge-Binding, Twill Edge-Binding or Faux Silk Binding is ordered, or on operable liners or Cordless Breeze shades.

SIZE SPECIFICATIONS: WOVEN WOODS

Standard, Waterfall Style, Top-Down & Top-Down/Bottom-Up Shades

MINIMUM WIDTH	10" (per panel)
MAXIMUM WIDTH	96"
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	108"

- All Standard Rectangular, Top-Down and Top-Down/Bottom-Up shades are built on a 1-1/2" depth headrail as standard, unless specified.
- For 2 on 1 or 3 on 1 TDBU shade that is larger than 96" in width are built on a 2-1/2" headrail.
- Waterfall Style shades come with a front-side oval grommet for easy cord access & control. They may also be ordered with "rear cord access", so no grommet, if desired.
- The turned headrail and 3/4" headrail options for narrow depth mounting is only available for Standard and Waterfall shades.

Continuous Cord Loop Shades

LARGE Headrail

MINIMUM WIDTH	22" NET
MAXIMUM WIDTH	96"
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	96" */108"

- Continuous Cord Loop shades are only built on the large 2-1/2" depth headrail.
- Cord Loop shades may be ordered as Waterfall Style, but only with "rear cord access".
The loop control will be BEHIND the shade, not through a front-side grommet.
- * Kota, Kyoto Sunset, Kyoto Ebony, Zee Gray, Zee Tan, and Zee White can only go up to 96" in height.

2 or 3 on 1 Headrail Shades (Standard/Continuous Cord Loop)

2 on 1 Headrail

3 on 1 Headrail

MINIMUM WIDTH	10" / 22" (per panel)	10" (per panel) / NA
MAXIMUM WIDTH	144"	144"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	108"	108"

- Continuous Cord Loop shades are NOT available as 3 on 1 headrail.
- The 2 or 3 on 1 valance is continuous up to 96" wide. Over 96" require valance to be spliced at the shade gap between the individual panels.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.
- Individual shade panel widths are restricted to the standard width maximums.

Cordless Breeze Shades

MINIMUM WIDTH	20" NET
MAXIMUM WIDTH	72"*/84"
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	72"*/84"

- Cordless Breeze shades can be built on small 1-1/2" and/or large 2-1/2" depth headrail depending on shade material and size.
- * The width of **Taos** can only go up to 72".
- ** Certain woven woods are limited to max height of 72", refer to "Cordless Specifications: Headrail & Size" section for details

2 on 1 Headrail Shades (Cordless Breeze)

MINIMUM WIDTH	20" (per panel) / 40-1/2" (overall)
MAXIMUM WIDTH	72"*/84" (per panel) / 120" (overall)
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless Breeze shades are NOT available as 3 on 1 headrail and can only built on 2-1/2" depth headrail with 2 on 1.
- * The width of **Taos** can only go up to 72" per panel.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.

Cordless Lift Shades

LARGE Headrail

MINIMUM WIDTH	20" NET
MAXIMUM WIDTH	84"
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless Lift shades are only built on the large 2-1/2" depth headrail.

2 on 1 Headrail Shades (Cordless Lift)

MINIMUM WIDTH	20" (per panel) / 40-1/2" (overall)
MAXIMUM WIDTH	84" (per panel) / 120" (overall)
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless Lift shades are NOT available as 3 on 1 headrail.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.

SIZE SPECIFICATIONS: WOVEN WOODS

Simplicity Rechargeable Motorization	RF System
MINIMUM WIDTH	24" Net (single shade), 48-1/2" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

- Simplicity motorized shades are built on 2-1/2" depth headrail ONLY without exception.
 - Simplicity motorized shades can be ordered as Waterfall
- ** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).
- *** Refer to Maximum Motorization Area under Size Specification section for details

RemoteLift Motorization – Radio Frequency (RF)	RF System
MINIMUM WIDTH	19" Net (single shade), 38-1/2" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

- All RemoteLift motorized shades are built on LARGE 2-1/2" depth headrail ONLY without exception.
 - Single battery wand size recommendation limit is 65 sq.ft., dual battery wand or transformer mandatory for shade equal or greater than 65 sq.ft.
 - RemoteLift shades may be ordered as Waterfall Style.
- ** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).
- *** Refer to Maximum Motorization Area under Size Specification section for details

Operable Privacy Lining

- Shades ordered with Operable Lining follow the same size specifications as the configurations listed above, for Standard and Waterfall Style shades ONLY.
- Operable liners are available on Standard and Waterfall Style shades ONLY.
- Waterfall Style shades ordered with operable privacy lining DO NOT include lining on the back-side valance.
- Cut-outs are not available on operable liner shades.

Fixed Privacy Lining

- Shades ordered with Privacy Lining follow the same size specifications as the configurations listed above.
- Top-Down and TDBU shades ordered with privacy lining DO include lining on the front valance.
- Waterfall Style shades ordered with privacy lining DO include lining on the back-side valance.
- Khaki Translucent Privacy Lining over 54" wide AND 54" high will be spliced together and the maximum height will be reduced to 106".
- Khaki, Brown and Black Room Darkening Privacy Lining over 54" width and 54" height will be SPLICED and the maximum height will be reduced to 106".
- Beige/Deluxe & Taupe/Deluxe Room Darkening Privacy Lining over 60" width and 60" height will be SPLICED and the maximum height will be reduced to 118".

SIZE SPECIFICATIONS: DECORATIVE WOVENS – GRASS WEAVES


	Standard, Waterfall, Operable Liner	Top-Down	Top-Down/Bottom-Up
MINIMUM WIDTH	12" (per panel)	12" (per panel)	12" (per panel)
MAXIMUM WIDTH	72" * / 96"	72" * / 96"	48"
MINIMUM HEIGHT	12"	12"	12"
MAXIMUM HEIGHT	108"	108"	108"

- * Most patterns are available up to 96" with a center seam. Shades over 72" wide will come standard at no charge with 1 seam placed in the center of the shade except

Zaire collection can only go up to 72" in width, seam not available

Celebes collection can only go up to 96" in width, seam not available

- Custom seam placement is available on most patterns at a 15% surcharge, see detail under section "Color Chart". Allows up to 2 seams per shade.
Minimum seam placement from the side edges of the shade is 5".
- All Standard Rectangular, Top-Down, Top-Down/Bottom-Up shades are built on a 1-1/2" depth headrail as standard. The 2-1/2" headrail must be specified.
For 2 on 1 or 3 on 1 Top-Down/Bottom-Up shades that are larger than 96" in width are built on a 2-1/2" headrail.
- Waterfall shades come with a front-side oval grommet for easy cord access & control. They may also be ordered with "rear cord access", so no grommet, if desired.
- The 3/4" Headrail option for narrow depth mounting is only available for Standard and Waterfall shades.



Continuous Cord Loop Shades	2 1/2" Headrail
MINIMUM WIDTH	22" NET
MAXIMUM WIDTH	72" / 96" / 120" *
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	108"

- * Patterns with Continuous Cord Loop control option are available in widths up to 120" with a seam. Shades over 72" wide will come standard at no charge with 1 seam placed in the center of the shade except:

Zaire collection can only go up to 72" in width, seam not available

Celebes collection can only go up to 96" in width, seam not available

- Custom seam placement is available on most patterns at a 15% surcharge, see detail under color chart section. Allows up to 2 seams per shade.
Minimum seam placement from the side edges of the shade is 5".
- Shades are only built on the 2-1/2" depth headrail.
- Shades may be ordered as Waterfall, but only with "rear cord access". The loop control will be BEHIND the shade, not through a front-side grommet.

2 or 3 on 1 Headrail Shades (Standard / Continuous Cord)	2 on 1 Headrail	3 on 1 Headrail
MINIMUM WIDTH	12" / 22" (per panel)	12" (per panel) / NA
MAXIMUM WIDTH	144"	144"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	108"	108"

- Continuous Cord Loop shades are NOT available as 3 on 1 headrail.
- The 2 or 3 on 1 valance is continuous up to 72" wide and 96" with seam on most patterns. Over 96" require valance to be spliced at the shade gap between the individual panels.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.
- Individual shade panel widths are restricted to the standard width maximums.

SIZE SPECIFICATIONS: DECORATIVE WOVENS – GRASS WEAVES

Cordless Breeze Shades	
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	72"
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless Breeze shades can be built on small 1-1/2" and/or large 2-1/2" depth headrail depending on shade material and size.

2 on 1 Headrail Shades (Cordless Breeze)	2 on 1 Headrail
MINIMUM WIDTH	20" (per panel) / 40-1/2" (overall)
MAXIMUM WIDTH	72" (per panel) / 120" (overall)
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless Breeze shades are NOT available as 3 on 1 headrail and can only built on 2-1/2" depth headrail with 2 on 1.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.

Cordless Lift Shades	2 1/2" Headrail
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	72" * / 84"
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- * The following patterns with Cordless Lift control are only available up to 72" in width: **Zaire Camel**
- Shades are only built on the 2-1/2" depth headrail.

2 on 1 Headrail Shades (Cordless Lift)	2 on 1 Headrail
MINIMUM WIDTH	20" (per panel) / 40-1/2" (overall)
MAXIMUM WIDTH	72" or 84" (per panel) / 120" (overall)
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- * The following patterns with Cordless Lift control are only available up to 72" in width: **Zaire Camel**
- Cordless shades are NOT available as 3 on 1 headrail.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.

Simplicity Rechargeable Motorization	RF System
MINIMUM WIDTH	24" Net (single shade), 48-1/2" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	72"/96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

- * These patterns are only up to 72" in width: **Zaire Camel**
- ** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).
- *** Refer to Maximum Motorization Area under Size Specification section for details
- Simplicity motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Simplicity motorized shades can be ordered as Waterfall
- Due to the material construction, **Celebes** collection can't be motorized.

RemoteLift Motorization – Radio Frequency (RF)	RF System
MINIMUM WIDTH	19" Net (single shade), 38-1/2" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	72"/96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

- * These patterns are only up to 72" in width: **Zaire Camel**
- ** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).
- *** Refer to Maximum Motorization Area under Size Specification section for details
- All battery-operated motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Single battery wand size recommendation limit is 65 sq.ft., dual battery wand or transformer mandatory for shade equal or greater than 65 sq.ft.
- Motorized shades may be ordered as Waterfall.
- Due to the material construction, **Celebes** collection can't be motorized.

SIZE SPECIFICATIONS: SELECT WEAVES

	Standard, Waterfall, Operable Liner	Top-Down	Top-Down/Bottom-Up
MINIMUM WIDTH	12" (per panel)	12" (per panel)	12" (per panel)
MAXIMUM WIDTH	96" / 120" *	96"	72"
MINIMUM HEIGHT	12"	12"	12"
MAXIMUM HEIGHT	120"	72"	72"

- * Salvador Dritwood is available in widths up to 120" with a seam. Shades over 96" will come standard at no charge with 1 seam placed in the center of the shade.
- Custom seam placement is available only on above patterns at a 15% surcharge. Allows up to 2 seams per shade. Minimum seam placement from the side edges of the shade is 5".
- All Standard Rectangular, Top-Down, Top-Down/Bottom-Up shades are built on a 1-1/2" depth headrail as standard. The 2-1/2" headrail must be specified.
For 2 on 1 or 3 on 1 Top-Down/Bottom-Up shades that are larger than 96" in width are built on a 2-1/2" headrail
- Waterfall shades come with a front-side oval grommet for easy cord access & control. They may also be ordered with "rear cord access", so no grommet, if desired.
- The 3/4" Headrail option for narrow depth mounting is only available for Standard and Waterfall shades.

Continuous Cord Loop Shades	2 1/2" Headrail
MINIMUM WIDTH	22" NET
MAXIMUM WIDTH	96" / 120" *
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	96" * / 120"

- * The following pattern available only up to 96" in height: Macau
- * Salvador Dritwood is available in widths up to 120" with a seam. Shades over 96" will come standard at no charge with 1 seam placed in the center of the shade.
- Custom seam placement is available only on above patterns at a 15% surcharge. Allows up to 2 seams per shade. Minimum seam placement from the side edges of the shade is 5".
- Shades are only built on the 2-1/2" depth headrail.
- Shades may be ordered as Waterfall Style, but only with "rear cord access". The loop control will be BEHIND the shade, not through a front-side grommet.

2 or 3 on 1 Headrail Shades (Standard/Continuous Cord)	2 on 1 Headrail	3 on 1 Headrail
MINIMUM WIDTH	12" / 22" (per panel)	12" (per panel) / NA
MAXIMUM WIDTH	144"	144"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	120"	120"

- Continuous Cord Loop shades are NOT available as 3 on 1 headrail.
- The 2 or 3 on 1 valance is continuous up to 96" wide. Over 96" require valance to be spliced at the shade gap between the individual panels.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.
- Individual shade panel widths are restricted to the standard width maximums.

Cordless Breeze Shades	
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	72"
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless Breeze shades can be built on small 1-1/2" and/or large 2-1/2" depth headrail depending on shade material and size.

2 on 1 Headrail Shades (Cordless Breeze)	2 on 1 Headrail
MINIMUM WIDTH	20" (per panel) / 40-1/2" (overall)
MAXIMUM WIDTH	72" (per panel) / 120" (overall)
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless Breeze shades are NOT available as 3 on 1 headrail and can only built on 2-1/2" depth headrail with 2 on 1.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.

SIZE SPECIFICATIONS: SELECT WEAVES

Cordless Lift Shades		2 1/2" Headrail
MINIMUM WIDTH		20" (per panel)
MAXIMUM WIDTH		84"
MINIMUM HEIGHT		20"
MAXIMUM HEIGHT		84"

- Shades are only built on the 2-1/2" depth headrail.

2 on 1 Headrail Shades (Cordless Lift)		2 on 1 Headrail
MINIMUM WIDTH		20" (per panel) / 40-1/2" (overall)
MAXIMUM WIDTH		84" (per panel) / 120" (overall)
MINIMUM HEIGHT		20"
MAXIMUM HEIGHT		84"

- Cordless shades are NOT available as 3 on 1 headrail.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.

Simplicity Rechargeable Motorization		RF System
MINIMUM WIDTH		24" Net (single shade), 48-1/2" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit		96" (Single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT		12"
MAXIMUM HEIGHT - within max area limit		96"
MAXIMUM AREA (SQUARE FEET)		Varies**

** 2 on 1 shade requires two motors (see "Simplicity Rechargeable Motorization Options" for surcharge information).

*** Refer to Maximum Motorization Area under Size Specification section for details

- Simplicity motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Simplicity motorized shades can be ordered as Waterfall

RemoteLift Motorization – Radio Frequency (RF)		RF System
MINIMUM WIDTH		19" Net (single shade), 38-1/2" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit		96" (Single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT		12"
MAXIMUM HEIGHT - within max area limit		120"
MAXIMUM AREA (SQUARE FEET)		Varies**

** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).

*** Refer to Maximum Motorization Area under Size Specification section for details

- All battery-operated motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Single battery wand size recommendation limit is 28 sq.ft., dual battery wand or transformer mandatory for shade equal or greater than 28 sq.ft.
- Motorized shades may be ordered as Waterfall

CORDLESS SPECIFICATIONS: HEADRAIL & SIZE

- See charts below on the headrail depth default
- 1-1/2" depth headrail is available with Cordless Breeze under most of the materials when order width is 32" or less, see charts below for detail.
- Cordless Lift shade only available under 2-1/2" depth headrail

WOVEN WOODS:		CORDLESS BREEZE							CORDLESS LIFT					
Code	Color Name	1-1/2" Small Headrail (Order Width ≤ 32")	2-1/2" Large Headrail	Min. Width (single)	Min. Width (2 on 1)	Max. Width	Min. Height	Max. Height	2-1/2" Large Headrail	Min. Width (single)	Min. Width (2 on 1)	Max. Width	Min. Height	Max. Height
CUL-2085	Antigua Maze	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
CUL-2086	Antigua Surf	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
CUL-2157	Banjar Artisan	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
CUL-2108	Bimini	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2057	Ensenada Negro	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2002	Ensenada Terra	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2078	Ensenada Tranquil	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2208	Hi-Lo Espresso	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2212	Hi-Lo Gray	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2211	Hi-Lo Tan	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2210	Hi-Lo White	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
ELI-2084	Honduras Rust	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
ELI-2083	Honduras Timbre	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
CUL-2072	Hunan	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
EXO-2054	Indo Chic	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2004	Jolo	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2110	Kano Greywood	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2111	Kano Mahogany	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
ELI-2049	Katmandu	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
CUL-2155	Katni Intrigue	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2003	Kaui	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
EXO-2068	Kiribati Jungle	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
EXO-2069	Kiribati Rainforest	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2076	Kota	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
CUL-2204	Kyoto Ebony	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
EXO-2230	Kyoto Sunset	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
EXO-2151	Mandalay Mystique	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
CUL-2223	Mesa Mocha	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
ELI-2104	Nagoya Harvest	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
CUL-2061	Saba Dusk	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
CUL-2060	Saba Sunset	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
ELI-2153	Sakura Etude	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
EXO-2053	Serengeti Cocoa	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
EXO-2052	Serengeti Sunrise	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2011	Sonora Desert	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
EXO-2150	Sumatra Surprise	Default	Optional	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
EXO-2232	Taos	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
CUL-2070	Tobago	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
CUL-2100	Tortuga Cocoa	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
CUL-2099	Tortuga Coral	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
ELI-2059	Veracruz Earth	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
ELI-2080	Veracruz Mocha	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2234	Zee Gray	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2236	Zee Tan	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
TER-2237	Zee White	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	72"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
EXO-2096	Zulu	N/A	Default	20"	40.5"	84" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"

CORDLESS SPECIFICATIONS: HEADRAIL & SIZE

- See charts below on the headrail depth default
- 1-1/2" depth headrail is available with Cordless Breeze under most of the materials when order width is 32" or less, see charts below for detail.
- Cordless Lift shade only available under 2-1/2" depth headrail

SELECT WEAVES:		CORDLESS BREEZE							CORDLESS LIFT					
Code	Color Name	1-1/2" Small Headrail (Order Width ≤ 32")	2-1/2" Large Headrail	Min. Width (single)	Min. Width (2 on 1')	Max. Width	Min. Height	Max. Height	2-1/2" Large Headrail	Min. Width (single)	Min. Width (2 on 1')	Max. Width	Min. Height	Max. Height
SLW-2527	Cancun Light Gray	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
SLW-2528	Cancun Off White	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
SLW-2529	Cano Cream	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
SLW-2411	Jaipur Natural	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
SLW-2417	Lagos	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
SLW-2419	Lomaloma	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
SLW-2420	Macau	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
SLW-2530	Madeira Green	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
SLW-2423	Mali Tan	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
SLW-2531	Rio Gray	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
SLW-2526	Salvador Driftwood	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
SLW-2431	Santos Natural	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
SLW-2433	Sintra Dust	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
SLW-2438	Suva	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
SLW-2441	Tunisia	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"

GRASS WEAVES:		CORDLESS BREEZE							CORDLESS LIFT					
Code	Color Name	1-1/2" Small Headrail (Order Width ≤ 32")	2-1/2" Large Headrail	Min. Width (single)	Min. Width (2 on 1')	Max. Width	Min. Height	Max. Height	2-1/2" Large Headrail	Min. Width (single)	Min. Width (2 on 1')	Max. Width	Min. Height	Max. Height
GRW-9464	Aruba Café	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9463	Aruba Driftwood	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9462	Aruba Sand Dune	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9461	Aruba Straw	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9460	Aruba Summer	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2304	Caracas Tortoise	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9474	Celebes Cornsilk	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9476	Celebes Ivory	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9475	Celebes Seashell	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9410	Coban Gray	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2305	Coban Parchment	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9420	Granada Bark	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2310	Granada Cinnamon	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2311	Granada Ginger	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2312	Granada Nutmeg	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2324	Luzon Cornsilk	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2325	Luzon Greige	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2323	Luzon Whisper	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9473	Martinique Coral	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9471	Martinique Sea Grass	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9472	Martinique Surf	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9470	Martinique White Wash	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9440	Nassau Cocoa	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2331	Nassau Pewter	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2337	Singapore Bisque	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2339	Singapore Cotton	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9450	Singapore Gray	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2338	Singapore Talc	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9400	St. Kitts Dune	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-9401	St. Kitts Greywood	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2340	St. Lucia Sand	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2343	St. Lucia Storm	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"
GRW-2345	Zaire Camel	Default	Optional	20"	40.5"	72" per panel 120" (2 on 1)	20"	84"	Default	20"	40.5"	84" per panel 120" overall width	20"	84"

SIZE SPECIFICATIONS: MAXIMUM MOTORIZATION AREA

Collection	Code	Color Name	Maximum Shade Size Without Liner	Maximum Shade Size with Liner
Woven Wood	CUL-2085	Antigua Maze	30 SQF	20 SQF
Woven Wood	CUL-2086	Antigua Surf	30 SQF	20 SQF
Woven Wood	CUL-2157	Banjar Artisan	30 SQF	20 SQF
Woven Wood	CUL-2108	Bimini	20 SQF	15 SQF
Woven Wood	TER-2057	Ensenada Negro	15 SQF	10 SQF
Woven Wood	TER-2002	Ensenada Terra	15 SQF	10 SQF
Woven Wood	TER-2078	Ensenada Tranquil	15 SQF	10 SQF
Woven Wood	TER-2208	Hi-Lo Espresso	35 SQF	20 SQF
Woven Wood	TER-2212	Hi-Lo Gray	35 SQF	20 SQF
Woven Wood	TER-2211	Hi-Lo Tan	35 SQF	20 SQF
Woven Wood	TER-2210	Hi-Lo White	35 SQF	20 SQF
Woven Wood	ELI-2084	Honduras Rust	15 SQF	10 SQF
Woven Wood	ELI-2083	Honduras Timbre	15 SQF	10 SQF
Woven Wood	CUL-2072	Hunan	25 SQF	15 SQF
Woven Wood	EXO-2054	Indo Chic	35 SQF	20 SQF
Woven Wood	TER-2004	Jolo	15 SQF	10 SQF
Woven Wood	TER-2110	Kano Greywood	30 SQF	20 SQF
Woven Wood	TER-2111	Kano Mahogany	30 SQF	20 SQF
Woven Wood	ELI-2049	Katmandu	20 SQF	10 SQF
Woven Wood	CUL-2155	Katni Intrigue	25 SQF	15 SQF
Woven Wood	TER-2003	Kaui	15 SQF	10 SQF
Woven Wood	EXO-2068	Kiribati Jungle	40 SQF	30 SQF
Woven Wood	EXO-2069	Kiribati Rainforest	60 SQF	40 SQF
Woven Wood	TER-2076	Kota	15 SQF	10 SQF
Woven Wood	CUL-2204	Kyoto Ebony	25 SQF	15 SQF
Woven Wood	EXO-2230	Kyoto Sunset	25 SQF	15 SQF
Woven Wood	EXO-2151	Mandalay Mystique	30 SQF	20 SQF
Woven Wood	CUL-2223	Mesa Mocha	20 SQF	10 SQF
Woven Wood	ELI-2104	Nagoya Harvest	50 SQF	35 SQF
Woven Wood	CUL-2061	Saba Dusk	20 SQF	10 SQF
Woven Wood	CUL-2060	Saba Sunset	15 SQF	10 SQF
Woven Wood	ELI-2153	Sakura Etude	40 SQF	25 SQF
Woven Wood	EXO-2053	Serengeti Cocoa	40 SQF	30 SQF
Woven Wood	EXO-2052	Serengeti Sunrise	40 SQF	30 SQF
Woven Wood	TER-2011	Sonora Desert	25 SQF	15 SQF
Woven Wood	EXO-2150	Sumatra Surprise	50 SQF	35 SQF
Woven Wood	EXO-2232	Taos	40 SQF	25 SQF
Woven Wood	CUL-2070	Tobago	25 SQF	15 SQF
Woven Wood	CUL-2100	Tortuga Cocoa	20 SQF	15 SQF
Woven Wood	CUL-2099	Tortuga Coral	20 SQF	15 SQF
Woven Wood	ELI-2059	Veracruz Earth	15 SQF	10 SQF
Woven Wood	ELI-2059	Veracruz Earth	15 SQF	10 SQF
Woven Wood	ELI-2080	Veracruz Mocha	15 SQF	10 SQF
Woven Wood	TER-2234	Zee Gray	20 SQF	10 SQF
Woven Wood	TER-2236	Zee Tan	20 SQF	10 SQF
Woven Wood	TER-2237	Zee White	20 SQF	10 SQF
Woven Wood	EXO-2096	Zulu	35 SQF	25 SQF

Collection	Code	Color Name	Maximum Shade Size Without Liner	Maximum Shade Size with Liner
Select Weave	SLW-2527	Cancun Light Gray	50 SQF	30 SQF
Select Weave	SLW-2528	Cancun Off White	50 SQF	30 SQF
Select Weave	SLW-2529	Cano Cream	50 SQF	35 SQF
Select Weave	SLW-2411	Jaipur Natural	60 SQF	60 SQF
Select Weave	SLW-2417	Lagos	60 SQF	50 SQF
Select Weave	SLW-2419	Lomaloma	60 SQF	60 SQF
Select Weave	SLW-2420	Macau	40 SQF	30 SQF
Select Weave	SLW-2530	Madeira Green	60 SQF	40 SQF
Select Weave	SLW-2423	Mali Tan	50 SQF	35 SQF
Select Weave	SLW-2531	Rio Gray	60 SQF	40 SQF
Select Weave	SLW-2526	Salvador Driftwood	60 SQF	40 SQF
Select Weave	SLW-2431	Santos Natural	60 SQF	60 SQF
Select Weave	SLW-2433	Sintra Dust	60 SQF	40 SQF
Select Weave	SLW-2438	Suva	40 SQF	30 SQF
Select Weave	SLW-2441	Tunisia	60 SQF	60 SQF

Collection	Code	Color Name	Maximum Shade Size Without Liner	Maximum Shade Size with Liner
Grass Weave	GRW-9464	Aruba Café	60 SQF	60 SQF
Grass Weave	GRW-9463	Aruba Driftwood	60 SQF	60 SQF
Grass Weave	GRW-9462	Aruba Sand Dune	60 SQF	60 SQF
Grass Weave	GRW-9461	Aruba Straw	60 SQF	60 SQF
Grass Weave	GRW-9460	Aruba Summer	60 SQF	60 SQF
Grass Weave	GRW-2304	Caracas Tortoise	60 SQF	60 SQF
Grass Weave	GRW-9410	Coban Gray	60 SQF	60 SQF
Grass Weave	GRW-2305	Coban Parchment	60 SQF	60 SQF
Grass Weave	GRW-9420	Granada Bark	60 SQF	60 SQF
Grass Weave	GRW-2310	Granada Cinnamon	60 SQF	60 SQF
Grass Weave	GRW-2311	Granada Ginger	60 SQF	60 SQF
Grass Weave	GRW-2312	Granada Nutmeg	60 SQF	60 SQF
Grass Weave	GRW-2324	Luzon Cornsilk	60 SQF	60 SQF
Grass Weave	GRW-2325	Luzon Greige	60 SQF	60 SQF
Grass Weave	GRW-2323	Luzon Whisper	60 SQF	60 SQF
Grass Weave	GRW-9473	Martinique Coral	60 SQF	60 SQF
Grass Weave	GRW-9471	Martinique Sea Grass	60 SQF	60 SQF
Grass Weave	GRW-9472	Martinique Surf	60 SQF	60 SQF
Grass Weave	GRW-9470	Martinique White Wash	60 SQF	60 SQF
Grass Weave	GRW-9440	Nassau Cocoa	60 SQF	60 SQF
Grass Weave	GRW-2331	Nassau Pewter	60 SQF	60 SQF
Grass Weave	GRW-2337	Singapore Bisque	60 SQF	60 SQF
Grass Weave	GRW-2339	Singapore Cotton	60 SQF	60 SQF
Grass Weave	GRW-9450	Singapore Gray	60 SQF	60 SQF
Grass Weave	GRW-2338	Singapore Talc	60 SQF	60 SQF
Grass Weave	GRW-9400	St. Kitts Dune	60 SQF	60 SQF
Grass Weave	GRW-9401	St. Kitts Greywood	60 SQF	60 SQF
Grass Weave	GRW-2340	St. Lucia Sand	60 SQF	60 SQF
Grass Weave	GRW-2343	St. Lucia Storm	60 SQF	60 SQF
Grass Weave	GRW-2345	Zaire Camel	60 SQF	60 SQF

SIZE SPECIFICATIONS: WOVEN WOODS, SELECT WEAVES, AND GRASS WEAVES

Headrail Sizes	Headrail SIZE	Headrail DEPTH
Standard, Waterfall Style and Top-Down Shades	Small	1-1/2"
2 or 3 on 1 Headrail Shades (for Standard, Waterfall & Top-Down Shades)	Small	1-1/2"
3/4" Headrail Shades (Standard and Waterfall Shades ONLY) (Valance returns not available)	3/4"	3/4"
Top-Down / Bottom-Up Shades*	Small/Large	1-1/2" / 2-1/2"
Continuous Cord Loop Shades** (all shade sizes)	Large	2-1/2"
Cordless Breeze Shades***	Small/Large	1-1/2" / 2-1/2"
Cordless Lift Shades** (all shade sizes)	Large	2-1/2"
Simplicity Rechargeable & RemoteLift Motorized Shades	Large	2 1/2"
2 on 1 Headrail Shades (Continuous Cord, Cordless & Simplicity Motorization)	Large	2 1/2"
2 on 1 or 3 on 1 Headrail Shades (TDBU)*	Small/Large	1-1/2" / 2-1/2"
Individual Valances – Standard	Narrow (IB) / Large	3/4" / 2-1/2"
Individual Valances – Optional	Small	1-1/2"

- All Standard Rectangular shades are built on SMALL 1-1/2" depth headrail unless the LARGE 2-1/2" depth headrail is specified on the order.
- * Top-Down/Bottom-Up shades are built on 1-1/2" depth headrail. For 2 on 1 or 3 on 1 TDBU shades that are larger than 96" in width are built on a 2-1/2" headrail
- ** Continuous Cord Loop, Cordless and Simplicity Motorization shades are only built on the large 2-1/2" depth headrail and not available on 3 on 1.
- *** Cordless Breeze shades can be built on small 1-1/2" and/or large 2-1/2" depth headrail depending on shade material and size. Cordless Breeze shades are NOT available as 3 on 1 headrail, and can only be built on 2-1/2" depth headrail with 2 on 1.

Twill Edge-Binding and Faux Silk Binding

- Shades ordered with Twill Edge-Binding or Faux Silk Binding follow the same size specifications as listed on the preceding pages.
- **On Cordless, binding can only go onto shade sides and/or valance sides (ES or ESO and TS or TSO) if ordered.**

SHADE Valances	Shade Height	Valance Height
ALL Shades	Under 18"	4"
ALL Shades	18" and Over	6"
MAXIMUM Custom Valance Height - With NO Extra Charge	any	Up to 12"
MAXIMUM Valance Height - With EXTRA Charge	any	Over 12", up to 24"

- Valance heights may vary by + or - 3/4" due to the variations in woven materials.
- Custom valance heights up to 12" are free of charge. For extra charge on custom valance height over 12", refer to valance price grid.
- OB valances will include the Valance Return Stabilizer (VRS) System (Woven Wood patterns only).

SHADE Valance returns depth for standard cordlock				
Headrail Size	Mount Type	Standard	Minimum	Maximum
1-1/2" (Small)	Inside Mount - default no returns	1-1/2"	1-1/2"	2"
	Outside Mount	1-3/4" / 1-1/2" (waterfall)	1-1/2"	2"
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	2-3/4" / 2-1/2" (waterfall)	1-1/2"	3"

SHADE Valance returns depth for cordless breeze				
Headrail Size	Mount Type	Standard	Minimum	Maximum
1-1/2" (Small)	Inside Mount - default no returns	1-1/2"	1-1/2"	2"
	Outside Mount	1-3/4"	1-1/2"	2"
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	2-3/4"	1-1/2"	3"

SHADE Valance returns depth for continuous cord loop & cordless lift				
Headrail Size	Mount Type	Standard	Minimum	Maximum
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	3-1/8"	1-1/2"	3-1/8"

SHADE Valance returns depth for remotelift & simplicity motorization				
Headrail Size	Mount Type	Standard	Minimum	Maximum
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	2-3/4" / 2-1/2" (waterfall)	1-1/2"	3"

INDIVIDUAL Valances	Standard
MINIMUM WIDTH	10"
MAXIMUM WIDTH*	72" / 96" (without seam)
MINIMUM HEIGHT	4"
MAXIMUM HEIGHT	24"

- Valance heights may vary by + or - 3/4" due to the variations in woven materials. Individual valances are built on the 2-1/2" depth headrail unless specified.
- OB valances will include the Valance Return Stabilizer (VRS) System if ordered on a headrail (Woven Wood patterns only).
- * Maximum width can go up to 120" with seam for Salvador Driftwood as well as most grass weave patterns except Zaire Camel.

INDIVIDUAL Valance returns depth				
Headrail Size	Mount Type	Standard	Minimum	Maximum
3/4" (Narrow)	Inside Mount - default no returns	N/A	N/A	N/A
1-1/2" (Small)	Inside Mount - default no returns	1-1/2"	1-1/2"	2"
	Outside Mount	1-3/4"	1-1/2"	2"
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	2-3/4"	1-1/2"	3"

To order Woven material only in linear widths, contact customer service.

PRODUCT SPECIFICATIONS: NATURAL WOVEN SHADES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

TRADITIONAL, TOP-DOWN, TOP-DOWN/BOTTOM-UP

Inside (IB/IS) Mount	
Headrail, Valance & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail Width	ordered width
Valance Width*	+ 1"
Fabric Width	ordered width
Shade Height	ordered height

2 on 1 (and 3 on 1) Headrail	
Gap Between Panels	- ½"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

1 ½" Headrail Clearance Requirement

Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	2 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

2 ½" Headrail Clearance Requirement

Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

CONTINUOUS CORD LOOP, CORDLESS BREEZE & CORDLESS LIFT (Bottom Up Only)

Inside (IB/IS) Mount	
Headrail, Valance & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail Width	+ ½"
Valance Width*	+ 1 ½"
Fabric Width	ordered width
Shade Height	ordered height

2 on 1 Headrail	
Gap Between Panels	- ½"

Note: Cord Loop Shades have adjusted Inside mount width deductions and outside mount width additions to allow operational clearance for the cord loop and safety tensioner.

2 ½" Headrail Clearance Requirement

Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

1 ½" Headrail Clearance Requirement (Cordless Breeze* only)

Inside (IB/IS) Mount	
Minimum Mounting Depth	½"
Minimum Mounting Depth, Flush Mount **	2¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

* Depending on the material and shade size, cordless breeze shade can be built on 1-1/2" and/or 2-1/2" headrail (See **Cordless Specifications: Headrail & Size** section for detail).

FINISHED DIMENSION & MOUNTING NOTES

Note: Ceiling mount shades are OB/OS by default and have the same finished dimensions. IB/IS shades may also be "TOP" mounted using the standard L-style brackets or using the optional Flat brackets.

* OB/OS Valances and returns are attached using a Valance Return Stabilizer. The OB/OS valance width additions indicated above create a "cornice style" box for improved appearance and operation.

** The flush mount depth requirements indicated above include space for the woven material attached to the front (valance) and back (shade) sides of the headrail. These are AVERAGE depths as the different woven wood materials have varying degrees of thickness. Verify your individual shade's depth before mounting, then position brackets accordingly for an EXACT flush mount.

Note: Add an extra + ½" to the mounting depths for Traditional (standard) and Old Style (waterfall) shades with operable liner.

PRODUCT SPECIFICATIONS: NATURAL WOVEN SHADES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

SIMPLICITY & REMOTELIFT MOTORIZATION (Bottom Up Only)

2 ½" Headrail (Standard Fold)	
Inside (IB/IS) Mount	
Headrail, Valance & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail Width	order width
Valance Width*	+1"
Fabric Width	ordered width
Shade Height	ordered height

2 ½" Headrail (Waterfall)	
Inside (IB/IS) Mount	
Headrail & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail & Fabric Width	ordered width
Shade Height	ordered height

Waterfall Style (Front Side Shade, No Valance) - VALANCE IN BACK OF SHADE

Inside (IB/IS) Mount	
Headrail & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail & Fabric Width	ordered width
Shade Height	ordered height

2 on 1 (and 3 on 1) Headrail	
Gap Between Panels	- ½"

Note: A backside valance is provided on IB/IS mounts to hide the components under the headrail from outside view.

¾" HEADRAIL SHADES (For Narrow-Depth Mounts)

Inside (IB/IS) Mount	
Headrail & Fabric Width	- ½"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail, Fabric & Valance Width	ordered width
Shade Height	ordered height

2 on 1 (and 3 on 1) Headrail	
Gap Between Panels	- ½"

Note: Valance returns are NOT included with narrow headrail shades.

2 ½" Headrail (Standard Fold) Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

2 ½" Headrail (Waterfall) Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

1 ½" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	2"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

2 ½" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 ½"
Minimum Mounting Depth, Flush Mount **	3"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

¾" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	¾"
Minimum Mounting Depth, Flush Mount **	1 ¼"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	½"

FINISHED DIMENSION & MOUNTING NOTES

Note: Ceiling mount shades are OB/OS by default and have the same finished dimensions. IB/IS shades may also be "TOP" mounted using the standard L-style brackets or using the optional Flat brackets.

* OB/OS Valances and returns are attached using a Valance Return Stabilizer. The OB/OS valance width additions indicated above create a "cornice style" box for improved appearance and operation.

** The flush mount depth requirements indicated above include space for the woven material attached to the front (valance) and back (shade) sides of the headrail. These are AVERAGE depths as the different woven wood materials have varying degrees of thickness. Verify your individual shade's depth before mounting, then position brackets accordingly for an EXACT flush mount.

Note: Add an extra + ½" to the mounting depths for Traditional (standard) and Old Style (waterfall) shades with operable liner.

SMART FACTS



POSITIONED AS ALL SHEER



POSITIONED HOWEVER YOU DESIRE



POSITIONED AS FULL SHADE

- The beautiful combination of a sheer pleated shade on top and woven shade on the bottom provides maximum versatility in a single window covering.
- Performs like a top-down/bottom-up shade, but the sheer pleated shade offers more benefits: diffuses harsh light entering the room; offers moderate privacy during the day; protects furnishings from harmful UV rays.
- Four sheer pleated styles are available in multiple colors to meet most decorating tastes.
- Shade is built on the large 2-1/2" depth stained wood headrail for durability and easy installation.
- The hardware system uses the same quality components as the top-down/bottom-up woven shade.
- The standard cordlock lifts and lowers the shade with ease. The right cord operates the middle rail and the left cord operates the bottomrail.
- The headrail and operating system is hidden by a 6" valance on the front and back side of the shade for a clean interior and exterior appearance. Included on both inside (IB) and outside (OB) mounts. Custom valance heights to 12" at no extra charge.
- The woven panel is available with a fixed privacy lining. When shade is ordered with the optional fixed liner, the valances will also include a liner.

SELECTING A TRILIGHT SHADE

1. Choose a woven style and color for the bottom shade.
 2. Choose a sheer pleated fabric for the top shade. See Color Chart.
 3. Refer to the woven price grids on pages 7-15 to determine your woven wood shade price.
 4. Refer to the sheer pleated grids A on page 37 to find your top shade price. Then simply add the prices (by shade size) of the sheer pleated fabric and woven material together to determine your final price.
- > TriLight Shades are available as a standard rectangle only.
 - > Standard control system—right operates the intermediate rail; left operates the bottomrail. (Note: grouped controls not available.)
 - > Fixed liners are available for the bottom woven shade.

COLOR CHART

TriLight Pleated Sheer (TOP Panel)	
SKU #	PATTERN NAME
P05-500	Snow White
P05-501	Ice
P05-502	Heirloom
P05-503	Soft Ivory
P05-504	Crystal
P05-505	Light Taupe
P05-506	Bisque
P05-507	Latte
P05-508	Chocolate
P05-509	Twilight

TriLight NOT AVAILABLE in following Patterns	
SKU #	PATTERN NAME
GRW-2304	Caracas Tortoise
GRW-2305	Coban Parchment
GRW-2323	Luzon Whisper
GRW-2324	Luzon Cornsilk
GRW-2325	Luzon Greige
GRW-2331	Nassau Pewter
GRW-9400	St. Kitts Dune
GRW-9401	St. Kitts Greywood
GRW-9410	Coban Gray
GRW-9440	Nassau Cocoa
GRW-9460	Aruba Summer
GRW-9461	Aruba Straw
GRW-9462	Aruba Sand Dune
GRW-9463	Aruba Driftwood
GRW-9464	Aruba Café
GRW-9470	Martinique White Wash
GRW-9471	Martinique Sea Grass
GRW-9472	Martinique Surf
GRW-9473	Martinique Coral
SLW-2528	Cancun Off White
SLW-2527	Cancun Light Gray

SHEER PLEATED MAXIMUM WIDTHS		% UV BLOCKAGE
Whisper	83"	60

Determine the top shade price by using the charts below.
 Add the sheer pleated and woven shade prices together to determine your final price.

GROUP A (Sheer Pleated Rectangular)

• WHISPER SHEER (83")


WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	83"
HEIGHT TO:											
36"	\$90	102	114	126	142	148	166	174	190	198	216
42"	98	108	124	142	148	166	178	192	206	222	236
48"	102	116	136	148	166	178	192	210	224	242	258
54"	108	124	144	158	174	190	210	224	244	264	282
61"	116	132	148	168	188	206	222	242	264	282	300
66"	122	142	160	178	198	220	236	262	282	300	324
72"	126	146	168	190	216	234	254	280	298	322	344
78"	136	152	178	198	224	248	272	294	318	344	364
84"	140	160	186	210	236	258	282	308	330	358	382
90"	144	168	192	220	248	272	298	330	356	382	406
96"	148	174	204	232	258	282	314	340	368	396	426

TRILIGHT OPTIONS & CONFIGURATION SPECIFICATIONS

OPTIONS: NO EXTRA CHARGE

- **Extension Brackets**
- **Spacer Blocks**
- **Special Cord Length** – Standard length is approximately 40% the height of the shade

TRILIGHT – STANDARD



Shade is built on the large 2-1/2" depth wood headrail.
Standard operating controls: Right operates the intermediate rail; left operates the bottomrail. Grouped controls are not available.

TriLight Shades	LARGE Headrail
MINIMUM WIDTH	22"
MAXIMUM WIDTH	84"
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	96"
MAXIMUM AREA (SQ/FT)	48 to 72 sq/ft*

- TriLight shades are built on the large 2-1/2" depth headrail.
- TriLight shades are NOT available as 2 or 3 on 1 headrail.
- TriLight shades are not available with twill edge-binding, faux silk binding or operable privacy liners. TriLight shades ARE available with fixed liners on the woven panel.
- TriLight shades maximum width is dependent on the maximum width of the ordered Pleated TOP panel fabric which is 84" wide.
- TriLight shades are only available with SPLIT controls (grouped controls are not available).
- Cut-outs are not available on TriLight shades.

* TriLight shades maximum area (sq/ft) is dependent on the ordered woven material. Heavier materials are limited to 48 sq/ft, medium to 60 sq/ft and light to 72 sq/ft.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.
Measurements may vary +/- 1/8".

Inside (IB) Mount	
Headrail & Valance Width *	- 1/2"
Fabric Width	- 1/2"
Shade Height	ordered height
Outside (OB) & Ceiling Mount	
Headrail Width	ordered width
Valance Width *	+ 1"
Fabric Width	ordered width
Shade Height	ordered height
2 on 1 (and 3 on 1) Headrail	
NOT AVAILABLE WITH TRILIGHT	N/A

Note: A backside valance is provided on both IB and OB mounts to hide the additional components under the headrail from outside view.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	Large, 2-1/2" Headrail
Minimum Mounting Depth	1-1/2"
Minimum Mounting Depth, Flush Mount **	3-1/4"
Outside (OB) Mount	Large, 2-1/2" Headrail
Minimum Flat Vertical Surface	1"

TriLight Stacking	
Shade Height	Stack Height
24"	7"
48"	9"
72"	11"
96"	13"
108"	15"

FINISHED DIMENSION & MOUNTING NOTES

Note: Ceiling mount shades are OB by default and have the same finished dimensions. IB shades may also be "TOP" mounted using the standard L-style brackets or using the optional Flat brackets.

* OB Valances and returns are attached using the Valance Return Stabilizer (VRS) System for woven wood only. The OB valance width additions indicated above create a "cornice style" box for improved appearance and operation.

** The flush mount depth requirements indicated above include space for the woven material attached to the front (valance) and back (shade) sides of the headrail. These are AVERAGE depths as the different woven wood materials have varying degrees of thickness. Verify your individual shade's depth before mounting, then position brackets accordingly for an EXACT flush mount.

TRILIGHT STACKING INFORMATION

TriLight Stacking Chart	
Shade Height	Stack Height
24"	7"
48"	9"
72"	11"
96"	13"
108"	15"

NOTE: These are stacking averages for standard shades.
Actual heights may vary + or - 1".


TRILIGHT – STANDARD RECTANGULAR

TRILIGHT

- Returns standard on outside mount
- Backside valance included on inside and outside mounts
- Front & back valances include liner when ordered on shade
- Built on 2 1/2" depth headrail
- Split controls only (grouped controls not available)


The following options are not available on trilight:

- Waterfall style, continuous cord loop, cordless, remotelift
- Twill edge-binding, faux silk binding, operable liners
- 2 or 3 on 1 headrail, cut-outs




Folds Up
↑
↓
Folds Down

TriLight
(basic) side view



TriLight
intermediate connecting rail
detail view



SMART FACTS



- Innovative design allows choice of woven shade fabric for the front shade to achieve just the right style and color desired.
- The back liner roller shade offers total flexibility when controlling light and privacy.
- The back liner also provides an extra layer of insulation to help reduce energy costs.
- Liners are available in light-filtering, blackout and screen styles to fit varying needs.
- Optional side seals eliminate light leaks from the sides of shades. They fit neatly inside the window frame and are hidden behind the front shade so they don't detract from the beauty of the shade.
- Optional side seals provide additional energy efficiency. Together with the back liner, they form a complete barrier between the window and the room — keeping rooms cooler in summer and warmer in winter.

SELECTING A TANDEM SHADE

1. Choose a woven style and color.
 2. Choose a liner (back roller shade) style and color. See Color Chart.
 3. Refer to the woven price grids on pages 7-15 to determine your woven shade price. Add in the Tandem option pricing found on the next page to determine the final shade price.
- Tandem woven is available as a single rectangular shade with standard controls only
 - Right cordlock operates the front shade; cord loop operates the back liner. Shades operate independently of each other.
 - Reverse controls available; no grouped controls
 - Side seals available as a surcharge option
Note: Available colors 973 Oyster and 661 White

COLOR CHART

OPACITY	MAX. WIDTH	COLOR #	COLOR NAME
Light Filtering	72"	R7201	White
Light Filtering	72"	R7202	Oyster
Blackout	72"	R4001	White
Blackout	72"	R4004	Black
Blackout	72"	R4006	Oyster
Blackout	72"	R4014	Golden Leather
Blackout	72"	R4016	Milk Chocolate
Blackout	72"	R4018	Mocha

Tandem not available in following Patterns			
SKU #	PATTERN NAME	SKU #	PATTERN NAME
GRW-2304	Caracas Tortoise	GRW-9460	Aruba Summer
GRW-2305	Coban Parchment	GRW-9461	Aruba Straw
GRW-2323	Luzon Whisper	GRW-9462	Aruba Sand Dune
GRW-2324	Luzon Cornsilk	GRW-9463	Aruba Driftwood
GRW-2325	Luzon Greige	GRW-9464	Aruba Café
GRW-2331	Nassau Pewter	GRW-9470	Martinique White Wash
GRW-9400	St. Kitts Dune	GRW-9471	Martinique Sea Grass
GRW-9401	St. Kitts Greywood	GRW-9472	Martinique Surf
GRW-9410	Coban Gray	GRW-9473	Martinique Coral
GRW-9440	Nassau Cocoa	SLW-2528	Cancun Off White
		SLW-2527	Cancun Light Gray

TANDEM OPTION PRICING

Find your shade width on the price grids below. Add the surcharge to the price of each shade(s). If ordering optional side seals, include the additional **\$58 surcharge** to the price of each shade(s).

Light Filtering and Blackout (Max. Width 72")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
	\$144	170	198	222	242	264	286	318	354

Optional Side Seals: Add \$58

Available colors 973 Oyster and 661 White.

PRODUCT CONFIGURATION SPECIFICATIONS

SIZE STANDARDS	
Minimum Width	
All liners	12"
Maximum Width	
Light Filtering	72"
Blackout	72"
Minimum Height	
All liners	12"
Maximum Height	
Light Filtering	84"
Blackout	82"
MOUNTING REQUIREMENTS	
Inside Mount, IB	
Minimum Mounting Depth	1-5/8"
Mounting Depth, Flush	3" (includes valance; dependent upon fabric thickness)
Outside Mount, OB	
Minimum Mounting Height	2"

FINISHED DIMENSIONS	
Headrail Unit (including mounting rail)	
Inside Mount	Ordered width less 1/8"
Outside Mount	Ordered width
Finished Height	
Inside Mount	Ordered height
Outside Mount	Ordered height
Front Shade Fabric Width	
Inside Mount	Ordered width less 1"
Outside Mount	Ordered width less 7/8"
Valance Width	
Inside Mount	Ordered width less 1/8"
Outside Mount	Ordered width plus 1"
Back Shade Fabric Width	
Inside Mount	Ordered width less 1 3/8"
Outside Mount	Ordered width less 1 1/4"

Valance included on all shades. 6" drop only.

Outside mount valances come standard with returns and feature the Valance Return Stabilizer (VRS) system (Woven Wood patterns only).

Inside mount valances do not come with returns.

WOVEN WOOD STACKING CHART

Shade Height	Stack Height
21"	5"
42"	7"
63"	9"
84"	11"

Note: These are stacking averages for standard shades. Actual height may vary approximately + or -1". Stack height does not include the headrail size: 2 1/4".

LOOP SPECIFICATIONS


The cord loop operates the back liner.

Shade Height	Cord Loop Drop	Loop Color
Up to 38"	24" loop	Color Coordinated
38 1/8" to 50"	36" loop	Color Coordinated
50 1/8" to 62"	48" loop	Color Coordinated
62 1/8" to 84"	60" loop	Color Coordinated
Special Request	84" loop	Color Coordinated

SIMPLICITY RECHARGEABLE MOTORIZATION: OVERVIEW

Simplicity Rechargeable

- The Rechargeable Simplicity motor program features an integrated rechargeable lithium ion battery in the motor casing and is fully concealed by the inner tube.
- Rechargeable battery is included with the motor. The average battery charge will last 6-12 months based on an average sized shade raised and lowered once per day. The life of the battery charge will vary based on the type of window covering selected, the size and weight of the window covering and the number of times the shade is operated on a daily basis. The battery can be recharged up to 500 times. It takes approximately 5 hours to recharge the motor when fully depleted.



Battery Charger

- An 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering Simplicity Rechargeable Motorized shade option. The charger plugs into the charging port of the motor. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep. Sold separately.




Solar Panel Recharge Option

- Plugs in to any Simplicity Rechargeable motorized shading. Provides constant trickle charge to 7.4v Li-ION Rechargeable battery packs. Does not require direct sunlight, but performs best in regular direct sunlight applications. Will prolong the life of the charge of the 7.4v rechargeable battery packs, and in some applications will maintain charge indefinitely.
- Life of charge is subject to application variables such as, size and weight of shade, frequency of use, amount of direct sunlight exposure, etc.



5 Channel Remote

- The remote can operate up to five shadings simultaneously, individually or in groups. Remotes and holders are available in white or black. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet.



Please Note:

- Not all motors run at the same rate of speed.
- Simplicity motors have a "Favorites" position setting. To set a "Favorites" position, follow instructions provided in the installation instructions.

REMOTELIFT™ MOTORIZATION: OVERVIEW

With our RemoteLift™ motorized shades, tasks such as adjusting those hard-to-reach window coverings, controlling glare or protecting valuable furnishings from the sun are now simplified. At the touch of a button, window coverings can be instantly adjusted to changing activities or the varying sun conditions.



Glare can be annoying while trying to watch your favorite television show, surf the web or read the morning paper. An ideal solution is to manage glare with a RemoteLift™ hand-held remote control. At the simple touch of a button, shades and blinds will open or close to adjust to the changing sunlight in a room.



RemoteLift motorized shades provide ultra-quiet operation. The RF system enables shades to be operated from virtually anywhere in the house without direct line of sight. Similar to how a garage door opener operates, radio signals travel through walls and make it possible to control multiple coverings throughout the home alone or as a group. The RF system is available in both a 1-channel and a 5-channel version to allow for independent control of individual shades and/or group control.

The RemoteLift motorization system provides many benefits, such as improving energy efficiency, providing easily controllable privacy and also enhancing home security.

Many homeowners too often experience the damaging effects of the sun's UV rays on floor coverings, furniture, wall coverings and artwork. Programming shades to raise or lower at certain times of the day helps to manage heat gain in summer months and heat loss during winter - reducing monthly energy bills.



The RemoteLift RF timer allows users to program specific times of the day to automatically adjust shades in different areas of the house, protecting interiors from the fading effects of direct sunlight. This feature provides added security to an unoccupied home by creating a lived in look even while homeowners are away on vacation.



The battery powered RemoteLift RF wireless wall switch allows shades to be controlled when entering or exiting a room, just like the lights. The switch may be seamlessly installed without wiring next to any light switch or stand alone, and is never misplaced. This one touch privacy helps create the ideal environment whether preparing for a bath, relaxing in bed or enjoying time with the family at home.

Our RemoteLift motorized shades are powered by Somfy, the industry leader in automated window coverings. All motorized products are backed by a 5-year warranty.



REMOTELIFT™ MOTORIZATION: FEATURES & OPTIONS



RADIO FREQUENCY (RF) MOTORIZATION FEATURES:


- Highest quality patent protected design by Somfy
- Advanced motor, capable of lifting shades up to 12 LBS.
- Quiet operation
- Installs with standard installation hardware
- RF motor is programmable

Note: The power source must be selected when ordering. The options are: reloadable single battery wand, reloadable dual wand, and the plug-in transformer.




 Radio Frequency (RF) Remote Lift Motor Motor (Part #1240292) Crown (Part #9018475) Drive (Part #9018477)	• Fully concealed motor unit • Flexible and programmable operation • 12 Volt System
 Radio Frequency (RF) Remote Control (must order separately) Color: 2 tone white and gray 2 Types: programmable 1-channel and programmable 5-channel (1-Channel: Part #RC445069) (5-Channel: Part #RC445079)	• Controls shade operation • Programmable features • Easy shade positioning up to 90 feet away • 5-channel remote allows for multiple and independent shade operation
 Single Battery Wand (reloadable) and Installation Clips Wand (Part #RC445268) Clips (Part #9013263) 8 AA Lithium Batteries (not shown) (Part #9014834)	• On initial shade orders, the reloadable wand comes with 8 AA lithium batteries • Comes with mounting installation clips • For parts ordering the reloadable wand INCLUDING 8 AA lithium batteries, order both part #s • Replacement 8 AA lithium batteries may also be ordered separately
 Optional, Dual Battery Wand (reloadable) and Installation Clips (Kit: Part #KITRDWR) (Clips: Part #9013263) (Y-Harness: Part #9015580) (Y-Harness Ext. Cable: Part #9016736)	• On initial shade orders, the reloadable wands come with 16 AA lithium batteries • Combines (reloadable) Single Battery Wands for added lifting capacity and/or extended life • Comes with mounting installation clips
 Transformer (Part #1822445)	• Plug-in operation, no batteries required • Works in standard wall outlet (includes 10' long wire)
 Battery Wand Extension Cables Color: White (10" Cable: Part #9018686A) (48" Cable: Part #9016736) (96" Cable: Part #9018624)	• Available in 10", 48" and 96" • Allows battery wand installation away from headrail
 Wireless Wall Switch Color: white 2 Types: programmable 1-channel and 5-channel (1 Channel: Part #RC445135) (5 Channel: Part #RC445136)	• Control wireless operation from the wall up to 90 feet away • Works like turning a light on/off
 Programmable Timer 1 Type: programmable 1-channel (Part #1805237A)	• Program operation based on pre-set times • Excellent home security feature
 Smooove 1 RTS – single channel surface mount control Color: Pure (Part #1811533)	• Battery operated • Tactile buttons for UP/DOWN/MY/STOP control • LED for visual feedback
 myLink Interface Color: White (Part #1811403)	• Smartphone and Tablet Interface 120V AC • App Control • Remote Access • Compatible and controls all Radio Technology Somfy RTS products. • Can control up to 5 channels of RTS motorized products using myLink apps for iOS and android devices.


PRODUCT COMPONENTS: WOVEN SHADES



OPTIONAL BRACKETS AND COMPONENTS



WOVEN SHADES CORDLESS TOUCHLIFT SYSTEM



PRODUCT COMPONENTS: CORDLESS BREEZE™


Installation Brackets

1-1/2" Small head rail:


- 2 per PK (Part #KIT-WW-003) IB
- 2 per PK (Part #KIT-WW-005) OB
- 3 per PK (Part #KIT-WW-004) IB
- 3 per PK (Part #KIT-WW-006) OB

2-1/2" Large head rail:

- 2 per PK (Part #KIT-WW-007) IB
- 2 per PK (Part #KIT-WW-011) OB
- 3 per PK (Part #KIT-WW-008) IB
- 3 per PK (Part #KIT-WW-012) OB




PRODUCT COMPONENTS: CONTINUOUS CORD LOOP WOVEN SHADES



PRODUCT COMPONENTS: TANDEM™ SHADES

OPTIONAL (Standard when side seals are ordered)



STANDARD

