

TEXTON



NATURAL WOVEN SHADES

PANEL TRACK

Effective February 3, 2020

design simplified™

TABLE OF CONTENTS

Product Overview

• Features & Benefits.....	2
• Color Charts	3

Product Specifications

• Product Characteristics	4
• Options and Features.....	4
• Product Specifications & Configurations.....	5-6

Pricing

• Price Group 1	7
• Price Group 2	8
• Price Group 3	9
• Price Group 4	10
• Options & Surcharges	11
• Measuring and Installation Specifications	12

FEATURES & BENEFITS



- Offered in a nice selection of Natural Woven Wood, Select Weave, and Grass Weave styles featuring unique patterns and warm, rich tones
- Optional fixed translucent & room darkening liners provide additional privacy and a neutral outside appearance
- Twill edge-bindings frame the individual panels using a high-quality sewing process, adding a decorative finishing touch, and also providing additional panel structure and support
- Coordinated wood wand complements the natural look and provides convenient operation.
- Offers an excellent configuration to cover sliding glass doors and extra wide windows
- Available in side stack, split stack and free-floating panel configurations along with optional valances
- Limited Lifetime Warranty ensures your customers' satisfaction

COLOR CHARTS

WOVEN WOOD COLOR CHART

COLLECTION	COLOR #	COLOR NAME	TWILL EDGE-BINDING COLOR NAME	TWILL EDGE-BINDING* COLOR #
------------	---------	------------	-------------------------------------	-----------------------------------

Price Group 1 Panel Track

ELI	2104	Nagoya Harvest	Mocha	417 & 817
TER	2011	Sonora Desert	Mocha	417 & 418

Price Group 2 Panel Track

EXO	2052	Serengeti Sunrise	Mocha	417 & 817
EXO	2053	Serengeti Cocoa	Chocolate	418 & 818
CUL	2072	Hunan	Mocha	417 & 817
EXO	2150	Sumatra Surprise	Desert	412 & 812
EXO	2232	Taos	Steel	421 & 821

Price Group 3 Panel Track

EXO	2054	Indo Chic	Black	424 & 824
EXO	2068	Kiribati Jungle	Mocha	417 & 817
EXO	2069	Kiribati Rainforest	Chocolate	418 & 818

Price Group 4 Panel Track

CUL	2070	Tobago	Mocha	417 & 817
CUL	2085	Antiqua Maze	Desert	412 & 812
CUL	2086	Antiqua Surf	Jute	409 & 809
EXO	2096	Zulu	Espresso	419 & 819
ELI	2153	Sakura Etude	Espresso	419 & 819

Standard 5/8" twill edge-bindings are represented by the 4xx numbers.

Optional 1-1/2" twill edge-bindings are represented by the 8xx numbers.

** Note: Twill edge-binding colors White, Duck, Latte, and Silver are not available in 1-1/2" widths.

IMPORTANT NOTE ABOUT NATURAL WOVEN MATERIALS:

Our Woven Wood shades are uniquely constructed from natural bamboo, reeds, jutes, rattan, grasses and woods. Many materials, such as natural grasses, are hand tied and braided with expert care. Each woven wood shade is one of a kind. Slight cracks, wood imperfections and variations in color are all inherent in natural products and are not considered flaws.

SELECT & GRASS WEAVES COLOR CHART

COLLECTION	COLOR #	COLOR NAME	TWILL EDGE-BINDING COLOR NAME	TWILL EDGE-BINDING* COLOR #
------------	---------	------------	-------------------------------------	-----------------------------------

Price Group 1 Panel Track

GRW	2305	Coban Parchment	White	400**
GRW	2337	Singapore Bisque	Beige	408 & 808
GRW	2338	Singapore Talc	Dusk	405 & 805
GRW	2339	Singapore Cotton	White	400**
GRW	9410	Coban Gray	Silver	420**
GRW	9450	Singapore Gray	Steel	421 & 821
GRW	9474	Celebes Cornsilk	Dusk	405 & 805
GRW	9475	Celebes Seashell	Silver	420**
GRW	9476	Celebes Ivory	Silver	420**

Price Group 2 Panel Track

GRW	2304	Caracas Tortoise	Beige	408 & 808
GRW	2310	Granada Cinnamon	Jute	409 & 809
GRW	2311	Granada Ginger	Duck	403**
GRW	2312	Granada Nutmeg	Camel	410 & 810
GRW	2331	Nassau Pewter	Latte	404**
GRW	2340	St. Lucia Sand	Duck	403**
GRW	2343	St. Lucia Storm	Steel	421 & 821
GRW	2345	Zaire Camel	Duck	403**
GRW	9420	Granada Bark	Espresso	419 & 819
GRW	9440	Nassau Cocoa	Chocolate	418 & 818

Price Group 3 Panel Track

GRW	2323	Luzon Whisper	White	400**
GRW	2324	Luzon Cornsilk	Duck	403**
GRW	2325	Luzon Greige	Silver	420**
GRW	9400	St. Kitts Dune	Dusk	405 & 805
GRW	9401	St. Kitts Greywood	Silver	420**
GRW	9460	Aruba Summer	White	400**
GRW	9461	Aruba Straw	Duck	403**
GRW	9462	Aruba Sand Dune	Beige	408 & 808
GRW	9463	Aruba Driftwood	Silver	420**
GRW	9464	Aruba Café	Espresso	419 & 819
GRW	9470	Martinique White Wash	White	400**
GRW	9471	Martinique Sea Grass	Duck	403**
GRW	9472	Martinique Surf	Silver	420**
GRW	9473	Martinique Coral	Jute	409 & 809
SLW	2420	Macau	Mocha	417 & 817
SLW	2423	Mali Tan	Duck	403**
SLW	2438	Suva	Mocha	417 & 817
SLW	2526	Salvador Driftwood	Steel	421 & 821
SLW	2527	Cancun Light Gray	Duck	403**
SLW	2528	Cancun Off White	Natural	402 & 802
SLW	2529	Cano Cream	Sand	406 & 806
SLW	2530	Madeira Green	Jute	409 & 809
SLW	2531	Rio Gray	Silver	420**

Price Group 4 Panel Track

SLW	2411	Jaipur Natural	Natural	402 & 802
SLW	2417	Lagos	Duck	403**
SLW	2419	Lomaloma	Duck	403**
SLW	2431	Santos Natural	Duck	403**
SLW	2433	Sintra Dust	Duck	403**
SLW	2441	Tunisia	Natural	402 & 802

Standard 5/8" twill edge-bindings are represented by the 4xx numbers.

Optional 1-1/2" twill edge-bindings are represented by the 8xx numbers.

** Note: Twill edge-binding colors White, Duck, Latte, and Silver are not available in 1-1/2" widths.

PRODUCT CHARACTERISTICS

Product Characteristics

- Panels do not hang perfectly flat.
- Panel materials may have (billowing/waviness) effect.
- Pattern matching from panel to panel cannot be guaranteed, although the factory will make every effort to match patterns as close as possible.


- **NOTE: Material Stretching – twill edge-bindings come standard to minimize the stretching effect; however you should anticipate that panels may still stretch up to 1" length; also, each panel may stretch differently causing panel bottoms to not be perfectly level from panel to panel**

OPTIONS AND FEATURES

3-Sided Cotton Twill Edge-Binding

- 5/8" twill edge-binding comes standard.
- Optional 1-1/2" twill edge-binding available at **5%** additional charge.
- On panel sides, twill edge-binding is folded & sewn.
- On panel top, twill edge-binding is attached to front side of panel.
- No twill edge-binding on bottom hem.
- Color-coordinated twill edge-binding by factory, or specify optional tape color.

Natural characteristics of binding results in slight waviness



Attached Translucent and Room-Darkening Liner – 10% Additional Charge

- Provides additional light and privacy control.
- Neutral appearance to the outside.
- Refer to sample book for fixed liner colors.

Family	Color #	Color Name
Translucent	LF-1001	White
Translucent	LF-1002	Ivory
Translucent	LF-1003	Khaki
Room Darkening	RD-3008	Beige-Deluxe
Room Darkening	RD-3009	Taupe-Deluxe
Room Darkening	RD-2001	White
Room Darkening	RD-2002	Ivory
Room Darkening	RD-2003	Khaki
Room Darkening	RD-2004	Brown
Room Darkening	RD-2006	Black

Translucent fixed privacy liners are made of 100% Cotton.

Room-Darkening and Blackout fixed privacy liners are made of 30% Cotton and 70% Polyester.

Panel Attachment

- Heavy-duty Velcro sewn to backside of material.
- Provides easy panel installation & removal from carrier glides.



Bottom Hem

- Weighted enclosed bottom hem.



PRODUCT SPECIFICATIONS & CONFIGURATIONS

How To Order

Controls

- Must specify control type with order – cord, wand, free floating (with wands).
- Cord control length is 10" less than ordered length.
- Wand draw is available on all shades; Wood wand sizes: 36"
- Some configurations require dual wands. Lead panel on each side will come with a wand.


Panel Stack Configurations

- Specify panel configuration from choices below.
- Approximately 3" material overlap when panels in fully closed position.
- Each stacking side will have 1 fixed panel.
- Optional **"free-floating"** panels available at **10% Additional Charge**.
- Free-floating panels available on one-way up to 5 panels only.

No split-draw or multi-stack configurations.

Each panel comes with wand.

Panels not interconnected with each other; each panel hand operated independently and can be positioned any place along the track.



Number of Panels	Select Weaves (Overall Width)	Woven Wood & Grass Weaves (Overall Width)	Stack Position / Configurations ("Room View" - Each stacking side will have 1 fixed panel)		
			Single Stack Left Stack	Single Stack Right Stack	Split Stack Note: Come with Dual Wand (if ordered with wand control)
2 Panels (1 overlap)	33" - 89"	21" - 89"	2L – two panels stack left (2 channel track) 	2R – two panels stack right (2 channel track) 	NA
3 Panels (2 overlaps)	48" - 132"	30" - 132"	3L – three panels stack left (3 channel track) 	3R – three panels stack right (3 channel track) 	NA
4 Panels (2 or 3 overlaps depending on number of stacks)	63" - 175"	39" - 175"	4L – four panels stack left (4 channel track) 	4R – four panels stack right (4 channel track) 	2L2R – two panels stack left, two panels stack right (2 channel track)
5 Panels (4 overlaps)	78" - 218"	48" - 218"	5L – five panels stack left (5 channel track) 	5R – five panels stack right (5 channel track) 	NA
6 Panels (5 overlaps)	93" - 261"	57" - 261"	NA	NA	3L3R – three panels stack left, three panels stack right (3 channel track)
8 Panels (7 overlaps)	123" - 261"	75" - 261"	NA	NA	4L4R – four panels stack left, four panels stack right (4 channel track)
10 Panels (9 overlaps)	152" - 261"	93" - 261"	NA	NA	5L5R – five panels stack left, five panels stack right (5 channel track)


PRODUCT SPECIFICATIONS

Panel Track Headrail

- White painted aluminum profile.
- See mounting depth requirements for panel track sizes.

Panel Track Splice

- Automatically comes with any window opening over 144" wide – track ships from factory in (2) equal size pieces.
- Recommended (request when placing order) with window openings over 100" wide to reduce risk of freight damage and to provide easier handling by installers.
- Splice plate easily & securely connects separate tracks together to operate as a single track unit.
- Installers prefer the convenience of handling smaller tracks onto the jobsite, then connecting together at installation.



Panel Size / Stacking Width


- **18" Minimum Panel Width – Select Weaves**
- **12" Minimum Panel Width – all other styles**
- **46" Maximum Panel Width**
- Individual panel size varies depending on overall shade width & panel configuration.

NOTE: The smaller the panel width, the narrower the stacking space.

To calculate stacking width; overall width + (number of overlaps x 3) then divide by number of panels.

Example # 1 – 3 panel 112" W + 6 (2 overlaps x 3 = 6) = 118 divide by 3 panels = 39-3/8" stacking / panel width

Example # 2 – 4 panel 112" W + 9 (3 overlaps x 3 = 9) = 121 divide by 4 panels = 30-1/4" stacking / panel width



- | | |
|-----------------------------------|----------------------------|
| 1. Aluminum Track | 10. Cord |
| 2. Sliding Panel w/Velcro | 11. Tensioner |
| 3. Woven Material | 12. Control Wand |
| 4. Support w/Needle | 13. Flat Weight |
| 5. Double L Bracket Angle | 14. Panel Stop Screw |
| 6. L-Bracket Angle | 15. End Cap |
| 7. Channel Guide | 16. Brass Cord Locking Nut |
| 8. Double Support (front or Back) | 17. Velcro Velour |
| 9. Installation Clip | 18. Splice (not pictured) |

NOTE: Panel Tracks over 144" wide are spliced together at installation.

② **ELI**
2104 Nagoya Harvest

② **GRW**
9474 Celebes Cornsilk
9476 Celebes Ivory
9475 Celebes Seashell
9410 Coban Gray
2305 Coban Parchment
2337 Singapore Bisque
2339 Singapore Cotton
9450 Singapore Gray
2338 Singapore Talc

② **TER**
2011 Sonora Desert

Price Group 1

2 PANEL

② min width = 21"



WIDTH TO:	36"	48"	60"	72"	84"	89"
HEIGHT TO:						
36"	\$556	636	720	834	918	948
48"	618	710	812	938	1024	1074
60"	688	784	898	1052	1150	1194
72"	754	874	1004	1166	1284	1344
84"	806	938	1074	1248	1366	1432
96"	844	992	1132	1330	1458	1526
108"	896	1044	1206	1408	1550	1622
Track	356	390	430	492	526	542

3 PANEL

② min width = 30"



WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"
HEIGHT TO:									
36"	\$682	760	846	964	1052	1130	1222	1346	1426
48"	748	842	944	1078	1180	1284	1370	1502	1604
60"	818	928	1044	1190	1314	1410	1522	1678	1802
72"	896	1018	1142	1308	1448	1570	1692	1866	2012
84"	948	1088	1224	1402	1558	1692	1826	2016	2126
96"	998	1156	1302	1474	1642	1786	1950	2114	2292
108"	1044	1206	1354	1556	1722	1894	2048	2254	2424
Track	450	486	526	594	638	674	714	788	828

4 PANEL

② min width = 39"



WIDTH TO:	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	175"
HEIGHT TO:												
36"	\$874	956	1088	1182	1274	1352	1490	1580	1662	1802	1882	1922
48"	964	1066	1212	1314	1408	1512	1674	1774	1862	2016	2092	2164
60"	1058	1166	1340	1446	1564	1674	1838	1974	2072	2216	2346	2396
72"	1150	1284	1460	1596	1730	1860	2024	2174	2308	2466	2586	2670
84"	1228	1354	1554	1696	1822	1982	2190	2328	2472	2642	2800	2858
96"	1290	1438	1636	1788	1944	2096	2300	2470	2626	2810	2976	3040
108"	1352	1522	1728	1890	2066	2238	2432	2612	2776	2970	3146	3212
Track	\$576	620	690	734	772	818	902	938	982	1060	1100	1114

PANEL ONLY

② min width = 12"
max width = 46"

WIDTH TO:	12"	24"	30"	36"	46"
HEIGHT TO:					
36"	\$176	226	260	294	344
48"	198	258	298	340	396
60"	220	292	340	386	452
72"	240	326	382	434	508
84"	256	354	418	476	560
96"	274	384	444	510	606
108"	290	406	478	548	646

5 - 10 PANEL

② **5 Panel** min width = 48" ② **6 Panel** min width = 57"
② **8 Panel** min width = 75" ② **10 Panel** min width = 93"

WIDTH TO:	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	204"	216"	228"	240"	252"	261"
HEIGHT TO:																	
36"	\$1,114	1206	1290	1386	1510	1580	1674	1802	1882	1978	2072	2192	2266	2362	2480	2582	2646
48"	1230	1328	1422	1530	1652	1752	1862	1994	2092	2194	2302	2432	2518	2618	2748	2866	2938
60"	1336	1446	1564	1674	1816	1950	2070	2216	2322	2438	2558	2704	2794	2916	3060	3188	3266
72"	1460	1596	1730	1860	1998	2150	2278	2440	2558	2684	2812	2978	3116	3212	3370	3512	3596
84"	1550	1678	1822	1958	2138	2272	2410	2586	2738	2872	3020	3194	3302	3442	3610	3762	3852
96"	1616	1770	1920	2072	2244	2410	2562	2748	2878	3056	3174	3356	3510	3656	3838	3996	4094
108"	1696	1870	2020	2182	2374	2518	2710	2906	3040	3230	3352	3548	3712	3860	4056	4220	4326
Track	\$798	846	894	942	1028	1070	1132	1200	1252	1312	1350	1438	1486	1522	1602	1652	1696

Separate Valance

WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"	144"
Inside 6" Valance	\$108	132	204	234	274	322	348	388	444	472
Outside 6" Valance	138	168	242	274	320	364	400	438	500	528
Each Additional 3" Height	20	26	34	38	42	46	50	54	58	58
Add Valance Liner	40	54	70	84	98	114	124	136	154	162

② **CUL**
2072 Hunan

② **EXO**
2052 Serengeti Sunrise
2053 Serengeti Cocoa
2150 Sumatra Surprise
2232 Taos

② **GRW**
2304 Caracas Tortoise
2310 Granada Cinnamon
2311 Granada Ginger
2312 Granada Nutmeg
9420 Granada Bark
2331 Nassau Bark
9440 Nassau Cocoa
2340 St. Lucia Sand
2343 St. Lucia Storm
2345 Zaire Camel

NOTE: Select Weave fabrics maximum height is 96". Panel Tracks over 144" wide are spliced together at installation.

Price Group 2

2 PANEL

② min width = 21"



WIDTH TO:	36"	48"	60"	72"	84"	89"
HEIGHT TO:						
36"	\$590	676	770	888	982	1024
48"	658	760	876	1020	1130	1168
60"	734	852	992	1148	1272	1332
72"	820	962	1106	1288	1432	1498
84"	876	1038	1186	1390	1548	1616
96"	928	1098	1268	1480	1664	1734
108"	986	1164	1356	1588	1776	1850
Track	356	390	430	492	526	542

3 PANEL

② min width = 30"



WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"
HEIGHT TO:									
36"	\$710	808	904	1024	1126	1218	1312	1438	1522
48"	788	906	1018	1160	1272	1394	1498	1640	1750
60"	876	1002	1126	1306	1432	1568	1682	1852	1966
72"	968	1114	1258	1438	1596	1742	1888	2078	2210
84"	1038	1196	1342	1554	1734	1882	2056	2242	2394
96"	1092	1256	1440	1654	1826	2030	2198	2406	2582
108"	1140	1332	1526	1764	1946	2156	2338	2568	2760
Track	450	486	526	594	638	674	714	788	828

4 PANEL

② min width = 39"



WIDTH TO:	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	175"
HEIGHT TO:												
36"	\$922	1018	1144	1244	1340	1448	1588	1686	1790	1934	2028	2070
48"	1028	1144	1290	1414	1514	1630	1804	1916	2030	2166	2294	2342
60"	1138	1262	1436	1580	1714	1822	2024	2152	2282	2456	2574	2654
72"	1252	1402	1596	1742	1894	2050	2254	2394	2542	2756	2892	2976
84"	1336	1498	1704	1882	2056	2212	2442	2590	2750	2986	3132	3224
96"	1404	1592	1810	1980	2176	2372	2598	2784	2954	3174	3330	3464
108"	1488	1682	1908	2110	2316	2528	2778	2946	3160	3394	3562	3706
Track	\$576	620	690	734	772	818	902	938	982	1060	1100	1114

PANEL ONLY

② min width = 12"
max width = 46"

WIDTH TO:	12"	24"	30"	36"	46"
HEIGHT TO:					
36"	\$184	244	284	326	374
48"	210	284	326	378	440
60"	232	322	378	434	510
72"	260	366	424	486	576
84"	280	396	470	536	638
96"	298	430	504	584	694
108"	318	464	546	632	746

5 - 10 PANEL

5 Panel ② min width = 48"

8 Panel ② min width = 75"

6 Panel ② min width = 57"

10 Panel ② min width = 93"

WIDTH TO:	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	204"	216"	228"	240"	252"	261"
HEIGHT TO:																	
36"	\$1,172	1266	1366	1466	1588	1686	1786	1934	2028	2128	2230	2358	2448	2556	2556	3026	3122
48"	1296	1414	1528	1650	1786	1894	2022	2166	2270	2384	2502	2648	2744	2866	2866	3460	3514
60"	1438	1580	1696	1822	2004	2128	2250	2406	2550	2676	2810	2970	3080	3224	3224	3870	3948
72"	1588	1726	1872	2028	2206	2342	2502	2676	2834	2976	3122	3302	3460	3594	3594	4320	4448
84"	1692	1864	2012	2164	2362	2506	2686	2868	3038	3188	3342	3542	3712	3892	3892	4678	4818
96"	1780	1960	2132	2316	2514	2668	2886	3080	3262	3430	3598	3812	3948	4142	4142	4980	5132
108"	1890	2070	2270	2444	2656	2850	3054	3260	3458	3626	3812	4032	4226	4426	4426	5328	5492
Track	\$798	846	894	942	1028	1070	1132	1200	1252	1312	1350	1438	1486	1522	1602	1652	1696

Separate Valance

WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"	144"
Inside 6" Valance	\$108	132	204	234	274	322	348	388	444	472
Outside 6" Valance	138	168	242	274	320	364	400	438	500	528
Each Additional 3" Height	20	26	34	38	42	46	50	54	58	58
Add Valance Liner	40	54	70	84	98	114	124	136	154	162

② **EXO**
 2054 Indo Chic
 2068 Kiribati Jungle
 2069 Kiribati Rainforest

② **GRW**
 2323 Luzon Whisper
 2324 Luzon Cornsilk
 2325 Luzon Greige
 9400 St. Kitts Dune
 9401 St. Kitts Greywood
 9460 Aruba Summer
 9461 Aruba Straw
 9462 Aruba Sand Dune
 9463 Aruba Driftwood
 9464 Aruba Cafe
 9470 Martinique White Wash
 9471 Martinique Sea Grass
 9472 Martinique Surf
 9473 Martinique Coral

① **SLW**
 2527 Cancun Light Gray
 2528 Cancun Off White
 2529 Cano Cream
 2420 Macau
 2530 Madeira Green
 2423 Mali Tan
 2531 Rio Gray
 2526 Salvador Driftwood
 2438 Suva
 2436 Tai White

NOTE: Select Weave fabrics maximum height is 96". Panel Tracks over 144" wide are spliced together at installation.

Price Group 3

2 PANEL ① min width = 33"
 ② min width = 21" 

WIDTH TO:	36"	48"	60"	72"	84"	89"
HEIGHT TO:						
36"	\$594	694	794	926	1014	1054
48"	674	794	906	1068	1180	1218
60"	760	902	1036	1212	1332	1404
72"	846	1002	1166	1356	1512	1574
84"	914	1082	1262	1480	1650	1718
96"	978	1166	1362	1588	1770	1860
108"	1038	1246	1466	1700	1904	1994
Track	356	390	430	492	526	542

3 PANEL ① min width = 48"
 ② min width = 30" 

WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"
HEIGHT TO:									
36"	\$720	816	920	1058	1160	1258	1352	1488	1596
48"	808	924	1040	1196	1330	1438	1556	1710	1826
60"	898	1036	1186	1348	1498	1648	1780	1952	2094
72"	1002	1162	1320	1512	1678	1850	1994	2208	2350
84"	1074	1244	1426	1634	1826	1998	2176	2382	2574
96"	1142	1332	1528	1772	1958	2154	2344	2582	2774
108"	1206	1408	1630	1884	2080	2292	2518	2756	2964
Track	450	486	526	594	638	674	714	788	828

4 PANEL ① min width = 63"
 ② min width = 39" 

WIDTH TO:	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	175"
HEIGHT TO:												
36"	\$928	1038	1176	1278	1380	1482	1646	1746	1852	1994	2090	2156
48"	1052	1166	1328	1456	1576	1686	1866	1998	2120	2278	2388	2484
60"	1176	1302	1492	1630	1780	1926	2116	2270	2406	2580	2734	2812
72"	1306	1458	1656	1830	1988	2164	2376	2546	2700	2892	3090	3178
84"	1394	1572	1788	1978	2158	2336	2574	2758	2926	3132	3348	3442
96"	1466	1668	1916	2116	2330	2528	2768	2966	3144	3394	3596	3696
108"	1572	1794	2034	2250	2480	2696	2962	3174	3360	3630	3850	3954
Track	\$576	620	690	734	772	818	902	938	982	1060	1100	1114

PANEL ONLY ① min width = 18"
 ② min width = 12"
 max width = 46"

WIDTH TO:	12"	24"	30"	36"	46"
HEIGHT TO:					
36"	\$188	252	298	338	398
48"	214	296	348	396	472
60"	236	344	398	464	546
72"	270	386	452	526	626
84"	288	424	504	576	696
96"	312	464	546	632	766
108"	334	496	586	684	824

5 - 10 PANEL 5 Panel ① min width = 78" ② min width = 48" 6 Panel min width = 93" ② min width = 57"
 8 Panel ① min width = 123" ② min width = 75" 10 Panel min width = 152" ② min width = 93"

WIDTH TO:	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	204"	216"	228"	240"	252"	261"
HEIGHT TO:																	
36"	\$1,230	1336	1448	1552	1682	1786	1904	2056	2156	2264	2372	2510	2582	2708	2862	2958	3026
48"	1384	1514	1622	1744	1908	2044	2154	2326	2436	2562	2686	2858	2986	3070	3274	3350	3460
60"	1534	1696	1816	1968	2160	2294	2444	2604	2760	2896	3040	3220	3378	3522	3672	3830	3948
72"	1726	1866	2024	2186	2402	2546	2738	2944	3122	3274	3436	3606	3782	3956	4118	4320	4448
84"	1826	2016	2198	2360	2574	2758	2970	3160	3348	3546	3718	3906	4102	4288	4462	4678	4818
96"	1938	2136	2330	2554	2768	2966	3162	3394	3596	3814	4002	4202	4412	4612	4802	5028	5184
108"	2070	2270	2480	2696	2962	3174	3382	3630	3850	4074	4282	4494	4720	4930	5132	5382	5544
Track	\$798	846	894	942	1028	1070	1132	1200	1252	1312	1350	1438	1486	1522	1602	1652	1696

Separate Valance

WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"	144"
Inside 6" Valance	\$108	132	204	234	274	322	348	388	444	472
Outside 6" Valance	138	168	242	274	320	364	400	438	500	528
Each Additional 3" Height	20	26	34	38	42	46	50	54	58	58
Add Valance Liner	40	54	70	84	98	114	124	136	154	162

NOTE: Select Weave fabrics maximum height is 96". Panel Tracks over 144" wide are spliced together at installation.

- ② **CUL**
 2070 Tobago
 2085 Antiqua Maze
 2086 Antiqua Surf
- ② **ELI**
 2153 Sakura Etude
- ② **EXO**
 2096 Zulu
- ① **SLW**
 2411 Jaipur Natural
 2417 Lagos
 2419 Lomaloma
 2431 Santos Natural
 2433 Sintra Dust
 2441 Tunisia

Price Group 4

2 PANEL

- ① min width = 33"
 ② min width = 21"



WIDTH TO:	36"	48"	60"	72"	84"	89"
HEIGHT TO:						
36"	\$742	866	994	1158	1268	1318
48"	842	992	1134	1334	1476	1522
60"	950	1126	1294	1514	1666	1756
72"	1058	1254	1458	1696	1890	1966
84"	1142	1352	1578	1852	2062	2146
96"	1222	1458	1704	1988	2212	2326
108"	1296	1558	1834	2126	2380	2494
Track	356	390	430	492	526	542

3 PANEL

- ① min width = 48"
 ② min width = 30"



WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"
HEIGHT TO:									
36"	\$898	1020	1150	1320	1448	1572	1690	1860	1994
48"	1010	1158	1302	1494	1662	1798	1946	2138	2284
60"	1124	1294	1482	1684	1870	2062	2224	2442	2618
72"	1254	1450	1650	1890	2098	2310	2492	2760	2938
84"	1344	1556	1780	2042	2282	2500	2718	2978	3216
96"	1428	1664	1912	2214	2444	2692	2932	3228	3466
108"	1506	1762	2034	2354	2600	2866	3148	3444	3706
Track	450	486	526	594	638	674	714	788	828

4 PANEL

- ① min width = 63"
 ② min width = 39"



WIDTH TO:	48"	60"	72"	84"	96"	108"	120"	132"	144"	156"	168"	175"
HEIGHT TO:												
36"	\$1,164	1296	1472	1600	1726	1854	2056	2182	2314	2492	2614	2694
48"	1314	1458	1660	1820	1968	2108	2332	2500	2650	2848	2986	3106
60"	1470	1628	1866	2038	2228	2410	2646	2838	3006	3224	3416	3514
72"	1634	1822	2072	2290	2484	2704	2970	3182	3376	3612	3864	3972
84"	1744	1964	2236	2470	2696	2920	3218	3446	3658	3914	4186	4300
96"	1834	2086	2394	2646	2910	3160	3460	3710	3928	4242	4494	4620
108"	1964	2242	2544	2812	3102	3372	3702	3966	4200	4538	4810	4944
Track	\$576	620	690	734	772	818	902	938	982	1060	1100	1114

PANEL ONLY

- ① min width = 18"
 ② min width = 12"
 max width = 46"

WIDTH TO:	12"	24"	30"	36"	46"
HEIGHT TO:					
36"	\$234	316	374	422	500
48"	266	372	436	494	592
60"	296	430	500	578	682
72"	338	482	566	656	782
84"	360	532	628	722	870
96"	390	578	682	788	956
108"	418	622	732	854	1030

5 - 10 PANEL

- 5 Panel ① min width = 78" ② min width = 48"
 8 Panel ① min width = 123" ② min width = 75"
 6 Panel ① min width = 93" ② min width = 57"
 10 Panel ① min width = 152" ② min width = 93"

WIDTH TO:	72"	84"	96"	108"	120"	132"	144"	156"	168"	180"	192"	204"	216"	228"	240"	252"	261"
HEIGHT TO:																	
36"	1538	1672	1812	1938	2106	2232	2380	2568	2694	2830	2964	3138	3228	3384	3576	3696	3780
48"	1728	1892	2028	2182	2386	2554	2692	2906	3048	3202	3356	3570	3732	3838	4090	4188	4324
60"	1916	2118	2268	2462	2700	2866	3056	3256	3450	3620	3802	4026	4224	4402	4588	4788	4934
72"	2158	2332	2528	2736	3002	3182	3422	3682	3902	4092	4296	4506	4728	4946	5146	5398	5560
84"	2282	2520	2746	2950	3218	3446	3714	3950	4186	4432	4646	4882	5126	5360	5578	5846	6022
96"	2424	2672	2910	3192	3460	3710	3952	4242	4494	4768	5002	5252	5514	5768	6000	6286	6480
108"	2588	2838	3102	3372	3702	3966	4226	4538	4810	5090	5354	5618	5898	6162	6414	6726	6930
Track	\$798	846	894	942	1028	1070	1132	1200	1252	1312	1350	1438	1486	1522	1602	1652	1696


Separate Valance

WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"	144"
Inside 6" Valance	\$108	132	204	234	274	322	348	388	444	472
Outside 6" Valance	138	168	242	274	320	364	400	438	500	528
Each Additional 3" Height	20	26	34	38	42	46	50	54	58	58
Add Valance Liner	40	54	70	84	98	114	124	136	154	162

PANEL TRACK OPTIONS

Separate Valance Only

- Minimum width: 12" net
- Maximum width: 144"
- Standard valance height 6" – longer heights available (maximum height 24")



- 3/4" Dust Cover depth.
- Add liner to valance only at extra charge.
- Simple installation; pre-drilled opening in headrail; mount with hex head screws.



- Standard return depth 6".
- Minimum return depth: 5", maximum return depth 7".
- Add liner to valance only at extra charge.
- Simple installation; pre-drilled opening in headrail; mount with L-Bracket attached to a threaded bolt and wing nut.

Separate Valance

WIDTH TO:	36"	48"	60"	72"	84"	96"	108"	120"	132"	144"
Inside 6" Valance	\$108	132	204	234	274	322	348	388	444	472
Outside 6" Valance	138	168	242	274	320	364	400	438	500	528
Each Additional 3" Height	20	26	34	38	42	46	50	54	58	58
Add Valance Liner	40	54	70	84	98	114	124	136	154	162

Additional Surcharges (Add to base price of Panel Track)

LINERS

- Translucent lineradd 10%
- Room-Darkening lineradd 10%

COTTON TWILL EDGE-BINDING

- 5/8" trim come standardno charge
- 1 1/2" trim sizeadd 5%


MEASURING & INSTALLATION SPECIFICATIONS

Panel Track Brackets



(A)

Inside / Ceiling Mount
Used on 2 and 3 channel track
Bracket Clip
(Part #181-CA-00700)



(B)

Inside / Ceiling Mount
Used on 4 and 5 channel track
Bracket Clip
(Part #181-CA-00600)



(C)

Outside / Wall Mount
Used on all tracks
Installation Bracket
(Part #30-CA-06600)

Mounting Depth Requirements

Number Track Channels	IB Mount Flush Mount Depth	IB Mount W/ Valance Flush Mount Depth	IB Mount Minimum Depth	OB Mount Wall Clearance	OB Mount Overall Projection
2	2-1/2"	3-1/2"	1-3/4"	2-1/2" – 3-1/8"	4-1/8" – 4-3/4"
3	2-3/4"	3-3/4"	1-3/4"	2-1/2" – 3-1/8"	4-1/2" – 5-1/4"
4	3-1/2"	4-1/2"	1-3/4"	2-1/2" – 3-1/8"	5-1/4" – 6"
5	3-1/2"	4-1/2"	2"	1-3/4" – 4"	5-1/8" – 7-3/8"

Deductions

	IB Mount	OB Mount
Headrail Width	- 1/4"	net
Panel Height Allowance	- 1/2"	net
Valance	- 1/8"	+2"


How To Measure

Note: Projection of window handles / cranks could interfere with panel track panels . . . refer to "mounting depth requirements" above for projection clearance

Inside Mount (IB) Installation - Window

To find width: Measure the opening across the top where the headrail is to be installed from inside of jamb on left to inside of jamb on right. **Round the measurement down to the nearest 1/8". Refer to mounting depth requirements.**

To find height: Measure from the inside top of the opening on the left, at the center, and on the right to the sill; **round the measurement down to the nearest 1/8" and note the smallest dimension. Do not make any allowances: the factory will make all adjustments so the headrail will fit the opening properly and the panels will clear the sill by 1/2".**




Inside Mount

Outside Mount (OB) Installation - Window

To find width: Measure the width of the area to be covered at the place where the headrail will be installed to the nearest 1/8". Blind should overlap opening at least 4" on each side to ensure privacy. To calculate stack dimensions, refer to page 6.

To find height: Measure the height of the area to be covered and **round down to the nearest 1/8"**. Blind should extend **at least 3" above and 3" below opening or window moulding.**



Outside Mount

Valance Brackets



Outside Mount
3" x 3" L-bracket
for 3-1/4" dust cap



Inside Mount
Hex Head Screw
1-1/2" #8




WARNING

Young children can STRANGLE in cord loops. They can also wrap cords around their necks and STRANGLE.

Child Safety Cord Tensioner

Attach the cord tensioner on the cord loop to the wall or window casement. This can prevent children from pulling cord loops around their necks.




Outside Mount (OB) Installation - Patio Door / Room Divider

To find width: Measure the width of the area to be covered at the place where the headrail will be installed to the nearest 1/8". Blind should overlap opening at least 4" on each side.

To find height: Measure the height of the area to be covered and **round down to the nearest 1/8"**. Blind should extend **at least 3" above opening or window moulding.**

For ceiling-to-floor installations, deduct 1/2" for proper clearance.

Specifying OB measurement means the factory makes no allowances.



Special Measuring & Installation Considerations

Stretching of panel materials is probable:

IB Mount - we do not recommend IB mount due to probable stretching

OB Mount - extra adjustment recommended for placement of mounting brackets above the floor to anticipate panel material stretching:

- Material can stretch up to 1" length