

TEXTON



SOFTSTYLE

SHADES

Effective February 3, 2020

design simplified™

TABLE OF CONTENTS

• Features & Benefits	2
• Pattern Information	3
• Color Charts	4-6
• Pricing and Options— Standard Rectangular	7-16
• Motorization Surcharges and Options	17

Rectangular Configuration Specifications

• Standard Cordlock	18
• Two-on-One Rail	18
• Top-Down and Top-Down/Bottom-Up	19
• Cut-Outs	19
• Cordless Lift	20
• Cordless Lift & Lock™	21
• Continuous Cord Loop	22

TriLight Shades®

• Smart Facts	23
• Selecting a TriLight Shade	23
• Sheer Pleated Color Chart	24
• Pricing and Options	25
• Configuration Specifications	26-28
• RemoteLift™ 2.0 Motorization	29-33
• Simplicity and PowerWand™	34-39
• Vertical Application	40-42
• Classic Skylight and Skylight with Simplicity Motorization	43-46
• Arches	47-48
• Specialty Shapes	49-50
• Size Standards Summary	51-54
• Product Components	55-66

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width (or Vertical Applications over 96" in height) are considered oversize. Therefore, a net shipping charge of \$45 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

FEATURES & BENEFITS



- Thick cellular fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- Semi-opaque and blackout cellular fabrics are available in multiple sizes, including 2" Hybrid Pleat, providing a choice for every window size and desired light and privacy control.
- The neutral white backing provides a consistent appearance to the outside of the home.
- Shades feature the same reliable 3/4" standard headrail used with Cellular Shades.
- Offered with a wide selection of control options, including top-down/bottom-up, continuous loop, cordless lift, cordless Lift & Lock™, vertical application and motorized control, to fit any need.
- Features TriLight Shades® for enhanced versatility.
- Limited Lifetime Warranty ensures your customers' satisfaction.

CELLULAR SHADE PATTERN INFORMATION

Pattern Name	# of Cells	Price Group (Standard)	Winter R-Values	Care Code	Light Control	Hardware Restrictions	Hardware Options	
Semi Opaque - Single Cell							• Standard Cordlock – 3/4" Rail System • Continuous Cord Loop System • Continuous Cord Loop Top-Down/Bottom-Up • Cordless Lift System • Cordless Lift System Top-Down/Bottom-Up • Cordless Lift & Lock • Cordless Lift & Lock Top-Down/Bottom-Up • Top-Down • Top-Down/Bottom-Up • Two-On-One Rail • Vertical Application • Classic Skylight • Arches • Angles • Specialty Shapes • Battery Operated Motorization • TriLight	
SoftStyle Beginnings Semi-Opaque – Large Single Cell	S50	Single	2-SS	**	1, 2 & 3	C		
SoftStyle Semi-Opaque – Small Single Cell	S11	Single	1-SS	**	1, 2 & 3	C		Vertical Application
SoftStyle Semi-Opaque – Large Single Cell	S21	Single	4-SS	**	1, 2 & 3	C		
Semi Opaque - Double Cell								
SoftStyle Beginnings Semi-Opaque – Double Cell	S51	Double	3-SS	**	1, 2 & 3	C		Vertical Application
SoftStyle Semi-Opaque – Double Cell	S31	Double	5-SS	**	1, 2 & 3	C		Vertical Application
Blackout - Single Cell								
SoftStyle Blackout – Small Single Cell	S13	Single	6-SS	**	1 & 3	E		Vertical Application
SoftStyle Blackout – Large Single Cell	S23	Single	7-SS	**	1 & 3	E		
SoftStyle Subdue Blackout - Large Single Cell	S61	Single	8-SS	**	1 & 3	E		
Blackout - Double Cell								
SoftStyle Blackout – Double Cell	S32	Double	8-SS	**	1 & 3	E		Vertical Application
Hybrid Pleat								
2" Hybrid Pleat – Semi-Opaque	HPF	Single	Hybrid Pleat Semi-Opaque	4.53	1, 2 & 3	C		Standard Cordlock, Skylight, Arches, Angles, Specialty Shapes, PowerWand
2" Hybrid Pleat – Blackout	HPR	Single	Hybrid Pleat Blackout	4.78	1, 2 & 3	E	Standard Cordlock, Skylight, Arches, Angles, Specialty Shapes, PowerWand	
** Comparable test data on SoftStyle shades is not available.								
Care Method 1 Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for cellular shade surfaces which are lightly soiled.		Care Method 2 Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for cellular shade surfaces which need spot cleaning.		Care Method 3 Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for cellular shade surfaces which are heavily soiled.				



A. Sheer
Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



B. Semi-Sheer
Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



C. Semi-Opaque
Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker colored materials tend to provide stronger screening than lighter colored materials in this category.



D. Opaque
Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.

CELLULAR COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
SMALL SINGLE CELL - Semi-Opaque (Price Group 1-SS)				
S11	589	Afternoon Light	127	N/A
S11	1553	Birdbath	810	
S11	522	Cake Batter	320	
S11	1556	Caribbean Sky	135	
S11	515	Cavern	361	
S11	510	Celadon	958	
S11	581	Coastal Eddy	018	
S11	528	Daisy White	320	
S11	1558	Dark Raisin	849	
S11	1554	Desert Sun	954	
S11	523	Dill	621	
S11	1567	Espresso Bean	849	
S11	1562	Evening Horizon	450	
S11	1559	Fly Fishing	849	
S11	1563	Four Leaf Clover	958	
S11	524	Gold Treasure	952	
S11	513	Graystone	810	
S11	1565	Ground Cloves	960	
S11	1552	Gunnysack	862	
S11	526	Ice Age	320	
S11	1550	Ice Rink	885	
S11	1560	Lava Rock	405	
S11	529	Lemon Frost	674	
S11	500	Marshmallow	661	
S11	507	Mountain Top	320	
S11	525	Mustard Seed	630	
S11	1557	Night Blue	450	
S11	1566	Oak Branch	849	
S11	584	Ocean Blue	450	
S11	527	Pale White *	785	
S11	520	Pure Honey	952	
S11	1564	Redwood	956	
S11	1561	Rock Garden	765	
S11	588	Rocking Chair	083	
S11	517	Rye	630	
S11	503	Scone	320	
S11	509	Silver Dollar	405	
S11	582	Steel	018	
S11	1555	Summer Storm	765	
S11	1551	Sweet Butter	674	
S11	521	Trail	810	
S11	501	Veil	320	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Semi-Opaque (Price Group 4-SS)				
S21	589	Afternoon Light	127	862
S21	1553	Birdbath	810	810
S21	522	Cake Batter	320	862
S21	1556	Caribbean Sky	135	661
S21	515	Cavern	361	862
S21	510	Celadon	958	862
S21	581	Coastal Eddy	018	276
S21	528	Daisy White	320	785
S21	1558	Dark Raisin	849	661
S21	1554	Desert Sun	954	083
S21	523	Dill	621	841
S21	1567	Espresso Bean	849	810
S21	1562	Evening Horizon	450	276
S21	1559	Fly Fishing	849	810
S21	1563	Four Leaf Clover	958	785
S21	524	Gold Treasure	952	082
S21	513	Graystone	810	810
S21	1565	Ground Cloves	960	785
S21	1552	Gunnysack	862	862
S21	526	Ice Age	320	862
S21	1550	Ice Rink	885	661
S21	1560	Lava Rock	405	276
S21	529	Lemon Frost	674	882
S21	500	Marshmallow	661	661
S21	507	Mountain Top	320	862
S21	525	Mustard Seed	630	082
S21	1557	Night Blue	450	661
S21	1566	Oak Branch	849	810
S21	584	Ocean Blue	450	661
S21	527	Pale White *	785	785
S21	520	Pure Honey	952	082
S21	1564	Redwood	956	083
S21	1561	Rock Garden	765	276
S21	588	Rocking Chair	083	083
S21	517	Rye	630	841
S21	503	Scone	320	862
S21	509	Silver Dollar	405	276
S21	582	Steel	018	276
S21	1555	Summer Storm	765	276
S21	1551	Sweet Butter	674	661
S21	521	Trail	810	810
S21	501	Veil	320	862

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
DOUBLE CELL - Semi-Opaque (Price Group 5-SS)				
S31	589	Afternoon Light	127	N/A
S31	1553	Birdbath	810	
S31	522	Cake Batter	320	
S31	1556	Caribbean Sky	135	
S31	515	Cavern	361	
S31	510	Celadon	958	
S31	581	Coastal Eddy	018	
S31	528	Daisy White	320	
S31	1558	Dark Raisin	849	
S31	1554	Desert Sun	954	
S31	523	Dill	621	
S31	1567	Espresso Bean	849	
S31	1562	Evening Horizon	450	
S31	1559	Fly Fishing	849	
S31	1563	Four Leaf Clover	958	
S31	524	Gold Treasure	952	
S31	513	Graystone	810	
S31	1565	Ground Cloves	960	
S31	1552	Gunnysack	862	
S31	526	Ice Age	320	
S31	1550	Ice Rink	885	
S31	1560	Lava Rock	405	
S31	529	Lemon Frost	674	
S31	500	Marshmallow	661	
S31	507	Mountain Top	320	
S31	525	Mustard Seed	630	
S31	1557	Night Blue	450	
S31	1566	Oak Branch	849	
S31	584	Ocean Blue	450	
S31	527	Pale White *	785	
S31	520	Pure Honey	952	
S31	1564	Redwood	956	
S31	1561	Rock Garden	765	
S31	588	Rocking Chair	083	
S31	517	Rye	630	
S31	503	Scone	320	
S31	509	Silver Dollar	405	
S31	582	Steel	018	
S31	1555	Summer Storm	765	
S31	1551	Sweet Butter	674	
S31	521	Trail	810	
S31	501	Veil	320	

NOTE: Pale White (color 527) has a yellow hue. Please review the color carefully during the selection process.

CODE KEY:

STD = Standard cordlock (Cordless, Cordless Lift & Lock, Continuous Cord Loop, Simplicity and RemoteLift with coordinated rails)
VA = Vertical application shades

CELLULAR COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
SMALL SINGLE CELL - Blackout (Price Group 6-SS)				
S13	1743	Birdbath	810	N/A
S13	760	Blue	685	
S13	762	Blush	127	
S13	709	Buttercream	320	
S13	781	Coastal Eddy	018	
S13	703	Crème Brulee	882	
S13	1741	Dried Oregano	621	
S13	1747	Espresso Bean	849	
S13	706	Goose Down	661	
S13	1748	Gray Gust	018	
S13	1744	Ground Pepper	765	
S13	710	Ice Princess	885	
S13	702	Irish Coffee	862	
S13	711	Moon Dust	882	
S13	1750	Night Blue	450	
S13	1784	Ocean Blue	450	
S13	700	Pebble	361	
S13	701	Pitch Black	048	
S13	707	Pristine Palace	320	
S13	1745	Red Sand	956	
S13	704	Richwood	849	
S13	708	Sand Sculpture	882	
S13	1746	Sandstone Gray	810	
S13	763	Silver Dollar	405	
S13	705	Stone Path	630	
S13	1749	Streetlight	450	
S13	740	Thunder Cloud	405	
S13	1742	Yucca Cactus	135	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Blackout (Price Group 7-SS)				
S23	1743	Birdbath	810	810
S23	760	Blue	685	661
S23	762	Blush	127	862
S23	709	Buttercream	320	862
S23	781	Coastal Eddy	018	276
S23	703	Crème Brulee	882	882
S23	1741	Dried Oregano	621	785
S23	1747	Espresso Bean	849	862
S23	706	Goose Down	661	661
S23	1748	Gray Gust	018	276
S23	1744	Ground Pepper	765	276
S23	710	Ice Princess	885	785
S23	702	Irish Coffee	862	862
S23	711	Moon Dust	882	882
S23	1750	Night Blue	450	661
S23	1784	Ocean Blue	450	661
S23	700	Pebble	361	841
S23	701	Pitch Black	048	048
S23	707	Pristine Palace	320	862
S23	1745	Red Sand	956	083
S23	704	Richwood	849	810
S23	708	Sand Sculpture	882	882
S23	1746	Sandstone Gray	810	810
S23	763	Silver Dollar	405	276
S23	705	Stone Path	630	841
S23	1749	Streetlight	450	661
S23	740	Thunder Cloud	405	276
S23	1742	Yucca Cactus	135	785

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
DOUBLE CELL - Blackout (Price Group 8-SS)				
S32	1743	Birdbath	810	N/A
S32	760	Blue	685	
S32	762	Blush	127	
S32	709	Buttercream	320	
S32	781	Coastal Eddy	018	
S32	703	Crème Brulee	882	
S32	1741	Dried Oregano	621	
S32	1747	Espresso Bean	849	
S32	706	Goose Down	661	
S32	1748	Gray Gust	018	
S32	1744	Ground Pepper	765	
S32	710	Ice Princess	885	
S32	702	Irish Coffee	862	
S32	711	Moon Dust	882	
S32	1750	Night Blue	450	
S32	1784	Ocean Blue	450	
S32	700	Pebble	361	
S32	701	Pitch Black	048	
S32	707	Pristine Palace	320	
S32	1745	Red Sand	956	
S32	704	Richwood	849	
S32	708	Sand Sculpture	882	
S32	1746	Sandstone Gray	810	
S32	763	Silver Dollar	405	
S32	705	Stone Path	630	
S32	1749	Streetlight	450	
S32	740	Thunder Cloud	405	
S32	1742	Yucca Cactus	135	

CODE KEY:

STD = Standard cordlock (Cordless, Cordless Lift & Lock, Continuous Cord Loop, Simplicity and RemoteLift with coordinated rails)
VA = Vertical application shades

Hardware Colors

		STD	VA
018	Satin Silver	X	N/A
048	Black	X	X
082	Camel	N/A	X
083	Cocoa	X	X
127	Cameo	X	N/A
135	Whisper Heather	X	N/A
276	Silverado	N/A	X
320	Rich Cream	X	N/A
361	Tender Taupe	X	N/A
405	Gray Flannel	X	N/A
450	Skyline	X	N/A
621	Putty	X	N/A
630	Gold Leaf	X	N/A
661	White Tiara	X	X
674	Bamboo Stalk	X	N/A

		STD	VA
685	Blue Sky	X	N/A
765	Silver Maple	X	N/A
785	Aspen White	X	X
810	Mushroom	X	X
841	Dark Blonde	N/A	X
849	Mocha	X	N/A
862	Gardenia White	X	X
882	Honey Bisque	X	X
885	Flex White	X	N/A
952	Pristine Beach	X	N/A
954	Tranquil Tea	X	N/A
956	Renaissance Clay	X	N/A
958	Velvet Fem	X	N/A
960	Terra Cotta Um	X	N/A

CELLULAR COLOR CHART

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Semi-Opaque				
<i>Where applicable, coordinates with cellular color of the same name</i>				
HPF	2753	Caribbean Sky	135	661
HPF	715	Cavern	361	862
HPF	2750	Coastal Eddy	018	276
HPF	739	Earth	810	810
HPF	2755	Gold Treasure	952	082
HPF	2752	Lava Rock	405	276
HPF	700	Marshmallow	661	661
HPF	2754	Ocean Blue	450	661
HPF	727	Pale White *	785	785
HPF	741	Sandrift	810	810
HPF	2751	Summer Storm	765	276
HPF	735	Whitecap	862	862

NOTE: Pale White (color 727) has a yellow hue. Please review the color carefully during the selection process.

FABRIC			HARDWARE	
Code	Color #	Color Name	OPTION	VA
2" HYBRID PLEAT - Blackout				
<i>Where applicable, coordinates with cellular color of the same name</i>				
HPR	2950	Birdbath	810	810
HPR	2952	Coastal Eddy	018	276
HPR	2951	Gray Gust	018	276
HPR	910	Ice Princess	885	661
HPR	919	Sand Storm	810	810
HPR	917	Whisper	785	785

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Semi-Opaque (Price Group 2-SS)				
S50	537	Boulder	765	276
S50	530	Ecru	882	882
S50	540	Lunar	450	661
S50	531	Merino	661	661
S50	534	Teak	630	841
S50	532	Wafer	810	810

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
DOUBLE CELL - Semi-Opaque (Price Group 3-SS)				
S51	537	Boulder	765	N/A
S51	530	Ecru	882	
S51	540	Lunar	450	
S51	531	Merino	661	
S51	534	Teak	630	
S51	532	Wafer	810	

FABRIC			HARDWARE	
Code	Color #	Color Name	STD	VA
LARGE SINGLE CELL - Blackout (Price Group 8-SS)				
S61	3744	Birdbath	810	810
S61	3741	Goose Down	885	661
S61	3745	Gray Gust	018	276
S61	3742	Ice Princess	885	661
S61	3747	Ocean Blue	450	661
S61	3743	Pristine Palace	862	862
S61	3746	Silver Dollar	405	276

CODE KEY:

STD = Standard cordlock (Cordless, Cordless Lift & Lock, Continuous Cord Loop, Simplicity and RemoteLift with coordinated rails)
VA = Vertical application shades

Note: 2" Hybrid Pleat shades are not available with standard cordlock or PowerWand.

GROUP 1-SS (Standard Rectangular)

• SOFTSTYLE 9/16" SEMI-OPAQUE (S11)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$144	162	186	206	228	250	270	288	312	354	400	444	490
42"	156	174	200	228	250	270	296	318	340	390	440	490	542
48"	166	194	214	242	270	296	322	350	376	428	484	536	596
54"	172	202	230	260	288	318	348	378	406	464	526	586	648
60"	186	214	250	278	308	340	368	404	438	504	568	636	698
66"	200	228	262	298	328	364	398	432	468	536	610	680	750
72"	206	240	278	314	354	386	424	462	496	574	652	724	806
78"	214	254	292	328	374	412	452	488	530	610	690	774	854
84"	226	264	308	350	388	428	470	512	554	638	726	812	902
90"	234	276	322	364	412	454	496	542	586	680	770	860	952
96"	242	286	334	382	428	472	520	568	614	710	806	902	1000
108"	264	314	362	414	470	516	568	620	674	782	884	990	1098
120"	282	336	396	452	510	564	620	678	732	844	964	1080	1184

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 19 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$30
- **Top-Down & Top-Down/Bottom-Up**add \$116
- **Continuous Cord Loop***add \$74
 - **Top-Down/Bottom-Up***add \$188
- **Cordless Lift System***add \$116
 - **Two-On-One Headrail*** price as 2 separate shades and add \$232 (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$348 (not available in Top-Down/Bottom-Up)
 - **Top-Down/Bottom-Up***add \$232
- **Cordless Lift & Lock**add \$58
 - **Cordless Lift & Lock Two-On-One Headrail**add \$116
 - **Cordless Lift & Lock Three-On-One Headrail**add \$174
 - **Top-Down/Bottom-Up***add \$174
 - **Premium Headrail Upgrade***add \$20 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$30
- **5' to 10' Cordless Extension Pole #400036-81511**\$50
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 23-28
- **Angle Cut**add \$162

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

GROUP 2-SS (Standard Rectangular)

• SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (S50)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$160	180	204	226	252	270	292	318	338	386	438	484	532
42"	172	196	222	252	276	300	328	354	380	432	488	542	598
48"	180	210	238	266	298	324	354	380	412	470	530	588	650
54"	188	220	254	284	318	346	380	408	442	504	570	636	706
60"	206	236	272	302	340	376	406	444	480	552	620	692	766
66"	220	256	290	328	366	406	444	480	518	598	674	750	832
72"	230	264	302	346	388	426	464	508	552	630	716	798	880
78"	246	284	328	376	418	458	506	552	598	684	776	866	960
84"	256	298	346	394	444	488	536	584	630	724	822	922	1020
90"	266	314	366	418	470	516	566	616	670	770	872	976	1082
96"	278	328	380	436	490	540	596	648	704	812	924	1030	1140
108"	298	354	418	476	536	592	648	712	770	888	1004	1128	1250
120"	328	388	456	520	590	654	718	786	848	982	1114	1250	1384

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 19 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$30
- **Top-Down & Top-Down/Bottom-Up**add \$116
- **Continuous Cord Loop***add \$74
 - **Top-Down/Bottom-Up***add \$188
- **Cordless Lift System***add \$116
 - **Two-On-One Headrail*** price as 2 separate shades and add \$232 (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$348 (not available in Top-Down/Bottom-Up)
 - **Top-Down/Bottom-Up***add \$232
- **Cordless Lift & Lock**add \$58
 - **Cordless Lift & Lock Two-On-One Headrail**add \$116
 - **Cordless Lift & Lock Three-On-One Headrail**add \$174
 - **Top-Down/Bottom-Up***add \$174
 - **Premium Headrail Upgrade***add \$20 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$30
- **5' to 10' Cordless Extension Pole #400036-81511**\$50
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 23-28
- **Angle Cut**add \$162

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

GROUP 3-SS (Standard Rectangular)

• SOFTSTYLE BEGINNINGS DOUBLE CELL SEMI-OPAQUE (S51)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$152	168	194	216	240	256	282	302	324	368	416	458	508
42"	162	188	210	240	260	288	310	336	362	412	464	516	570
48"	172	200	230	256	284	308	336	362	392	446	506	562	618
54"	184	208	240	270	302	332	360	390	418	482	544	606	672
60"	198	226	260	292	326	358	390	426	458	526	590	662	730
66"	206	242	278	312	350	386	422	458	496	568	646	716	792
72"	220	254	292	332	372	406	444	484	526	604	684	762	842
78"	232	270	314	356	400	440	484	526	568	652	742	828	916
84"	242	286	332	378	422	464	510	556	604	690	786	878	974
90"	256	298	350	398	446	492	540	588	640	738	834	930	1032
96"	264	312	362	414	470	516	568	616	672	776	880	982	1088
108"	286	336	398	452	510	564	616	678	734	846	960	1074	1192
120"	312	372	436	496	562	622	686	748	812	936	1062	1192	1322

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 19 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$30
- **Top-Down & Top-Down/Bottom-Up**add \$116
- **Continuous Cord Loop***add \$74
 - **Top-Down/Bottom-Up***add \$188
- **Cordless Lift System***add \$116
 - **Two-On-One Headrail*** price as 2 separate shades and add \$232 (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$348 (not available in Top-Down/Bottom-Up)
 - **Top-Down/Bottom-Up***add \$232
- **Cordless Lift & Lock**add \$58
 - **Cordless Lift & Lock Two-On-One Headrail**add \$116
 - **Cordless Lift & Lock Three-On-One Headrail**add \$174
 - **Top-Down/Bottom-Up***add \$174
 - **Premium Headrail Upgrade***add \$20 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$30
- **5' to 10' Cordless Extension Pole #400036-81511**\$50
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 23-28
- **Angle Cut**add \$162

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

GROUP 4-SS (Standard Rectangular)

• SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$184	206	236	260	288	310	334	366	390	444	504	556	612
42"	198	224	256	288	318	346	376	408	438	496	560	620	688
48"	206	242	276	308	342	372	406	438	472	540	610	678	748
54"	220	252	292	326	366	396	436	470	508	578	656	730	812
60"	236	272	314	350	392	430	468	510	552	634	714	796	878
66"	250	292	334	380	422	464	510	552	596	688	776	864	954
72"	264	304	350	396	446	490	536	584	634	724	824	918	1012
78"	282	326	380	430	482	528	580	634	688	786	892	996	1102
84"	292	344	396	454	510	560	616	670	724	834	946	1058	1172
90"	308	360	420	480	540	592	650	708	770	888	1002	1124	1244
96"	318	380	438	502	566	620	686	744	810	934	1062	1184	1312
108"	344	408	480	546	616	682	744	818	886	1020	1156	1296	1436
120"	380	446	522	602	680	750	826	902	976	1130	1280	1436	1590

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 19 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$30
- **Top-Down & Top-Down/Bottom-Up**add \$116
- **Continuous Cord Loop***add \$74
 - **Top-Down/Bottom-Up***add \$188
- **Cordless Lift System***add \$116
 - **Two-On-One Headrail*** price as 2 separate shades and add \$232 (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$348 (not available in Top-Down/Bottom-Up)
 - **Top-Down/Bottom-Up***add \$232
- **Cordless Lift & Lock**add \$58
 - **Cordless Lift & Lock Two-On-One Headrail**add \$116
 - **Cordless Lift & Lock Three-On-One Headrail**add \$174
 - **Top-Down/Bottom-Up***add \$174
 - **Premium Headrail Upgrade***add \$20 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$30
- **5' to 10' Cordless Extension Pole #400036-81511**\$50
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 23-28
- **Angle Cut**add \$162

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

GROUP 5-SS (Standard Rectangular)

• SOFTSTYLE DOUBLE CELL SEMI-OPAQUE (S31)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$194	214	248	276	308	328	358	386	412	470	532	588	648
42"	208	238	266	308	334	366	394	430	464	526	594	658	730
48"	220	256	292	326	360	392	430	464	504	570	644	718	792
54"	232	264	308	346	386	424	460	496	536	614	696	774	860
60"	250	288	332	374	416	458	496	542	584	670	756	842	930
66"	262	310	354	396	446	492	540	584	634	726	824	914	1012
72"	282	324	374	424	472	518	568	618	670	768	874	974	1074
78"	298	346	400	456	510	560	616	670	726	834	948	1056	1170
84"	310	366	424	482	540	594	652	708	768	884	1002	1124	1244
90"	324	382	444	508	570	630	688	752	816	942	1064	1188	1320
96"	336	396	464	530	598	656	724	790	860	990	1124	1254	1390
108"	366	430	508	578	652	718	790	866	938	1082	1224	1374	1520
120"	396	472	556	636	718	796	874	958	1036	1196	1356	1520	1686

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 19 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- **Fabric-Wrapped Rail Option**add \$30
- **Top-Down & Top-Down/Bottom-Up**add \$116
- **Continuous Cord Loop***add \$74
 - **Top-Down/Bottom-Up***add \$188
- **Cordless Lift System***add \$116
 - **Two-On-One Headrail*** price as 2 separate shades and add \$232 (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$348 (not available in Top-Down/Bottom-Up)
 - **Top-Down/Bottom-Up***add \$232
- **Cordless Lift & Lock**add \$58
 - **Cordless Lift & Lock Two-On-One Headrail**add \$116
 - **Cordless Lift & Lock Three-On-One Headrail**add \$174
 - **Top-Down/Bottom-Up***add \$174
 - **Premium Headrail Upgrade***add \$20 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$30
- **5' to 10' Cordless Extension Pole #400036-81511**\$50
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
- **TriLight Shades** – see pages 23-28
- **Angle Cut**add \$162

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

GROUP 6-SS (Standard Rectangular)

• SOFTSTYLE 9/16" BLACKOUT (S13)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$194	214	246	270	298	326	354	382	412	468	528	586	648
42"	206	232	264	298	326	360	386	420	454	520	586	652	722
48"	226	256	292	328	362	400	432	472	510	584	662	738	818
54"	240	272	314	354	394	432	470	512	554	638	720	806	894
60"	260	288	334	382	420	464	506	554	598	688	782	872	964
66"	272	308	354	404	454	496	542	594	640	738	840	942	1042
72"	288	328	384	436	486	536	586	644	692	802	914	1020	1134
78"	304	350	404	458	516	570	624	684	738	854	974	1088	1208
84"	318	364	426	486	542	602	658	722	782	906	1028	1152	1280
90"	334	386	454	514	578	642	704	770	838	968	1100	1236	1374
96"	350	404	472	538	610	674	738	810	878	1018	1160	1304	1448
108"	376	438	516	590	668	742	812	894	966	1120	1278	1436	1598
120"	404	476	560	640	744	806	890	974	1056	1224	1396	1572	1740

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 19 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$30
 - **Top-Down & Top-Down/Bottom-Up**add \$116
 - **Continuous Cord Loop***add \$74
 - **Top-Down/Bottom-Up***add \$188
 - **Cordless Lift System***add \$116
 - **Two-On-One Headrail*** price as 2 separate shades and add \$232 (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$348 (not available in Top-Down/Bottom-Up)
 - **Top-Down/Bottom-Up***add \$232
 - **Cordless Lift & Lock**add \$58
 - **Cordless Lift & Lock Two-On-One Headrail**add \$116
 - **Cordless Lift & Lock Three-On-One Headrail**add \$174
 - **Top-Down/Bottom-Up***add \$174
 - **Premium Headrail Upgrade***add \$20 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$30
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 23-28
 - **Angle Cut**add \$162

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

GROUP 7-SS (Standard Rectangular)

SOFT STYLE 3/4" BLACKOUT (S23)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$228	254	288	318	352	386	418	450	484	552	620	690	766
42"	246	276	314	350	386	426	456	496	536	614	690	768	854
48"	266	302	348	386	428	470	510	556	602	688	782	870	966
54"	284	318	366	418	464	510	554	604	652	750	850	950	1052
60"	310	340	394	450	496	548	596	652	706	812	922	1030	1138
66"	318	362	418	476	536	584	638	700	756	870	990	1112	1228
72"	340	388	452	512	574	634	690	760	816	946	1078	1202	1338
78"	360	410	476	542	608	672	736	806	870	1004	1148	1282	1424
84"	376	430	502	574	640	708	776	854	922	1068	1214	1358	1508
90"	394	454	536	606	682	758	828	908	988	1144	1296	1458	1618
96"	410	476	556	636	718	796	870	952	1036	1198	1370	1536	1706
108"	442	516	608	696	786	874	956	1052	1140	1322	1506	1692	1884
120"	476	560	662	756	876	948	1048	1150	1244	1444	1648	1852	2052

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 19 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$30
 - **Top-Down & Top-Down/Bottom-Up**add \$116
 - **Continuous Cord Loop***add \$74
 - **Top-Down/Bottom-Up***add \$188
 - **Cordless Lift System***add \$116
 - **Two-On-One Headrail*** price as 2 separate shades and add \$232 (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$348 (not available in Top-Down/Bottom-Up)
 - **Top-Down/Bottom-Up***add \$232
 - **Cordless Lift & Lock**add \$58
 - **Cordless Lift & Lock Two-On-One Headrail**add \$116
 - **Cordless Lift & Lock Three-On-One Headrail**add \$174
 - **Top-Down/Bottom-Up***add \$174
 - **Premium Headrail Upgrade***add \$20 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$30
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 23-28
 - **Angle Cut**add \$162

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

GROUP 8-SS (Standard Rectangular)

- SOFTSTYLE SUBDUE 3/4" SINGLE CELL BLACKOUT (S61)
- SOFTSTYLE DOUBLE CELL BLACKOUT (S32)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
HEIGHT TO:													
36"	\$234	260	296	326	360	394	428	460	496	566	640	708	786
42"	250	282	322	360	394	438	470	510	552	632	708	790	874
48"	272	310	356	396	440	484	522	570	616	706	802	892	992
54"	292	328	380	430	480	520	568	620	670	772	874	974	1082
60"	318	350	406	460	510	564	612	670	724	834	946	1056	1168
66"	328	374	430	486	548	602	656	718	776	892	1016	1140	1260
72"	350	398	464	526	588	650	708	778	838	972	1106	1234	1374
78"	368	420	486	556	624	690	756	828	892	1032	1180	1318	1462
84"	384	442	516	588	656	730	796	874	946	1098	1246	1394	1550
90"	406	468	552	620	700	776	850	934	1012	1172	1332	1498	1662
96"	420	486	570	652	738	816	892	978	1064	1230	1406	1578	1752
108"	454	530	624	714	810	898	982	1082	1170	1356	1546	1738	1934
120"	486	578	678	776	900	974	1074	1182	1278	1482	1692	1900	2108

CONTINUOUS CORD LOOP SYSTEM "REQUIRED" FOR SIZES TO THE RIGHT OF THE THICK BLACK LINE.

OPTIONS: NO EXTRA CHARGE

- **Color-Coordinated Rails**
- **Control Positions** – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- **3" Extension Bracket and 1/2" Spacer Blocks** – maximum of 3 spacer blocks per bracket
- **Hold Down Brackets**
- **Cut-Outs** – up to 3" wide (see page 19 for details)
- **Special Cord Lengths** – standard cord is 40% of the height of the shade unless otherwise specified
- **Hardware Color Override**

OPTIONS: EXTRA CHARGE

- See "SIZE STANDARDS" for complete option details.
- **Fabric-Wrapped Rail Option**add \$30
 - **Top-Down & Top-Down/Bottom-Up**add \$116
 - **Continuous Cord Loop***add \$74
 - **Top-Down/Bottom-Up***add \$188
 - **Cordless Lift System***add \$116
 - **Two-On-One Headrail*** price as 2 separate shades and add \$232 (not available in Top-Down/Bottom-Up)
 - **Three-On-One Headrail*** price as 3 separate shades and add \$348 (not available in Top-Down/Bottom-Up)
 - **Top-Down/Bottom-Up***add \$232
 - **Cordless Lift & Lock**add \$58
 - **Cordless Lift & Lock Two-On-One Headrail**add \$116
 - **Cordless Lift & Lock Three-On-One Headrail**add \$174
 - **Top-Down/Bottom-Up***add \$174
 - **Premium Headrail Upgrade***add \$20 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
 - **18" to 36" Cordless Extension Pole #24-213 TEP-2L13091**\$30
 - **5' to 10' Cordless Extension Pole #400036-81511**\$50
 - **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular
 - **TriLight Shades** – see pages 23-28
 - **Angle Cut**add \$162

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

See page 17 for motorization surcharges

2" HYBRID PLEAT (Standard Rectangular)

NOTE: A control option must be selected.

• 2" HYBRID PLEAT - SEMI-OPAQUE

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$278	289	317	331	344	384	407	437	460	554	584	620	650	674	706	842	986
36"	289	294	330	344	363	402	432	464	494	590	623	660	690	722	756	901	1051
42"	294	321	342	356	379	420	452	489	519	625	660	701	731	768	804	961	1120
48"	305	331	353	374	397	441	503	517	549	657	699	742	777	814	850	1023	1186
54"	310	344	365	386	409	459	517	535	574	694	733	782	819	864	901	1072	1249
61"	317	354	383	407	430	482	549	568	598	731	774	832	874	920	959	1136	1322
66"	344	379	411	437	459	501	552	586	628	768	807	865	906	959	1002	1193	1386
73"	345	393	423	450	471	522	563	618	660	804	850	913	963	1018	1055	1255	
78"	402	455	489	524	561	611	662	724	777	832	883	942	995	1053	1101	1311	
84"	411	466	503	536	574	630	690	756	807	865	924	986	1037	1097	1154		
90"	423	482	519	561	593	655	712	781	841	899	961	1028	1085	1147	1200		
96"	432	496	533	574	616	674	738	809	871	934	996	1065	1126	1189			
108"	469	544	591	639	690	763	841	924	996	1069	1149	1228					
120"	505	591	653	708	765	850	938	1034	1122	1209	1295						

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-on-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Hardware Color Override

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Optionadd \$30
- Continuous Cord Loop*add \$74
 - Top-Down/Bottom-Up*add \$188
- Cordless Lift System*add \$116
 - Two-On-One Headrail* price as 2 separate shades and add \$232 (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades and add \$348 (not available in Top-Down/Bottom-Up)
 - Top-Down/Bottom-Up*add \$232
- Cordless Lift & Lockadd \$58
 - Cordless Lift & Lock Two-On-One Headrailadd \$116
 - Cordless Lift & Lock Three-On-One Headrailadd \$174
 - Top-Down/Bottom-Up*add \$174
 - Premium Headrail Upgrade*add \$20 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$30
- 5' to 10' Cordless Extension Pole #400036-81511\$50
- TriLight Shades – see pages 23-28

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

NOTE: 2" HYBRID PLEAT IS NOT AVAILABLE WITH POWERWAND MOTORIZATION.

See page 17 for motorization surcharges

2" HYBRID PLEAT (Standard Rectangular)

NOTE: A control option must be selected.

• 2" HYBRID PLEAT - BLACKOUT

WIDTH TO:	18"	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:																	
30"	\$351	376	398	413	434	482	508	554	582	694	733	777	816	851	883	1058	1237
36"	361	390	411	432	457	505	538	584	618	742	781	827	867	908	947	1134	1325
42"	370	404	427	455	475	529	565	616	655	784	825	881	920	968	1009	1212	1407
48"	377	413	448	467	494	554	593	650	687	825	874	931	975	1028	1071	1283	1492
54"	390	430	464	487	521	575	623	674	722	871	920	986	1032	1087	1134	1354	1571
61"	398	450	478	508	535	604	655	712	749	920	973	1044	1097	1156	1200	1433	1660
66"	430	475	522	551	574	627	674	740	789	959	1023	1087	1145	1202	1260	1502	1743
73"	441	489	531	565	591	655	706	774	825	1009	1067	1150	1209	1278	1327	1582	
78"	505	570	616	659	706	768	834	913	975	1044	1108	1189	1255	1320	1387	1647	
84"	538	618	667	722	772	851	927	1023	1097	1175	1255	1343	1416	1497	1575		
90"	593	678	736	791	851	933	1026	1120	1205	1288	1384	1470	1561	1647	1732		
96"	634	743	818	888	959	1069	1180	1304	1407	1522	1631	1750	1858	1969			
108"	736	885	975	1071	1173	1313	1462	1619	1759	1902	2056	2206					
120"	811	991	1103	1223	1345	1522	1699	1888	2061	2231	2419						

OPTIONS: NO EXTRA CHARGE

- Color-Coordinated Rails
- Control Positions – left or right side of the shade (Exception: for Two-On-One Headrail, cords must be on opposite ends of the headrail)
- 3" Extension Bracket and 1/2" Spacer Blocks – maximum of 3 spacer blocks per bracket
- Hold Down Brackets
- Hardware Color Override

OPTIONS: EXTRA CHARGE

See "SIZE STANDARDS" for complete option details.

- Fabric-Wrapped Rail Optionadd \$30
- Top-Down & Top-Down/Bottom-Upadd \$116
- Continuous Cord Loop*add \$74
 - Top-Down/Bottom-Up*add \$188
- Cordless Lift System*add \$116
 - Two-On-One Headrail* price as 2 separate shades and add \$232 (not available in Top-Down/Bottom-Up)
 - Three-On-One Headrail* price as 3 separate shades and add \$348 (not available in Top-Down/Bottom-Up)
 - Top-Down/Bottom-Up*add \$232
- Cordless Lift & Lockadd \$58
 - Cordless Lift & Lock Two-On-One Headrailadd \$116
 - Cordless Lift & Lock Three-On-One Headrailadd \$174
 - Top-Down/Bottom-Up*add \$174
 - Premium Headrail Upgrade*add \$20 (Premium Headrail not available with Top-Down/Bottom-Up or TriLight)
- 18" to 36" Cordless Extension Pole #24-213 TEP-2L13091\$30
- 5' to 10' Cordless Extension Pole #400036-81511\$50
- TriLight Shades – see pages 23-28

*NOTE: FABRIC-WRAPPED RAILS ARE OPTIONAL FOR A SURCHARGE ON CONTINUOUS CORD LOOP, CORDLESS LIFT, CORDLESS LIFT & LOCK, AND MOTORIZED SHADES. COLOR-COORDINATED RAILS ARE AVAILABLE AT NO ADDITIONAL CHARGE.

NOTE: 2" HYBRID PLEAT IS NOT AVAILABLE WITH POWERWAND MOTORIZATION.

See page 17 for motorization surcharges

SIMPLICITY SURCHARGE AND OPTIONS
EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE HONEYCOMB SHADE GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- **Standard Simplicity Motorization** (Battery wand included in the price)add \$350 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$58 each
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$88 each
 - 48" Extension Wire (Part #CS5133Z)add \$12 each
 - DC Power Supply (Part #CS5151)add \$48 each
- **Simplicity Rechargeable Motorization**add \$350 per shade
 - 2-on-1 Headrailprice as 2 separate shades
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$58 each
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$88 each
 - 48" Extension Wire (Part #CS5133Z)add \$12 each
 - Solar Panel (Part #CS52096)add \$212 each
 - Plug-In Charger (Part #CS5199)add \$44 each
- **Simplicity Rechargeable Top-Down/Bottom-Up**add \$350 per shade + TD/BU Surcharge \$102 per shade
 - 14 Channel Remote – Available in White Only (Part #CS52136)add \$88 each
 - 48" Extension Wire (Part #CS5133Z)add \$12 each
 - Solar Panel (Part #CS52096)add \$212 each
 - Plug-In Charger (Part #CS5199)add \$44 each
- **PowerWand™**add \$160 per shade
 - PowerWand™ Options (must be specified): **No Charge**
 - 1) Control Side (Left or Right)
 - 2) Wand Color (Black or White)
 - 3) Wand Length:
 - 1 foot (12")
 - 2 feet (24")
 - 3 feet (36")
 - 4 feet (48")
 - 5 feet (60")
 - Plug-In Charger (Part #CS5199)add \$44 each

Note: 2" Hybrid Pleat is Not Available with PowerWand™ Motorization
REMOTELIFT 2.0 SURCHARGE AND OPTIONS


- **Remotelift 2.0**add \$402
- **Remote Control** #2984495100add \$76
- **Wireless Wall Switch** #2986350100add \$106
- **Remotelift Top-Down**add \$64
- **Satellite Battery Pack** #KIT2791 – select with wire length below:
 - **Satellite Battery Pack (15' Wire)** #2989899000add \$90
 - **Satellite Battery Pack (4' Wire)** #2989900000add \$96
 - **Satellite Battery Pack (10' Wire)** #2989901000add \$112
 - **Satellite Battery Pack (20' Wire)** #2989902000add \$124
- **18V DC Power Supply** #7806000000 – select with wire length below:
 - **DC Power Supply (15" Wire)** #2989899000add \$130
 - **DC Power Supply (4' Wire)** #2989900000add \$132
 - **DC Power Supply (10' Wire)** #2989901000add \$138
 - **DC Power Supply (20' Wire)** #2989902000add \$142
- **Daisy Chain cable option requires DC Power Supply**
Daisy Chain Adapter (Select with wire length below) #2989875000
 - (with 15" cable) #2989899000add \$64
 - (with 4' cable) #2989900000add \$74
 - (with 10' cable) #2989901000add \$80
 - (with 20' cable) #2989902000add \$86
- **Momenta** (must be submitted as part order)
 - **Momenta App Bridge Kit** #2920072100add \$184 NET Cost
 - **Momenta Extender Kit** #2920075100add \$68 NET Cost

 REMOTELIFT 2.0 SPECIFICATIONS HAVE BEEN UPDATED. PLEASE
 VERIFY SIZE RESTRICTIONS ON PAGE 31 PRIOR TO ORDERING.

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

STANDARD RECTANGLE – STANDARD CORDLOCK



- Headrail Color – color coordinated with fabric
- Installs with standard snap-in brackets
- End mount brackets also available
- Standard cord length is 40% of the height of the shade unless otherwise specified

2" Hybrid Pleat is not available with standard cordlock.

STANDARD RECTANGULAR – SIZE STANDARDS

	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	Subdue Blackout (\$61)	All other Blackout Fabrics
Min. Width (net)*	8"	8"	8"	8"
Max. Width	60"	60"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"
Min. Height	12"	12"	12"	12"
Max. Height*	120"	120"	120"	120"
Max. Area (sq. ft.)	50	40	40	60

* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 2" Hybrid Pleat Fabrics

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/8"
Outside (OB) Mount	
Headrail unit	ordered width
Shade height	ordered height
Fabric width	– 3/16"
End (EB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/8"
2 on 1 Headrail	
Gap between panels	– 1/4"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth:	
Standard installation bracket	1-1/4"
Swivel bracket	1/2"
Minimum mounting depth, flush mount:	
Standard installation bracket	2-1/4"
Swivel bracket	2"
End mount bracket	2"
Outside (OB) Mount	
Minimum flat vertical surface	1"


NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

2 ON 1 HEADRAIL (PRICE AS 2 SEPARATE SHADES)



Cover patio doors and other large expanses by placing two independently operated shades side-by-side on the same headrail. Note: there will be a 1/4" minimum to a 1/2" maximum light gap between the two shades.

Finished Dimensions & Mounting Requirements:

see "Standard Rectangle" or "Continuous Cord" section.

STANDARD CORDLOCK TWO-ON-ONE – SIZE STANDARDS

	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	Subdue Blackout (\$61)	All other Blackout Fabrics
Min. Width (per panel)	8"	8"	8"	8"
Min. Width (overall)	16"	16"	16"	16"
Max. Width (per panel)	60"	60"	60"	60"
Max. Width (overall)	120"	120"	120"	120"
Max. Width (end mount)	36"	36"	36"	36"
Min. Height	12"	12"	12"	12"
Max. Height	120"	120"	120"	120"
Max. Area (sq. ft.)	50	40	40	60


* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 2" Hybrid Pleat Fabrics

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

TOP-DOWN OR TOP-DOWN/BOTTOM-UP – STANDARD CORDLOCK



Conveniently open shades from the top down or from both top and bottom.

Installs with standard snap-in brackets

Top-Down/Bottom-Up features one cord connector tassel per pull cord.

Finished Dimensions & Mounting Requirements:

- See "Standard Rectangle" or "Cordless Lift" section.
- End mount brackets also available.

NOTE: Measurements may vary $\pm 1/8"$

NOTES:

- The standard TD/BU control positions are: RIGHT operates the top-middle moving rail and LEFT operates the bottom rail. REVERSE CONTROLS also are available (operate opposite as described above). Specify REVERSE CONTROLS when ordering.
- Standard cord length is 40% of the height of the shade unless otherwise specified.

STANDARD CORDLOCK TOP-DOWN – SIZE STANDARDS

	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	Subdue Blackout (\$61)	All other Blackout Fabrics
Min. Width (net)*	10"	10"	10"	10"
Max. Width	60"	60"	60"	60"
Max. Width-End Mount	36"	36"	36"	36"
Min. Height	12"	12"	12"	12"
Max. Height*	96"	96"	96"	96"
Max. Area (sq. ft.)	50	40	40	60

* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 2" Hybrid Pleat Fabrics

STANDARD CORDLOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS


	All Single Cell Semi-Opaque	All Double Cell Semi-Opaque	Subdue Blackout (\$61)	All other Blackout Fabrics
Min. Width (net)*	10"	10"	10"	10"
Max. Width	72"	72"	72"	72"
Max. Width-End Mount	36"	36"	36"	36"
Min. Height	12"	12"	12"	12"
Max. Height*	96"	96"	96"	96"
Max. Area (sq. ft.)	50	40	40	60

* For shades under 12" widths, the maximum height is 80"

NOTE: Standard Cordlock is **not available** with 2" Hybrid Pleat Fabrics

On top-down/bottom-up shades a fabric insert is standard. This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

CUT-OUTS



The portion of the shade above the cut-out will not stack tightly when the shade is raised.

Available on standard cordlock, continuous cord loop and RemoteLift bottom-up shades only.

Not available on 2" Hybrid Pleat shades.


CUT-OUTS - SIZE STANDARDS

Min. Cut-out Width	1/8"
Max. Cut-out Width	3"
Min. Shade Width	12"
Max. Shade Width	120"
Min. Shade Height	12"
Max. Shade Height	120"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT SYSTEM



Uses steel snap-in brackets. Cordless easily lifts and lowers using the bottomrail handle. No lift cord is necessary.

All Cordless shades can be ordered with the fabric covered headrail and bottomrail for a surcharge, or with the color coordinated non-wrapped rails at no additional charge. Must be specified when order is placed.

Cordless cellular shades come with a color-coordinated textured handle pre-inserted, a clear textured handle or clear plastic insert are optional.

Shades over 42" will have two handles. Single handle available, must be selected during order entry.

Cut-Outs are not available.



CORDLESS LIFT – SIZE STANDARDS


	Cellular			2" Hybrid Pleat
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net)	16"	16"	16"	16"
Max. Width	120"	84"	96"	120"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max Area (sq. ft.)	70	49	56	60

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS LIFT TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net)	16"	16"	16"	16"
Max. Width	96"	84"	96"	120"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height	84"	84"	84"	84"
Max Area (sq. ft.)	56	49	56	60

Note: Cut-outs are not available on Cordless Lift shades.



Top Down Bottom Up shades are now available with white striker plates and magnet caps when shades are ordered with fabric-wrapped rails. Zinc striker plates & magnets comes standard on shades ordered with color-coordinated rails. Striker plate & magnet placement:

Shades under 42" Wide – one magnet on each end of the shade

Shades 42" - 78" wide – one magnet on each end of the shade and one offset 3" from the center cord

Shades 78" - 96" wide – one magnet on each end of the shade and one in the center of the shade.

Shades over 96" wide – one magnet on each end of the shade and one at 3" to the left and right of the center routes.

CORDLESS LIFT TWO-ON-ONE – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout
Min Width (per panel)	16"	16"	16"	16"
Min Width (overall)	32"	32"	32"	32"
Max Width (per panel)	100"	84"	96"	100"
Max Width (overall)	120"	120"	120"	120"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	49	56	60

* Two-On-One Headrail is not available in Top-Down/Bottom-Up or Trilight

Note: End mount not available. Not available with Hold Down Brackets

Note: Cut-outs are not available on Cordless Lift shades.

CORDLESS LIFT THREE-ON-ONE – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout
Min Width (per panel)	16"	16"	16"	16"
Min Width (overall)	48"	48"	48"	48"
Max Width (per panel)	100"	84"	96"	120"
Max Width (overall)	174"	174"	174"	174"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	49	56	60

* Three-On-One Headrail is not available in Top-Down/Bottom-Up or Trilight

Note: End mount not available. Not available with Hold Down Brackets

Note: Cut-outs are not available on Cordless Lift shades.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"


Fabric -5/8"

Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CORDLESS LIFT & LOCK SYSTEM



Press a button on the bottom rail to lift and lower the shade. Release the button to securely lock the shade into place.

No exposed cords on bottom up shades. Lift cords on Top-Down/Bottom-Up are on the far sides of the shade. Child-safe option.

All Cordless shades can be ordered with the fabric covered headrail and bottomrail **for a surcharge**, or with the color coordinated non-wrapped rails at **no additional charge**. **Must be specified** when order is placed.

Cordless Lift & Lock shades can be ordered with the Premium headrail **for a surcharge**. Premium headrail option is not available with Top-Down/Bottom-Up or TriLight.

CORDLESS LIFT & LOCK – SIZE STANDARDS			
	Cellular		2" Hybrid Pleat
	All Semi-Opaque Fabrics	All Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net)	9-1/2"	9-1/2"	9-1/2"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	48"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

Top-Down/bottom-Up Lift & Lock shades under 42" will have one magnet in the middle.

Shades over 42" will have one magnet in the middle, and one approximately 3" from each end to provide better closure between the middle rail and top rail.

CORDLESS LIFT & LOCK TWO-ON-ONE & THREE-ON-ONE – SIZE STANDARDS			
	Cellular		2" Hybrid Pleat
	All Semi-Opaque Fabrics	All Blackout Fabrics	Semi-Opaque & Blackout

Two-on-One

Min. Width (net - per panel)	9-1/2"	9-1/2"	9-1/2"
Min Width (overall)	20"	20"	20"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"

Three-on-One

Min. Width (net - per panel)	9-1/2"	9-1/2"	9-1/2"
Min Width (overall)	30"	30"	30"
Max. Width (per panel)	84"	84"	84"
Max. Width (overall)	168"	168"	168"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (per panel) (sq. ft.)	49	49	49

NOTE: 2-on-1 or 3-on-1 Headrail is **not available** in Top-Down/Bottom-Up or Trilight or End Mount

CORDLESS LIFT & LOCK TOP-DOWN/BOTTOM-UP – SIZE STANDARDS			
	Cellular		2" Hybrid Pleat
	All Semi-Opaque Fabrics	All Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net)	16"	16"	16"
Max. Width	84"	84"	84"
Max. Width – End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max Area (sq. ft.)	49	49	49

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit (includes end caps)	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit (includes end caps)	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit (includes end caps)	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
2-on-1 & 3-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: Measurements may vary $\pm$ 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Standard Headrail		
Inside (IB) Mount		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (EB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"


	SoftStyle	2" Hybrid Pleat
Premium Headrail		
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:
Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

RECTANGULAR CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.



CONTINUOUS CORD LOOP SYSTEM



Uses steel snap-in brackets.

Continuous cord loop system easily lifts any shade – even large or hard-to-reach – and stops the shade exactly where you want. No more tangled cords!

All continuous cord loop shades can be ordered with the fabric covered headrail and bottomrail for a surcharge, or with the color coordinated non-wrapped rails at no additional charge. **Must be specified** when order is placed.



SHADE HEIGHT	CORD LOOP DROP
up to 18"	18" loop
18" to 42"	24" loop
42-1/8" - 54"	36" loop
54-1/8" - 72"	48" loop
72-1/8" - 90"	60" loop
90-1/8" - 110"	72" loop
110-1/8" - 130"	96" loop
130-1/8" - 144"	120" loop

FINISHED DIMENSIONS – STANDARD

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat*
Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 5/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"

*An extra 1/4" deduction will be taken from the fabric with the Top-Down/Bottom-Up option for Hybrid Pleat

NOTE: Measurements may vary ± 1/8"

FINISHED DIMENSIONS – 2 ON 1

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width (includes gap deduction)	- 5/8"	- 7/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 3/8"
2 on 1 Headrail		
Gap between panels	- 1/4"	- 1/4"

NOTE: Measurements may vary ± 1/8"

CONTINUOUS CORD LOOP – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net)*	18"	18"	18"	18"
Max. Width	120"	120"	120"	120"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height*	120"	120"	120"	120"
Max. Area (sq. ft.)	100	90	100	60

CONTINUOUS CORD LOOP TWO-ON-ONE – SIZE STANDARDS

	Cellular		2" Hybrid Pleat
	All Semi-Opaque Fabrics	All Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (per panel)	18"	18"	18"
Min. Width (overall)	36"	36"	36"
Max. Width (per panel)	100"	96"	102"
Max. Width (overall)	120"	120"	120"
Min. Height	12"	12"	12"
Max. Height	120"	120"	120"
Max. Area (sq. ft.)	83	80	60

NOTE: End mount not available.

CONTINUOUS CORD LOOP TOP-DOWN/BOTTOM-UP – SIZE STANDARDS

	Cellular			2" Hybrid Pleat
	All Semi-Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	Semi-Opaque & Blackout
Min. Width (net)*	24"	24"	24"	24"
Max. Width	120"	120"	120"	120"
Max. Width – End Mount	48"	48"	48"	42"
Min. Height	12"	12"	12"	12"
Max. Height*	120"	120"	120"	120"
Max. Area (sq. ft.)	100	90	100	60

On top-down/bottom-up Cellular shades a fabric insert is standard (Does not apply to Hybrid Pleat). This is an extra two-cell fabric gasket attached to the top headrail and acts as a seal to eliminate light leakage between the headrail and center rail when the shade is closed.

Right control operates the center moving rail; left control operates the bottomrail. Reverse controls are available.

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

SMART FACTS



- The beautiful combination of a sheer pleated shade on top and cellular or 2" Hybrid Pleat shade on the bottom provides maximum versatility in a single window covering.
- Wide array of color options from whites, neutrals, and muted tones to bold colors.
- Four sheer pleated styles in multiple colors to meet most decorating tastes.
- Semi-opaque and blackout cellular fabrics are available in multiple sizes, providing a choice for every window size and desired light and privacy control.
- Cellular fabric provides superior insulation for reduced heating and cooling bills. It also absorbs sound, making rooms more comfortable.
- The continuous cord loop option lifts any shade -- even large or hard-to-reach -- and positions it exactly where you want without any dangling cords.
- The Cordless and Cordless Lift & Lock options provide safe, simple operation by raising and lowering the shade using handles instead of cords. Ideal in homes with children and pets.

SELECTING A TRILIGHT SHADE

1. Choose a fabric, cell size and color for the bottom shade.
2. Choose a sheer pleated fabric for the top shade. See Sheer Pleated Color Chart.
3. Refer to the cellular and 2" Hybrid Pleat price grids on pages 7-16 to determine your bottom shade price.
4. Refer to the sheer pleated grids on page 25 to find your top shade price. Add the bottom shade, sheer pleated and control option prices together to determine your final price.
 - TriLight Shades are available as standard rectangle only.
 - Continuous Cord Loop – right operates the middle rail; left operates the bottom rail. Reverse controls are available; grouped controls are NOT available.

SHEER PLEATED COLOR CHART

Sheer Pleated Price Group A		
Style Name	Color #	Color Name
Nova Sheer	P33-824	Blush
Nova Sheer	P33-820	Bridal White
Nova Sheer	P33-823	Crème
Nova Sheer	P33-821	Glacier White
Nova Sheer	P33-822	Light Lemon
Nova Sheer	P33-825	Tea

Sheer Pleated Price Group B		
Style Name	Color #	Color Name
Carousel Sheer	P32-804	Blush
Carousel Sheer	P32-800	Bridal White
Carousel Sheer	P32-803	Crème
Carousel Sheer	P32-801	Glacier White
Carousel Sheer	P32-802	Light Lemon

Sheer Pleated Price Group A		
Style Name	Color #	Color Name
Willa Sheer	P05-506	Bisque
Willa Sheer	P05-508	Chocolate
Willa Sheer	P05-504	Crystal
Willa Sheer	P05-502	Heirloom
Willa Sheer	P05-501	Ice
Willa Sheer	P05-507	Latte
Willa Sheer	P05-505	Light Taupe
Willa Sheer	P05-500	Snow White
Willa Sheer	P05-503	Soft Ivory
Willa Sheer	P05-509	Twilight

Sheer Pleated Price Group B		
Style Name	Color #	Color Name
Lyssa Sheer	P04-405	Blush
Lyssa Sheer	P04-400	Bridal White
Lyssa Sheer	P04-402	Crème
Lyssa Sheer	P04-401	Glacier White
Lyssa Sheer	P04-403	Light Lemon
Lyssa Sheer	P04-407	Tea

SHEER PLEATED MAXIMUM WIDTHS		% UV BLOCKAGE
Nova Sheer	96"	60
Carousel Sheer	96"	60
Willa Sheer	83"	50
Lyssa Sheer	96"	60

Determine the top shade price by using the charts below.
Add the sheer pleated, bottom shade and control option prices together to determine your final price.

GROUP A (Sheer Pleated)

- Nova Sheer (96")
- Willa Sheer (83")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
HEIGHT TO:											
36"	\$70	78	84	98	108	116	126	134	144	164	184
42"	74	84	92	108	116	126	136	150	158	182	204
48"	80	88	102	114	126	136	150	162	172	200	224
54"	84	92	110	122	134	148	162	172	188	214	244
60"	86	100	116	128	142	158	172	186	204	234	262
66"	90	108	124	136	156	168	184	202	216	248	284
72"	98	112	128	148	164	180	196	214	230	264	300
78"	102	118	136	154	172	190	210	224	246	284	318
84"	106	124	142	162	182	200	218	238	256	294	336
90"	110	128	150	168	190	210	230	250	272	314	354
96"	114	134	158	178	200	218	240	262	286	328	372

GROUP B (Sheer Pleated)

- Carousel Sheer (96")
- Lyssa Sheer (96")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"
HEIGHT TO:											
36"	\$82	90	106	116	128	140	152	162	176	198	224
42"	86	100	114	128	140	152	166	180	192	220	248
48"	92	108	122	136	152	166	180	194	210	240	272
54"	100	114	130	148	162	178	194	212	224	260	296
60"	106	120	140	158	172	192	210	224	244	282	318
66"	112	128	150	166	186	204	222	242	260	300	342
72"	116	136	158	178	198	218	238	260	280	324	366
78"	122	142	162	184	210	230	252	274	298	342	388
84"	126	150	172	194	218	240	264	288	310	356	406
90"	134	158	180	204	230	256	276	302	328	380	428
96"	136	162	188	214	240	264	292	318	344	398	452

OPTIONS: NO EXTRA CHARGE

- Cordless Lift – Single handle on shades over 42" wide
- Extension Brackets
- End Mount Brackets
- Hold Down Brackets
- Spacer Blocks
- Special Cord Loop Length
- Color Coordinated Rails


CONTROL OPTIONS

A CONTROL OPTION MUST BE SELECTED.

- Cordless Lift & Lock System.....add \$58
- Cordless Lift System.....add \$116
- Continuous Cord Loopadd \$74
- Fabric-Wrapped Rail Optionadd \$30

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CONTINUOUS CORD LOOP



Features same headrail as continuous cord loop system.

Options:

- Color-Coordinated painted rails – no extra charge
– rails, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
– fabric wrap rails, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric – surcharge applies
– Bottomrail, middle rail, end caps, cord loops, and cord tensioner will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Right loop control operates the middle rail, left loop control operates the bottomrail.

Cut-outs are not available on TriLight Shades.

CONTINUOUS CORD LOOP SIZE STANDARDS

	All Semi- Opaque Fabrics	All Blackout Fabrics	2" Hybrid Pleat
Min. Width (net)	24"	24"	24"
Max. Width*	83" - 96"	83" - 96"	83" - 96"
Max. Width-End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	96"	96"	96"
Max. Area (sq. ft.)	64	50	60
*See sheer pleated maximum width limitations			

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 7/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 1-1/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 5/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:


Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS



Sheer pleated lifts and lowers from the middle rail.
Honeycomb and 2" Hybrid Pleat lift and lower from the bottomrail. No lift cords are necessary.

Options:

- Color-Coordinated painted rails - no extra charge
– Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
– Fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric
- Headrail can be fabric wrapped to match the top (sheer) fabric - surcharge applies
– Bottomrail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric

NOTES:

- Shades over 42" will have two handles in the middle rail and two handles in the bottomrail. Single handle available, must be selected during order entry.

Cut-outs are not available on TriLight Shades.

CORDLESS LIFT SYSTEM – SIZE STANDARDS			
	All Semi- Opaque Fabrics	All Blackout Fabrics	2" Hybrid Pleat
Min. Width (net)	16"	16"	16"
Max. Width**	83" - 96"	83"	83" - 96"
Max. Width-End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max. Area (sq. ft.)	56	49	60

*See sheer pleated maximum width limitations.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
End (EB) Mounts		
Headrail unit	- 1/2"	- 1/2"
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

NOTE: Inside mount with hold down brackets deductions:


Headrail -1/2"

Fabric -5/8"

Bottomrail -1/2"

TRILIGHT CONFIGURATION SPECIFICATIONS

TRILIGHT – CORDLESS LIFT & LOCK



CORDLESS LIFT & LOCK – SIZE STANDARDS

	All Semi- Opaque Fabrics	All Blackout Fabrics	2" Hybrid Pleat Fabrics
Min. Width (net)	12"	12"	12"
Max. Width	84"	84"	84"
Max. Width - End Mount	48"	48"	42"
Min. Height	12"	12"	12"
Max. Height	84"	84"	84"
Max. Area (sq. ft.)	49	49	49

*Maximum width on Whisper Sheer is 83", all other patterns 84".

Options:

- Color-Coordinated painted rails - no extra charge
 - Headrail, bottomrail, and middle rail, end caps, cord loops, and handles will color-coordinate to the bottom (honeycomb) fabric
- Fabric wrapped rails - surcharge applies
 - fabric wrapped headrail, bottomrail, and middle rail, end caps, cord loops, and handles will coordinate to the bottom (honeycomb) fabric

Must be specified when order is placed.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.
Measurements may vary +/- 1/8".

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	-1/4"	-1/4"
Shade height	Ordered Height	Ordered Height
Fabric width	-3/8"	-3/8"
End (EB) Mounts		
Headrail unit	-1/2"	-1/2"
Shade height	Ordered Height	Ordered Height
Fabric width	-5/8"	-5/8"
Outside (OB) Mount		
Headrail unit	Ordered Width	Ordered Width
Shade height	Ordered Height	Ordered Height
Fabric width	-1/8"	-1/8"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/4"	1-1/4"
Minimum mounting depth, flush mount:	2-1/4"	2-1/4"
End (OB) Mount		
Minimum flat vertical surface	2"	2"
Outside (OB) Mount		
Minimum flat vertical surface	1"	1"

NOTE: Inside mount with hold down brackets deductions:

Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

MOTORIZATION CONFIGURATION SPECIFICATIONS


NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

REMOTELIFT™ 2.0 BATTERY-OPERATED MOTORIZATION



- Fits rectangular window openings
- Remote control battery-operated operation
- Two stacking options: 1) standard bottom-up 2) top-down
- Features same headrail as used on Cordless Lift and Continuous Cord Loop. Fabric wrapped rails available for a surcharge or, non-fabric wrapped rails at no additional cost. Must be specified at the time the order is placed.

REMOTELIFT 2.0 – SIZE STANDARDS		
	All SoftStyle Fabrics	2" Hybrid Pleat
Minimum Width	18"	18"
Maximum Width	Refer to chart on page 31	
Max. Width, End Mount	36"	48"
Minimum Height	12"	12"
Maximum Height	Refer to chart on page 31	


** Max square footage for 2" Hybrid Pleat is 60 sq. feet



Battery Pack Mounting Bracket Options (Rear View)



High Mount Bracket — Standard (Part #2920673100)




Satellite Battery Pack or DC Power Supply (shown) — Optional

FINISHED DIMENSIONS


Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	– 1/4"	– 1/4"
Shade height	ordered height	ordered height
Fabric width	– 3/8"	– 3/8"
End (EB) Mounts		
Headrail unit	– 1/2"	– 1/2"
Shade height	ordered height	ordered height
Fabric width	– 5/8"	– 5/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	– 1/8"	– 1/8"

NOTE: Measurements may vary $\pm 1/8"$



High Mount & Wand



Satellite Pack or DC Power

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) & End (EB) Mounts		
Minimum mounting depth	1-1/2"	1-1/2"
Minimum mounting depth, flush mount:	2-7/8"	2-7/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

With (Optional) Satellite Battery Pack or DC Power Supply

Inside (IB) & End (EB) Mounts		
Minimum mounting depth	3/4"	3/4"
Minimum mounting depth, flush mount:	2-1/8"	2-1/8"
Outside (OB) Mount		
Minimum flat vertical surface	1-1/2"	1-1/2"

IB with HDB deductions: Headrail -1/2"
Fabric -5/8"
Bottomrail -1/2"

REMOTELIFT 2.0 ORDERING NOTES

- Hardware colors will complement the fabric. Refer to the Hardware Color Guide for colors and more information.
- Specify left-side or right-side placement for sensor eye.
- Remote controls are ordered separately. Specify the number of remotes you desire.
- To operate multiple shades independently in Radio Frequency, additional remotes will need to be ordered if you have more than 4 shades.
- If ordering a satellite battery pack, specify wire length – 15', 4', 10' or 20'.
- If ordering the DC power supply, specify wire length – 15', 4', 10' or 20'.
- Specify "Channel 2" operation for independent operation of adjacent shades.

MOTORIZATION CONFIGURATION SPECIFICATIONS

REMOTELIFT™ 2.0 SYSTEM OPTIONS

BATTERY WAND

Battery wands are the standard power source whether inside (IB), outside (OB) or end (EB) mount, if applicable. Battery wands are mounted on the rear of the headrail. The redesigned battery wand will allow for batteries to be changed without removing the window covering from the window.

- 12 AA 1.5V alkaline batteries.
- Battery life is approximately one year, depending on usage.
- Replace batteries when the window covering(s) begin to operate slowly.



18V Battery Wand
(Part #7520062000)

SATELLITE BATTERY PACK

The satellite battery pack is an optional power source. The battery pack connects to the same side of the headrail where the receiver eye or satellite eye is located. The satellite battery pack is the best choice when the window covering is mounted in a high window, restricting access to a battery wand.

- 18V satellite battery pack:
 - Available in 15", 4', 10' and 20' wire lengths.
 - 12 AA 1.5V alkaline batteries.
- Battery life is approximately one year, depending on usage.
- Replace batteries when the window covering(s) begin to operate slowly.
- Mounting options: top of headrail, next to molding or under the sill.
- Satellite battery pack cover can be painted.



18V Satellite Battery Pack
(Part # KIT2791)

Wire Part #'s:
15" (Part #2989899000)
4ft (Part #2989900000)
10ft (Part #2989901000)
20ft (Part #2989902000)

DC POWER SUPPLY

The DC power supply is an optional power source. The DC power supply plugs into any standard household outlet.

- 18V DC power supply:
 - Available in 15", 4', 10' and 20' wire lengths.
- Eliminates need to change batteries.



18V DC Power Supply
(Part #7806000000)

DAISY CHAIN

The optional Daisy Chain Adapter allows up to 3 shades to run off of one DC power supply. You must specify the cable wire length when order is placed.

Note: Keep in mind which side the sensor eye is positioned on each side when determining daisy-chain length.



Daisy-Chain Adapter/Connector
(Part #2989875000)

SIZE STANDARDS – REMOTELIFT™ 2.0 MOTORIZATION

REMOTELIFT 2.0 MAXIMUM HEIGHTS – STANDARD AND TOP-DOWN																
CODE	SHADE WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
Max Square Footage:		55 Square Feet													35 Square Feet	
S50	SOFTSTYLE BEGINNINGS SEMI-OPAQUE - SINGLE CELL	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	94"	88"	90"	46"	42"
Max Square Footage:		35 Square Feet													20 Square Feet	
S51	SOFTSTYLE BEGINNINGS SEMI-OPAQUE - DOUBLE CELL	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	26"	24"
Max Square Footage:		55 Square Feet													35 Square Feet	
S11	SOFTSTYLE SEMI-OPAQUE - SMALL SINGLE CELL	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	94"	88"	90"	46"	42"
Max Square Footage:		55 Square Feet													40 Square Feet	
S21	SOFTSTYLE SEMI-OPAQUE - LARGE SINGLE CELL	108"	108"	108"	108"	108"	108"	108"	108"	108"	100"	94"	88"	90"	54"	48"
Max Square Footage:		30 Square Feet													20 Square Feet	
S31	SOFTSTYLE SEMI-OPAQUE - DOUBLE CELL	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	26"	24"
Max Square Footage:		45 Square Feet													20 Square Feet	
S13	SOFTSTYLE BLACKOUT - SMALL SINGLE CELL	108"	108"	108"	108"	108"	108"	108"	98"	90"	82"	76"	72"	68"	26"	24"
Max Square Footage:		50 Square Feet													20 Square Feet	
S23	SOFTSTYLE BLACKOUT - LARGE SINGLE CELL	108"	108"	108"	108"	108"	108"	108"	108"	100"	90"	84"	80"	74"	26"	24"
Max Square Footage:		25 Square Feet														
S32	SOFTSTYLE BLACKOUT - DOUBLE CELL	108"	108"	100"	84"	74"	66"	60"	54"	50"	46"	42"	40"	36"	n/a	
Max Square Footage:		25 Square Feet														
S61	SOFTSTYLE SUBDUE BLACKOUT - SINGLE CELL	108"	108"	100"	84"	74"	66"	60"	54"	50"	46"	42"	40"	36"	n/a	
Max Square Footage:		35 Square Feet														
HPF	2" HYBRID PLEAT - SEMI-OPAQUE	108"	108"	108"	108"	104"	92"	84"	76"	70"	64"	60"	56"	52"	n/a	
Max Square Footage:		30 Square Feet														
HPR	2" HYBRID PLEAT - BLACKOUT	108"	108"	108"	102"	90"	80"	72"	64"	60"	54"	50"	48"	44"	n/a	

NOTE: SPECIFICATIONS HAVE BEEN UPDATED. PLEASE REVIEW WHEN ORDERING.

REMOTELIFT 2.0

RemoteLift 2.0 uses a combination of two different types of wireless signals to control window coverings: radio waves and an infrared signal.

By combining these two signal methods, RemoteLift 2.0 gives consumers the best features and control in the industry. Whether opening a single window covering or partially closing a roomful of coverings at the same time, RemoteLift 2.0 provides the ultimate in control.

WHAT IS RADIO FREQUENCY?

Radio frequency (RF) in today's world simply refers to the use of radio waves of a given frequency to wirelessly send data from a transmitter to a receiver. RemoteLift 2.0 uses radio waves in the 2.4GHz (pronounced "gigahertz") frequency range to send commands from the remote or to the receiver at the window covering.

Radio waves, due to their nature, pass through solid objects and radiate in every direction. That means a remote sending an RF signal does not need to be pointed at a window covering in order to control it. The remote does not have to be in the same room as the window covering it operates nor does the satellite eye need to be visible.

People use products that send radio frequency signals every day. From cell phones and keyless car FOBs, to baby monitors and even garage door openers. Each device sends out RF signals (radio waves) to a receiver on the other end. If the receiver on the other end doesn't "hear" the signal being sent, nothing happens (or a cell phone call gets dropped).

Operational Distance of Radio Waves

Range of operation may vary due to common household construction, layout and other wireless devices in the home. Much like reception with a cell phone, there may be better locations within a home to use radio frequency than others.

WHAT IS INFRARED?

An infrared (IR) signal uses an invisible beam of energy to send commands from a limited distance (usually less than 30 feet) to an electronic device. Similar to a flashlight, a clear line of sight between the device sending the signal and the device receiving the signal is necessary. Likewise, an infrared beam reflects off solid surfaces, bouncing around a room, which could activate a window covering unintentionally.

Products that use an infrared signal as a means of communication are so common, people seldom think about it. The most common device that uses an infrared signal sent from a remote in today's world is the television. By pointing the TV remote at the television and pressing a button, the television responds by changing channels, changing the volume level or powering off.


Operational Distance of Infrared Signals

The maximum operational distance an infrared signal can travel is 30 feet or less in a straight line. There cannot be any physical obstructions (like a drapery, top-treatment or cornice) between the remote and the receiver eye.


Also, an infrared signal can be compromised by direct sunlight or bright interior light. Keep all infrared receivers out of direct sunlight for better operation.

REMOTELIFT™ 2.0 MOTORIZATION: OVERVIEW


REMOTELIFT 2.0



Operation of a group of window coverings using radio frequency.



Operation of multiple groups of window coverings using radio frequency.



Operation of a single window covering using infrared or radio frequency.

SIMPLICITY MOTORIZATION SPECIFICATIONS POWERWAND™ MOTORIZATION SPECIFICATIONS

SIMPLICITY AND POWERWAND MOTORIZATION



- Features the same headrail and bottomrail as Cordless Lift, Continuous Cord Loop, and RemoteLift 2.0. Fabric wrapped rails are available **for a surcharge**. Color-coordinated rails are available at **no additional charge**. Must be specified when ordering.

Standard SIMPLICITY, SIMPLICITY Rechargeable & POWERWAND - SIZE STANDARDS		
	All Cellular Fabrics	2" Hybrid Pleat *
Minimum NET Width - Bottom-Up	18"	18"
Minimum NET Width - Top-Down/Bottom-Up	24"	24"
Maximum Width	96"	96"
Maximum Width, End Mount ***	36"	36"
Minimum Height	12"	12"
Maximum Height	96"	96"

** PowerWand **not available** with 2" Hybrid Pleat fabrics

*** Rechargeable Simplicity Top-Down/Bottom-Up **not available** as End Mount

NOTE: Size Standards are the same for standard Simplicity, Rechargeable Simplicity **Bottom-Up**, and PowerWand

NOTE: Min Width for Rechargeable Simplicity Top-Down/Bottom-Up is 24"

NOTE: Max height varies by width and fabric type. Refer to chart on page 39.

SIMPLICITY Rechargeable 2-on-1 HEADRAIL - SIZE STANDARDS		
	All Cellular Fabrics	2" Hybrid Pleat
Minimum NET Width (per panel)	20"	20"
Minimum NET Width (overall)	40"	40"
Maximum Width (per panel)	96"	96"
Maximum Width (overall)	144"	144"
Minimum Height	12"	12"
Maximum Height	96"	96"

NOTE: Simplicity 2-on-1 **ONLY** available with **Rechargeable** battery. **Not available** with standard Simplicity, PowerWand or Top-Down/Bottom-Up

NOTE: Max height varies by width and fabric type. Refer to chart on page 39.

FINISHED DIMENSIONS

Standard, Rechargeable Bottom-Up and Top-Down/Bottom-Up, and PowerWand

Adjustments are taken from ordered dimensions.

	Cellular	Hybrid Pleat
Inside (IB) Mounts		
Headrail unit	- 1/4"	- 1/4"
Shade height	ordered height	ordered height
Fabric width	- 3/8"	- 3/8"
Outside (OB) Mount		
Headrail unit	ordered width	ordered width
Shade height	ordered height	ordered height
Fabric width	- 1/8"	- 1/8"
End (EB) Mount*		
Headrail unit	- 1/2"	ordered width
Shade height	ordered height	ordered height
Fabric width	- 5/8"	- 1/8"

* End Mount is **not available** with Top-Down/Bottom-Up

Simplicity Rechargeable ONLY

2-on-1 Headrail		
Gap between panels	-1/4"	-1/4"

NOTE: 2-on-1 Headrail is **not available** with Top-Down/Bottom-Up

NOTE: Measurements may vary $\pm 1/8"$

NOTE: PowerWand is **not available** with Hybrid Pleat fabrics

MOUNTING REQUIREMENTS

Standard, Rechargeable Bottom-Up, and PowerWand

Use a metal tape measure for all measurements.

Cellular & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount:	2-1/8"
Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

Rechargeable Top-Down/Bottom-Up Mounting Requirements

Use a metal tape measure for all measurements.

Cellular & Hybrid Pleat	
Inside (IB) Mount	
Minimum mounting depth	3/4"
Minimum mounting depth, flush mount	
Over 36" wide	2-1/4"
Under 36" wide (spacer blocks required)	3"

Outside (OB) Mount	
Minimum flat vertical surface	1-1/2"

STANDARD SIMPLICITY MOTORIZATION: OVERVIEW

Standard Simplicity Motorization


- Standard Simplicity Motorization features either a battery powered motor utilizing a single battery wand or plug-in DC transformer. Simplicity motors are compact and use a radio controlled remote to raise or lower the shades.
- Either batteries or 12 Volt DC power supply/transformer is available. The battery wand can be clipped to the headrail or wall or ceiling mounted utilizing battery wand clips. The 12 volt battery wand measures 17", and comes with eight AA alkaline batteries, and is white in color. The battery wire is 10" long. The DC power supply is white and comes with a 80" wire, must be plugged into a standard outlet to power the motor and can power a single shade.
- A 48" extension wire is available (Part #CS5133Z).



SIMPLICITY RECHARGEABLE MOTORIZATION: OVERVIEW

Simplicity Rechargeable

- The Rechargeable Simplicity motor program features an integrated rechargeable lithium ion battery in the motor casing and is fully concealed by the inner tube.
- Rechargeable battery is included with the motor. The average battery charge will last 6-12 months based on an average sized shade raised and lowered once per day. The life of the battery charge will vary based on the type of window covering selected, the size and weight of the window covering and the number of times the shade is operated on a daily basis. The battery can be recharged up to 500 times. It takes approximately 5 hours to recharge the motor when fully depleted.



Charging Port

Battery Charger


- An 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering Simplicity Rechargeable Motorized shade option. The charger plugs into the charging port of the motor. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep. Sold separately.



(Part #CS5199)

Solar Panel Recharge Option

- Plugs in to any Simplicity Rechargeable motorized shading (does not work with PowerWand™). Provides constant trickle charge to 7.4v Li-ION Rechargeable battery packs. Does not require direct sunlight, but performs best in regular direct sunlight applications. Will prolong the life of the charge of the 7.4v rechargeable battery packs, and in some applications will maintain charge indefinitely.
- Life of charge is subject to application variables such as, size and weight of shade, frequency of use, amount of direct sunlight exposure, etc.



(Part #CS52096)
Dimensions of panel
18½" x 1½"

5 Channel Remote

- The remote can operate up to five shadings simultaneously, individually or in groups. Remotes and holders are available in white or black. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet.



White
(Part #CS5138W)

Black
(Part #CS5138)

Please Note:

- Not all motors run at the same rate of speed.
- Simplicity motors have a "Favorites" position setting. To set a "Favorites" position, follow instructions provided in the installation instructions.

SIMPLICITY RECHARGEABLE TOP-DOWN/BOTTOM-UP: OVERVIEW

Rechargeable Simplicity Motors

- The Simplicity TDBU Motor program features a battery powered motor utilizing a rechargeable battery hidden inside the shade head rail. If shades are less than 36" in width, an external snap-on battery pack is necessary.

Top-Down/Bottom-Up Simplicity 14 Channel Remote

- The TDBU remote has 14-channels and an ALL option. Each channel has a setting able to operate the middle rail and a setting able to operate the bottom rail. The TDBU remote is required for TDBU motors, but can be used with other motors as well. The 14 Channel TDBU remote can operate up to fourteen shades individually or 14 groups (not recommended). Simplicity Rechargeable Motorized Cellular Shades are programmed at the factory with the "up and down" limits. Please ensure each shade is linked to the remote prior to installation.
- Simplicity TDBU remotes and holders are white in color. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet. The 14 Channel remote can be utilized on all Simplicity motorized shades.



(Part #CS52136)

Simplicity Rechargeable Battery for Top-Down/Bottom-Up

- For shades 36" and wider the rechargeable battery is fully concealed in the head rail and is recharged via a charging port on the back of the shade. Shades under 36" in width require an externally mounted battery pack. Both the internal and external rechargeable batteries come fully charged from the factory.



Internal Battery
charging port



External Battery Pack

Battery Charger

- Utilizes the same 8.4 Volt charger as Simplicity Rechargeable Bottom-Up and PowerWand



(Part #CS5199)

Solar Panel Recharge Option

- Uses the same Solar Panel recharge option as Simplicity Rechargeable Bottom-up.



(Part #CS52096)
Dimensions of panel
18½" x 1½"

POWERWAND™ MOTORIZATION: OVERVIEW

PowerWand™ Motorization

- Honeycomb Shades can be fabricated with the PowerWand™ Rechargeable Push Button Control option. The PowerWand™ Rechargeable option is an easy, cord free motorized operation for the budget savvy homeowner. PowerWand™ Rechargeable uses Simplicity motors and components.

PowerWand™ Rechargeable Shades Operation

- Press the up or down button on the pendant to raise or lower the shading to your desired position. No programming is required with PowerWand™ as upper and lower limits are set at the factory. If desired, upper and lower limits can be adjusted in the field.
- Please refer to the installation instructions for instructions on resetting the upper and lower limits and setting a favorites position can be programmed on-site.

PowerWand™ Appearance

- The PowerWand™ Rechargeable wand and pendant is attached to the head rail and requires no additional mounting.
- The wand and pendant hangs down the front of the shades from the head rail.
- Pendant is 2-1/2" long.
- The pendant does not need to be mounted to the wall to operate the shade.



PowerWand™ Options

- Wand is available in Black or White (there is no default)
- Wand is available in 1 foot increments from 1 to 5 feet (there is no default)
- Wand is available on either the right or left side of the shade (there is no default)



White



Black Shown with Plug-In Charger

PowerWand™ Battery Life

- The battery life will vary based on the type of window covering selected, the size and weight of the window covering and the number of times you operate the blind on a daily basis.

Battery Charger

- 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering the PowerWand™ motorization option. The charger plugs into the charger port on the side of the pendant. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep.



(Part #CS5199)

Note: PowerWand™ is NOT AVAILABLE with 2" Hybrid Pleat Shades

SIZE STANDARDS – SIMPLICITY MOTORIZATION

SIMPLICITY MOTORIZATION (Bottom-Up and Top-Down/Bottom-Up*) & POWERWAND - MAXIMUM HEIGHTS				
CODE	SHADE NET WIDTH TO:	18" – 72" *	84"	96"
S50	SoftStyle Beginnings Semi-Opaque - Single Cell	96"	96"	96"
S51	SoftStyle Beginnings Semi-Opaque - Double Cell	96"	96"	96'
S11	SoftStyle Semi-Opaque - Small Single Cell	96"	96"	96"
S21	SoftStyle Semi-Opaque - Large Single Cell	96"	96"	96'
S31	SoftStyle Semi-Opaque - Double Cell	96"	90"	72"
S13	SoftStyle Blackout - Small Single Cell	96"	96"	96"
S23	SoftStyle Blackout - Large Single Cell	96"	96"	96"
S32	SoftStyle Blackout - Double Cell	96"	90"	72"
S61	SoftStyle Subdue Blackout - Single Cell	96"	90"	72"
HPF	2" Hybrid Pleat Semi-Opaque**	96"	96"	96"
HPR	2" Hybrid Pleat - Blackout**	96"	90"	72"

* **2-on-1 Minimum Panel Width 20"** (available with **Bottom-Up Simplicity Rechargeable ONLY**)

* **Top-Down/Bottom-Up Minimum Panel Width 24"** (available with **Simplicity Rechargeable ONLY**)

****2" Hybrid Pleat is Not Available with PowerWand Motorization**

- SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (S50)
- SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

GROUP A-SS (Vertical Application)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$454	492	536	574	610	652	692	730	768	810	844	916	986	1052	1112	1178	1272	1366
42"	484	530	574	624	664	708	756	796	840	888	926	998	1066	1146	1210	1290	1394	1498
48"	516	564	618	668	714	760	812	866	906	952	1000	1078	1150	1254	1314	1396	1510	1622
54"	540	602	656	716	762	810	860	910	958	1002	1052	1134	1224	1316	1400	1482	1602	1722
60"	574	636	700	760	810	860	916	968	1020	1070	1120	1218	1314	1414	1496	1596	1724	1852
66"	606	672	738	806	864	916	970	1030	1082	1140	1194	1300	1400	1510	1602	1718	1854	1992
72"	640	708	784	854	912	966	1020	1096	1148	1206	1268	1386	1490	1606	1712	1832	1978	2126
78"	672	748	826	894	954	1006	1070	1146	1198	1268	1326	1452	1566	1686	1798	1924	2078	2232
84"	708	786	864	938	1004	1066	1134	1208	1266	1340	1400	1536	1660	1786	1900	2040	2202	2368
90"	736	822	904	980	1052	1120	1190	1270	1336	1410	1478	1618	1754	1886	2014	2150	2324	2496
96"	768	858	938	1016	1092	1162	1236	1322	1390	1470	1536	1690	1822	1966	2108	2244	2422	2606
102"	800	892	980	1058	1134	1212	1298	1382	1462	1536	1608	1770	1918	2060	2206	2358	2548	2738
108"	834	926	1018	1102	1186	1264	1358	1450	1526	1612	1686	1854	2008	2164	2314	2476	2674	2876
114"	864	962	1056	1148	1230	1316	1414	1506	1594	1682	1758	1944	2102	2264	2430	2586	2790	3002
120"	894	1000	1134	1226	1314	1400	1504	1608	1694	1790	1858	2050	2218	2388	2554	2720	2940	3160

Note: See "Configuration Specifications" charts for any size restrictions.

- SOFTSTYLE 3/4" BLACKOUT (S23)
- SOFTSTYLE SUBDUE 3/4" SINGLE CELL BLACKOUT (S61)

GROUP B-SS (Vertical Application)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																		
36"	\$532	574	630	674	718	762	814	858	906	952	992	1076	1160	1236	1304	1384	1494	1606
42"	568	622	676	730	782	830	886	938	988	1042	1088	1172	1254	1346	1422	1518	1640	1762
48"	604	662	726	786	834	896	954	1020	1064	1120	1174	1268	1352	1472	1542	1644	1774	1908
54"	636	706	770	838	896	952	1010	1070	1126	1178	1236	1332	1440	1550	1646	1744	1884	2026
60"	672	748	822	894	952	1010	1076	1134	1198	1258	1316	1428	1544	1660	1760	1878	2028	2180
66"	716	790	866	950	1016	1076	1140	1212	1270	1344	1400	1530	1650	1774	1884	2018	2178	2342
72"	754	834	918	1004	1072	1134	1200	1288	1348	1418	1490	1628	1750	1886	2012	2150	2324	2496
78"	792	876	968	1048	1124	1186	1258	1346	1412	1492	1556	1704	1836	1984	2112	2262	2442	2626
84"	830	922	1018	1104	1180	1254	1328	1420	1488	1576	1646	1804	1952	2100	2234	2398	2590	2784
90"	864	966	1062	1150	1234	1314	1396	1494	1570	1654	1734	1904	2058	2216	2364	2528	2732	2936
96"	904	1006	1102	1194	1282	1366	1454	1550	1636	1730	1806	1986	2144	2316	2476	2640	2850	3064
102"	940	1048	1150	1240	1330	1426	1524	1622	1718	1808	1888	2080	2252	2424	2592	2774	2996	3220
108"	980	1092	1196	1294	1390	1486	1596	1702	1796	1894	1984	2180	2360	2544	2722	2910	3146	3380
114"	1016	1132	1238	1348	1446	1546	1660	1774	1874	1978	2064	2282	2472	2660	2860	3042	3284	3532
120"	1048	1174	1328	1440	1542	1648	1768	1888	1992	2102	2184	2410	2610	2808	3006	3200	3454	3714

Note: See "Configuration Specifications" charts for any size restrictions.


OPTIONS: NO EXTRA CHARGE

- Vertical Application – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- Center Opening – Price as two separate shades.
- Center Stacking.....add \$76 each

NOTE: Stack is 6-1/2" when fully open regardless of ordered width



2" HYBRID PLEAT SEMI-OPAQUE (Vertical Application)

• 2" HYBRID PLEAT – SEMI-OPAQUE (HPF)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$646	772	774	818	846	904	936	1095	1138	1216	1276	1486	1676	1844	2010	2190	2351
42"	729	784	802	841	881	927	970	1133	1177	1267	1324	1524	1723	1895	2068	2252	2424
48"	766	811	823	888	970	980	1014	1207	1237	1332	1401	1607	1844	2028	2212	2410	2590
54"	793	858	865	927	1007	1012	1051	1246	1288	1377	1442	1667	1884	2074	2261	2465	2647
60"	798	883	885	970	1046	1049	1088	1283	1327	1433	1509	1743	1969	2166	2360	2572	2765
66"	858	936	940	995	1046	1071	1110	1327	1363	1463	1559	1794	2028	2233	2433	2652	2850
72"	878	977	977	1037	1065	1124	1164	1398	1426	1559	1651	1884	2134	2346	2558	2790	2997
78"	1014	1110	1129	1177	1221	1278	1327	1393	1432	1552	1658	1904	2148	2364	2576	2806	3020
84"	1044	1140	1161	1212	1267	1327	1375	1442	1492	1614	1732	1987	2233	2452	2675	2917	3133
90"	1080	1182	1186	1239	1290	1364	1424	1492	1547	1667	1796	2059	2314	2544	2774	3025	3252
96"	1103	1212	1221	1272	1324	1407	1462	1529	1593	1720	1845	2116	2390	2629	2863	3124	3356
108"	1221	1361	1364	1430	1501	1585	1683	1759	1835	1994	2157	2466	2771	3048	3322	3620	3894
120"	1308	1472	1527	1607	1688	1791	1888	1992	2082	2258	2447	2794	3126	3439	3747	4087	4391

2" HYBRID PLEAT BLACKOUT (Vertical Application)

• 2" HYBRID PLEAT – BLACKOUT (HPR)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	132"	144"	156"	168"
HEIGHT TO:																	
36"	\$735	782	789	835	865	922	956	1118	1159	1244	1299	1518	1709	1879	2049	2233	2399
42"	749	804	816	858	899	949	984	1163	1202	1290	1347	1557	1762	1939	2114	2304	2477
48"	779	830	841	903	1009	1018	1032	1232	1262	1361	1430	1637	1881	2070	2252	2457	2640
54"	807	880	878	950	1039	1032	1067	1272	1313	1407	1474	1707	1925	2118	2309	2516	2703
60"	816	899	903	984	1101	1076	1108	1309	1355	1463	1532	1775	2003	2203	2399	2618	2813
66"	871	957	957	1011	1106	1099	1136	1361	1389	1499	1585	1830	2067	2272	2477	2698	2900
72"	899	998	1000	1051	1124	1143	1184	1426	1455	1589	1677	1922	2173	2390	2604	2840	3052
78"	1039	1133	1147	1198	1244	1306	1354	1421	1463	1582	1690	1941	2183	2403	2620	2855	3070
84"	1126	1235	1260	1320	1380	1455	1515	1589	1647	1791	1922	2201	2470	2718	2958	3227	3468
90"	1237	1363	1373	1437	1501	1584	1653	1736	1798	1948	2098	2406	2705	2978	3245	3537	3802
96"	1359	1524	1552	1635	1716	1830	1918	2022	2111	2302	2484	2840	3195	3515	3834	4179	4492
108"	1478	1690	1723	1835	1941	2070	2212	2328	2442	2679	2919	3322	3724	4097	4463	4867	5231
120"	1568	1822	1929	2063	2187	2344	2493	2641	2785	3041	3328	3784	4218	4639	5058	5512	5925


OPTIONS: NO EXTRA CHARGE

- Vertical Application – Left or Right stack location

VERTICAL APPLICATION STACK DESIGN SURCHARGES

- Center Opening – Price as two separate shades.
- Center Stacking.....add \$76 each

NOTE: Stack is 6-1/2" when fully open regardless of ordered width



VERTICAL APPLICATION CONFIGURATION SPECIFICATIONS



NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

- Fits rectangular window and door openings
- Opens and closes from side to side; ideal for sliding glass doors & French doors

- Four fabric stacking options:

- 1) left stack
- 2) right stack
- 3) center opening ("split stack")
- 4) center stack

Top Rail Dimensions



VERTICAL APPLICATION – SIZE STANDARDS			
	Cellular		2" Hybrid Pleat
	Large Single Cell Semi-Opaque Fabrics	Large Single Cell Blackout Fabrics	Semi-Opaque & Blackout
Min. Width	12"	12"	12"
Max. Width Side & Center Stack	168"	168"	168"
Max. Width Split Stack	190"	190"	190"
Min. Height	24"	24"	24"
Max. Height	120"	120"	120"
Max Sq. ft. Side & Center Stack	120	120	100
Max Sq. ft. Split Stack	140	140	120

NOTE: Vertical Application **not available** with any Small Single or Double Cell Cellular fabric

Vertical Application not available with 9/16" Single or Double Cell fabrics.

NOTE: Stack is 6-1/2" space per side when fully opened, regardless of shade width.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Headrail unit	- 3/16"	- 3/16"
Shade height	- 1/2"	- 1/2"
Valance width (non-flush)	+ 1-1/4"	+ 1-1/4"
Valance width (flush)	- 1/8"	- 1/8"
Outside (OB) Mount		
Headrail unit	- 3/16"	- 3/16"
Shade height	ordered height	ordered height
Valance width	+ 1"	+ 1"
Standard Returns		
Outside Mount	3-1/8"	4-1/4"
Inside Non Flush Mount*	1-1/2"	1-1/2"

NOTE: Measurements may vary $\pm 1/8"$

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

	SoftStyle	2" Hybrid Pleat
Inside (IB) Mount		
Minimum mounting depth	15/16"	15/16"
Minimum mounting depth, flush mount:	3-5/8"	4-1/2"
Outside (OB) Mount		
Minimum flat vertical surface	5/8"	5/8"

*For each spacer block, 1/2" will be added to the length of the valance returns. For extension brackets, 2" will be added unless otherwise specified.

COLOR-COORDINATED HARDWARE

- Hardware colors are currently limited to 10. Refer to the Hardware Color Guide for colors and more information.

EXCLUSIONS

- All 9/16" Single and Double Cell fabrics.

VERTICAL APPLICATION ORDERING NOTES

- Specify inside (IB), outside (OB), inside non flush mount, or flush mount.
- Specify stacking configuration – left stack, right stack, center opening, or center stack. On split stack shades, both panels will be of equal width, unless otherwise specified. Center stacks are a surcharge option.
- Inside non flush mount valance returns are 1-1/2" if returns are selected*
- Standard handle height is 40" to 50" from bottom of moving rail; specify any desired variation from this standard.
- Standard installation hardware (brackets) provided.

- Specify no-charge installation hardware:
 - Spacer blocks
 - Extension brackets
 - Shims (OB)
- Also refer to vertical application measuring in "General Information" section.

NOTE: Cut-outs can be done on movable and stationary rail. 1" is the only cut-out width available for Vertical Application shades. 6" is the maximum cut-out height and the height is measured from the floor to the top of the desired cut-out location.

Cut-outs are not available on 2" Hybrid Pleat.

- SOFTSTYLE 9/16" SEMI-OPAQUE (S11)
- SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (S50)
- SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

CLASSIC SKYLIGHT A-SS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$290	328	366	412	446	494	528	570	606
42"	304	350	398	442	488	530	574	610	650
48"	322	374	418	468	528	570	626	670	704
54"	342	400	450	502	568	604	670	716	758
60"	354	420	478	534	616	656	718		
66"	376	446	506	570	648	692	754		
72"	390	466	534	600	676	728	798		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

CLASSIC SKYLIGHT B-SS

- SOFTSTYLE BEGINNINGS DOUBLE CELL SEMI-OPAQUE (S51)
- SOFTSTYLE DOUBLE CELL SEMI-OPAQUE (S31)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$338	386	430	484	522	574	622	672	708
42"	354	408	464	518	570	624	674	718	762
48"	376	438	494	552	622	670	730	786	830
54"	404	466	528	588	668	706	786	840	892
60"	416	496	562	630	722	768	844		
66"	440	522	596	672	758	816	888		
72"	460	548	630	706	794	854	940		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

OPTIONS: EXTRA CHARGE

- Classic Skylight Extension Pole (extends 5' to 10')\$50

STANDARD SIMPLICITY SURCHARGE AND OPTIONS EXTRA CHARGE – SPECIFY ON ORDER USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- **Standard Simplicity Motorization** (Battery wand included in the price)add \$350 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$58 each
 - 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$88 each
 - 48" Extension Wire (Part #CS5133Z)add \$12 each
 - DC Power Supply (Part #CS5151)add \$48 each

SIMPLICITY RECHARGEABLE MOTORIZATION SURCHARGE AND OPTIONS EXTRA CHARGE – SPECIFY ON ORDER USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- **Simplicity Rechargeable Motorization**add \$350 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)add \$58 each
 - 14 Channel TD/BU Remote – Available in White Only (Part #CS52136)add \$88 each
 - 48" Extension Wire (Part #CS5133Z)add \$12 each
 - Solar Panel (Part #CS52096)add \$212 each
 - Plug-In Charger (Part #CS5199)add \$44 each

- SOFTSTYLE 9/16" BLACKOUT (S13)
- SOFTSTYLE SUBDUE 3/4" SINGLE CELL BLACKOUT (S61)
- SOFTSTYLE 3/4" BLACKOUT (S23)
- SOFTSTYLE DOUBLE CELL BLACKOUT (S32)

CLASSIC SKYLIGHT C-SS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
HEIGHT TO:									
36"	\$354	408	456	506	556	610	660	704	744
42"	380	432	492	548	608	662	716	764	812
48"	396	464	524	586	656	706	772	828	874
54"	428	496	564	626	714	748	832	892	948
60"	444	526	594	666	760	818	896		
66"	466	552	626	706	802	864	952		
72"	494	586	662	748	852	914	1000		

Prices in the 66" and 72" columns apply to side stack

↖ Skylight with Simplicity Motorization Maximum Width: 48"

OPTIONS: EXTRA CHARGE

- Classic Skylight Extension Pole (extends 5' to 10')\$50

STANDARD SIMPLICITY SURCHARGE AND OPTIONS

EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- **Standard Simplicity Motorization** (Battery wand included in the price)add \$350 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W).....add \$58 each
 - 14 Channel TD/BU Remote – Available in White Only (Part #CS52136).....add \$88 each
 - 48" Extension Wire (Part #CS5133Z)add \$12 each
 - DC Power Supply (Part #CS5151).....add \$48 each

SIMPLICITY RECHARGEABLE MOTORIZATION SURCHARGE AND OPTIONS


EXTRA CHARGE – SPECIFY ON ORDER

USE APPROPRIATE ARCH GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.

- **Simplicity Rechargeable Motorization**add \$350 per shade
 - 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W).....add \$58 each
 - 14 Channel TD/BU Remote – Available in White Only (Part #CS52136).....add \$88 each
 - 48" Extension Wire (Part #CS5133Z)add \$12 each
 - Solar Panel (Part #CS52096)add \$212 each
 - Plug-In Charger (Part #CS5199).....add \$44 each

CLASSIC SKYLIGHT CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.




This easy to operate system holds shades in place. Perfect for skylights and other windows beyond reach.




- Hardware color: Aspen White (785)
- Manually operated with handle
- Ends of headrail, moving rail and anchor rail are enclosed by side tracks
- Features 2-cell fabric gasket attached to headrail; eliminates light leakage when shade is closed
- 5' adjustable extension pole – extends to 10'

STACK LOCATION:	WINDOW POSITION:
 Top Bottom Side	 Vertical Sloped Horizontal

Note: Pleats will have a vertical orientation when side stack is ordered.



Optional Extension Pole
Extends 5' to 10'
(Part #400036-81511)



FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	– 3/16"
Shade height	ordered height
Fabric width	– 3/4"
Outside (OB) Mount	
Headrail unit	+ 3/4"
Shade height	ordered height
Fabric width	ordered width

NOTE: Measurements may vary $\pm 1/8$ "

NOTE: All finished dimensions include side tracks.

CLASSIC SKYLIGHT – SIZE STANDARDS

	SoftStyle
	All Fabrics
Min. Width	18"
Max. Width	60"
Min. Height	12"
Max. Height	72"
Max Area (sq. ft.)	25

* Classic Skylight not available with any 2" Hybrid Pleat fabrics

NOTE: Shades over 36" wide require support cords.

Rail stiffener is required when shade is over 42" wide.

CLASSIC SKYLIGHT SIDE STACK – SIZE STANDARDS

	SoftStyle
	All Fabrics
Min. Width	12"
Max. Width	72"
Min. Height	18"
Max. Height	60"
Max Area (sq. ft.)	25

* Classic Skylight not available with any 2" Hybrid Pleat fabrics

MOUNTING REQUIREMENTS


Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth IB:	1-1/4"
Minimum mounting depth, flush mount:	2-1/2"
Outside (OB) Mount	
Minimum flat vertical surface	1"

SKYLIGHT WITH SIMPLICITY MOTORIZATION CONFIGURATION SPECIFICATIONS

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

SKYLIGHT WITH SIMPLICITY MOTORIZATION



NOTE:

This is a different Skylight system than the Classic Skylight. Key differences include:

- Headrail and Bottomrail are identical and are the same rail used on standard shades with Simplicity Motorization
- Only available with fabric stack at the bottom of the window



Features

- Inside Mount only
- White Tiara (661) aluminum head and bottom rails. White vinyl side rails
- Use radio frequency controlled Simplicity motors
- The Simplicity wireless remote control operates individual or groups of shades

Operation & Installation Tips

- Shades installed into windows with metal casings may have a reduced radio frequency range, or may not operate at all
- Do not let the antenna on the motor touch any metal objects. This may interfere with signals from the remote control.
- Make sure to leave the top of the headrail open (motor exposed), do not cover; especially with metal materials. This could result in a reduced radio frequency range for the remote control or the shade may not operate at all.
- Skylights with Simplicity Motorization will NOT operate properly if installed in a completely horizontal application. The minimum recommended slope is 5%.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions.

Inside (IB) Mount	
Headrail unit	- 3/16"
Shade height	ordered height
Fabric width	- 1-1/4"

NOTE: Measurements may vary $\pm 1/8"$

HEADRAIL & BOTTOMRAIL DIMENSIONS

Depth of Rail	2"
Depth of Rail & Bracket	2-1/4"
Depth of Rail, Side Tracks & Bracket	2-1/2"
Height of Rail	1-1/2"

NOTE: Skylight with Simplicity Motorization is available with standard Simplicity Motorization or Simplicity Rechargeable Motorization.

NOT AVAILABLE with PowerWand.

SKYLIGHT with SIMPLICITY MOTORIZATION - SIZE STANDARDS

All Cellular Fabrics	
Minimum Width	18"
Maximum Width	48"
Minimum Height	12"
Maximum Height	72"

NOTE: Skylight with Simplicity Motorization is not available with 2" Hybrid Pleat Fabrics

NOTE: Size Standards are the same for Skylight with standard Simplicity and Rechargeable Simplicity

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

- Should not be more than 1/2" out of square to perform as intended
- The widest width of the window cannot exceed the narrowest width of the window by more than 3/8"
- The shade must be mounted with the fabric stack at the bottom or the lowest point in the window

Standard Motorization


Inside (IB) Mounts	
Minimum mounting depth, IB	2-1/2"

Rechargeable Motorization

Inside (IB) Mounts	
Minimum mounting depth, IB	
Over 20" wide	2-1/2"
Under 20" wide	3"

NOTE:

Skylight shades with Rechargeable Motorization **over 20" wide** feature an internal battery with charging port. Skylight shades with Rechargeable Motorization **under 20" wide** require an external battery pack which accounts for the additional mounting depth



- SOFTSTYLE 9/16" SEMI-OPAQUE (S11)
- SOFTSTYLE 3/4" BEGINNINGS SEMI-OPAQUE (S50)
- SOFTSTYLE 3/4" SEMI-OPAQUE (S21)

ARCH A-SS

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$120	138	158	184	214	240	276	318	356	406	460
Movable	176	200	230	262	298	344	386	440	494	566	648

ARCH B-SS

- SOFTSTYLE BEGINNINGS DOUBLE CELL SEMI-OPAQUE (S51)
- SOFTSTYLE DOUBLE CELL SEMI-OPAQUE (S31)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$140	160	184	218	246	286	326	372	418	476	536
Movable	204	234	266	306	350	404	454	516	576	664	760

ARCH C-SS

- SOFTSTYLE 9/16" BLACKOUT (S13)
- SOFTSTYLE 3/4" BLACKOUT (S23)
- SOFTSTYLE SUBDUE 3/4" SINGLE CELL BLACKOUT (S61)
- SOFTSTYLE DOUBLE CELL BLACKOUT (S32)

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"
Stationary	\$164	188	218	250	292	334	382	436	494	562	630
Movable	238	276	312	360	412	474	534	606	676	782	894

OPTIONS: EXTRA CHARGE

- **Top-Down Movable Arch Extension Pole** (extends 5' to 10')\$50
- **Movable Arch Extension Pole**
(extends 18"-36") Part #24-213 TEP-2L13091.....\$30
- **Arch and Elliptical Arch** – price using width on Arch price charts for fabric desired.
- **Rectangular Shade and Arch** – price as 2 separate shades; One Arch and One Rectangular.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape below.

Width: Measure exact width(s)

Height: Measure exact height(s)

OUTSIDE MOUNT

Locate shape below.

Width: Measure desired width(s)

Height: Measure desired height(s)

FAN-FOLD ARCHES


NON-MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD STATIONARY PERFECT ARCH

Must be perfect arch.



Come standard with arch disc



Width (Diameter)

SIZE STANDARDS

	SoftStyle
	All Fabrics
Min. Width	12"
Max. Width	84"
Min. Height	12"
Max. Height	42"


Not available with 2" Hybrid Pleat




MOVABLE ARCH (PERFECT ARCH = EXACT 1/2 CIRCLE, TEMPLATE REQUIRED)

FAN-FOLD OPERABLE PERFECT ARCH

Must be perfect arch. Specify L or R arch orientation when ordering.



Shown Here – Fan Fold Left



Width (Diameter)

SIZE STANDARDS

	SoftStyle
	All Fabrics
Min. Width	12"
Max. Width	84"
Min. Height	12"
Max. Height	42"

Not available with 2" Hybrid Pleat



Note: all fan-fold arches require the use of small, clear clips to be installed around the outer edge, which holds the fabric in place. The fabric must be slid out of the clips before the arch can be operated.


NON-MOVABLE ELLIPTICAL ARCH (TEMPLATE REQUIRED)

FAN-FOLD STATIONARY ELLIPTICAL ARCH

Non-perfect arch.



Come standard with arch disc



Width (Diameter)

SIZE STANDARDS

	SoftStyle
	All Fabrics
Min. Width	12"
Max. Width	84"
Min. Height	1/4 of width
Max. Height	1/2 of width

Not available with 2" Hybrid Pleat


Max height of straight sides is 10". Heights must be at least 25% of total width after the straight sides.




TOP-DOWN MOVABLE ARCH (TEMPLATE REQUIRED)

TOP-DOWN OPERABLE PERFECT ARCH

Must be perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

SIZE STANDARDS

	SoftStyle
	All Fabrics
Min. Width	18"
Max. Width	84"
Min. Height	6"
Max. Height	48"

Not available with 2" Hybrid Pleat

Straight Side Specifications

- * If arch width is wider than 66", the max height=48"
- * If arch width is wider than 72", the max height=48"
- * Non-perfect arch: heights must be at least 25% of total width




Optional Top-Down Movable Arch
Extension Pole
Extends 5' to 10' (Part #400037-0007)

Available as Inside (IB) Mount ONLY


Specify arch trim at order entry:
661 Tiara White
320 Rich Cream

TOP-DOWN OPERABLE ELLIPTICAL ARCH

Non-perfect arch. (Template required)



Fabric Pleats Oriented Horizontally.



Width (Diameter)

SIZE STANDARDS

	SoftStyle
	All Fabrics
Min. Width	18"
Max. Width	84"
Min. Arch Height	1/4 width
Max. Height	48"

Not available with 2" Hybrid Pleat

Top-down arches will have a "flared" look to them when lowered. This is a natural characteristic of this product.
Arch trim kit included with Top-Down arches - available in White Tiara (661) & Rich Cream (320) - See the hardware guides for color example.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

CIRCLES, QUARTER CIRCLES & ANGLE CUTS (TEMPLATE REQUIRED)

Refer to "Extra Charge Options" for Surcharge and Price Information

INSIDE MOUNT

Locate shape of window.

Width: Measure exact width(s)

Height: Measure exact height(s)

Diagonal: Measure height of diagonal(s) (for Angle Cuts)

OUTSIDE MOUNT


Locate shape of window.

Width: Measure desired width(s)

Height: Measure desired height(s)


Diagonal: Measure length of diagonal(s) (for Angle Cuts)

CIRCLES & QUARTER CIRCLE (TEMPLATE REQUIRED)



SIZE STANDARDS	
	All Fabrics
Min. Width (diameter)	12"
Max. Width (diameter)	42"
Min. Height	N/A
Max. Height	N/A

Not available with 2" Hybrid Pleat




SIZE STANDARDS	
	All Fabrics
Min. Width	12"
Max. Width	42"
Min. Height	N/A
Max. Height	N/A

Not available with 2" Hybrid Pleat

ANGLE CUTS (TEMPLATE REQUIRED)



ANGLED TOP (TEMPLATE REQUIRED)



- Shades will raise to the shaded area indicated.
- Cordlock must always be at the lower end of the headrail

	SoftStyle Semi-Opaque Fabrics	SoftStyle Small Single Cell Blackout	SoftStyle Large Single Cell Blackout	SoftStyle Double Cell Blackout Fabric
Maximum Height	84	72	72	84
Maximum Area (sq ft)	48	48	48	48
MINIMUM SLOPE WIDTH				
0 - 30 Angle	12	12	12	12
30 - 45 Angle	14	14	14	14
45 - 60 Angle	N/A	17	N/A	N/A
MAXIMUM SLOPE WIDTH				
0 - 30 Angle	55	83	60	60
30 - 45 Angle	67	84	60	60
45 - 60 Angle	N/A	84	N/A	N/A
Minimum Width	12	12	12	12
Maximum width				
0 - 30 Angle	48	70	48	48
30 - 45 Angle	48	60	48	48
45 - 60 Angle	N/A	42	N/A	N/A

HEXAGON & OCTAGON (TEMPLATE REQUIRED)




SIZE STANDARDS	
	All Fabrics*
Min. Width	8"
Max. Width	30"
Min. Height	8"
Max. Height	30"

*Not available with 2" Hybrid Pleat

- Minimum width and minimum height – 8"
- Maximum width and maximum height – 30"
- Operate from bottom to top or top to bottom
- Inside mounts will raise to the shaded area indicated above

TRAPEZOID (ALL PATTERNS) (TEMPLATE REQUIRED)



SIZE STANDARDS	
	All Fabrics*
Min. Width	8"
Max. Width	72"
Min. Height	9"
Max. Height	96"

*Not available with 2" Hybrid Pleat

- Minimum width – 8"
- Maximum width of long rail – 72"
- Maximum reduction for short rail – 9" per side
- Maximum height – 96"
- Maximum area (sq. ft.) – 40
- Opens in the direction of the longest rail (Top-Down or Bottom-Up)

OPTIONS: EXTRA CHARGE

- **Angle Cut**add \$162
(includes Angle Top, Hexagon, Octagon & Trapezoid)
- **Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering. (Template required.)
- **Quarter Circle** – price as (width price x 1.3) using the Stationary Arch price chart for the fabric desired. Use exact width desired when ordering.

SPECIALTY SIZE STANDARDS & MEASURING INFORMATION

NOTE: Use metal tape measure for all measurements. Measures to 1/8 inch.

ARCHES & QUARTER CIRCLES

FINISHED DIMENSIONS	MOUNTING REQUIREMENTS																																				
Adjustments are taken from ordered dimensions.	Use a metal tape measure for all measurements.																																				
<table> <tr> <th colspan="2">Inside (IB) Mount</th></tr> <tr> <td>Rail unit</td><td>- 3/16"</td></tr> <tr> <td>Arch height</td><td>ordered height</td></tr> <tr> <td>Fabric width</td><td>- 3/8"</td></tr> <tr> <th colspan="2">Outside (OB) Mount</th></tr> <tr> <td>Rail unit</td><td>+ 3/16"</td></tr> <tr> <td>Arch height</td><td>ordered height</td></tr> <tr> <td>Fabric width</td><td>ordered width</td></tr> </table>	Inside (IB) Mount		Rail unit	- 3/16"	Arch height	ordered height	Fabric width	- 3/8"	Outside (OB) Mount		Rail unit	+ 3/16"	Arch height	ordered height	Fabric width	ordered width	<table> <tr> <th colspan="2">Inside (IB) Mount</th></tr> <tr> <td colspan="2">Minimum mounting depth:</td></tr> <tr> <td>Standard installation bracket</td><td>1-1/4"</td></tr> <tr> <td>Swivel bracket</td><td>1/2"</td></tr> <tr> <td colspan="2">Minimum mounting depth, flush mount:</td></tr> <tr> <td>Standard installation bracket</td><td>2-1/4"</td></tr> <tr> <td>Swivel bracket</td><td>2"</td></tr> <tr> <td>End mount bracket</td><td>2"</td></tr> <tr> <th colspan="2">Outside (OB) Mount</th></tr> <tr> <td>Minimum flat vertical surface</td><td>1"</td></tr> </table>	Inside (IB) Mount		Minimum mounting depth:		Standard installation bracket	1-1/4"	Swivel bracket	1/2"	Minimum mounting depth, flush mount:		Standard installation bracket	2-1/4"	Swivel bracket	2"	End mount bracket	2"	Outside (OB) Mount		Minimum flat vertical surface	1"
Inside (IB) Mount																																					
Rail unit	- 3/16"																																				
Arch height	ordered height																																				
Fabric width	- 3/8"																																				
Outside (OB) Mount																																					
Rail unit	+ 3/16"																																				
Arch height	ordered height																																				
Fabric width	ordered width																																				
Inside (IB) Mount																																					
Minimum mounting depth:																																					
Standard installation bracket	1-1/4"																																				
Swivel bracket	1/2"																																				
Minimum mounting depth, flush mount:																																					
Standard installation bracket	2-1/4"																																				
Swivel bracket	2"																																				
End mount bracket	2"																																				
Outside (OB) Mount																																					
Minimum flat vertical surface	1"																																				
Max width for end mount is 36"																																					
NOTE: Measurements may vary $\pm 1/8$ "																																					

CIRCLES

FINISHED DIMENSIONS	MOUNTING REQUIREMENTS																								
Adjustments are taken from ordered dimensions.	Use a metal tape measure for all measurements.																								
<table> <tr> <th colspan="2">Inside (IB) Mount</th></tr> <tr> <td>Rail unit</td><td>- 1/16"</td></tr> <tr> <td>Arch height</td><td>- 3/32"</td></tr> <tr> <td>Fabric width</td><td>- 3/8"</td></tr> <tr> <th colspan="2">Outside (OB) Mount</th></tr> <tr> <td>Rail unit</td><td>+ 3/32"</td></tr> <tr> <td>Arch height</td><td>+ 1/32"</td></tr> <tr> <td>Fabric width</td><td>ordered width</td></tr> </table>	Inside (IB) Mount		Rail unit	- 1/16"	Arch height	- 3/32"	Fabric width	- 3/8"	Outside (OB) Mount		Rail unit	+ 3/32"	Arch height	+ 1/32"	Fabric width	ordered width	<table> <tr> <th colspan="2">Inside (IB) Mount</th></tr> <tr> <td>Minimum mounting depth</td><td>1-7/8"</td></tr> <tr> <th colspan="2">Outside (OB) Mount</th></tr> <tr> <td>Minimum flat vertical surface</td><td>5/8"</td></tr> </table>	Inside (IB) Mount		Minimum mounting depth	1-7/8"	Outside (OB) Mount		Minimum flat vertical surface	5/8"
Inside (IB) Mount																									
Rail unit	- 1/16"																								
Arch height	- 3/32"																								
Fabric width	- 3/8"																								
Outside (OB) Mount																									
Rail unit	+ 3/32"																								
Arch height	+ 1/32"																								
Fabric width	ordered width																								
Inside (IB) Mount																									
Minimum mounting depth	1-7/8"																								
Outside (OB) Mount																									
Minimum flat vertical surface	5/8"																								
NOTE: Measurements may vary $\pm 1/8$ "																									

ANGLES

FINISHED DIMENSIONS	MOUNTING REQUIREMENTS
Finished dimensions vary depending on the degree of the angle.	SAME AS STANDARD CORDLOCK SHADES
NOTE: Measurements may vary $\pm 1/8$ "	

SPECIALTY SHAPES

FINISHED DIMENSIONS	MOUNTING REQUIREMENTS																
Adjustments are taken from ordered dimensions.	SAME AS ARCHES & QUARTER CIRCLES																
<table> <tr> <th colspan="2">Inside (IB) Mount</th></tr> <tr> <td>Rail unit</td><td>- 3/16"</td></tr> <tr> <td>Arch height</td><td>ordered height</td></tr> <tr> <td>Fabric width</td><td>- 3/8"</td></tr> <tr> <th colspan="2">Outside (OB) Mount</th></tr> <tr> <td>Rail unit</td><td>+ 3/16"</td></tr> <tr> <td>Arch height</td><td>ordered height</td></tr> <tr> <td>Fabric width</td><td>ordered width</td></tr> </table>	Inside (IB) Mount		Rail unit	- 3/16"	Arch height	ordered height	Fabric width	- 3/8"	Outside (OB) Mount		Rail unit	+ 3/16"	Arch height	ordered height	Fabric width	ordered width	
Inside (IB) Mount																	
Rail unit	- 3/16"																
Arch height	ordered height																
Fabric width	- 3/8"																
Outside (OB) Mount																	
Rail unit	+ 3/16"																
Arch height	ordered height																
Fabric width	ordered width																
NOTE: Measurements may vary $\pm 1/8$ "																	

CELLULAR SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

STANDARD 3/4" RAIL SYSTEM

CELLULAR			2" HYBRID PLEAT
All Semi- Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	All Fabrics

Standard Cordlock

Min Width (net) *	8"	8"	8"	N/A
Max Width	60"	60"	60"	
Max Width - End Mount	36"	36"	36"	
Min Height	12"	12"	12"	
Max Height	120"	120"	120"	
Max Area (Sq/Ft)	40-50	40	60	

Standard Cordlock - Top-Down

Min Width (net) *	10"	10"	10"	N/A
Max Width	60"	60"	60"	
Max Width - End Mount	36"	36"	36"	
Min Height	12"	12"	12"	
Max Height	96"	96"	96"	
Max Area (Sq/Ft)	40-50	40	60	

Standard Cordlock - Top-Down/ Bottom-Up

Min Width (net) *	10"	10"	10"	N/A
Max Width	72"	72"	72"	
Max Width - End Mount	36"	36"	36"	
Min Height	12"	12"	12"	
Max Height	96"	96"	96"	
Max Area (Sq/Ft)	40-50	40	60	

Standard Cordlock - Two-On-One Headrail

Min Width (per panel) (net) *	8"	8"	8"	N/A
Min Width (overall)	16"	16"	16"	
Max Width (per panel)	60"	60"	60"	
Max Width (overall)	120"	120"	120"	
Max Width - End Mount	36"	36"	36"	
Min Height	12"	12"	12"	
Max Height	120"	120"	120"	
Max Area (Sq/Ft)	40-50	40	60	

Continuous Cord Loop

Min Width (net)	18"	18"	18"	18"
Max Width	120"	120"	120"	120"
Max Width – End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	120"	120"	120"	120"
Max Area (Sq/Ft)	100	90	100	60

Continuous Cord Loop - Top-Down/Bottom-Up

Min Width (net)	24"	24"	24"	24"
Max Width	120"	120"	120"	120"
Max Width – End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	120"	120"	120"	120"
Max Area (Sq/Ft)	100	90	100	60

Continuous Cord Loop - Two-On-One Headrail

Min Width (per panel) (net)	18"	18"	18"	18"
Min Width (overall)	36"	36"	36"	36"
Max Width (per panel)	100"	96"	96"	102"
Max Width (overall)	120"	120"	120"	120"
Min Height	12"	12"	12"	12"
Max Height	120"	120"	120"	120"
Max Area (Sq/Ft)	83	80	80	60

CELLULAR SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

CELLULAR			2" HYBRID PLEAT
All Semi- Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	All Fabrics

Cordless Lift System

Min Width (net)	16"	16"	16"	16"
Max Width	120"	84"	96"	120"
Max Width - End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (Sq/Ft)	70	49	56	60

Cordless Lift System - Top-Down/ Bottom-Up

Min Width (net)	16"	16"	16"	16"
Max Width	96"	84"	96"	120"
Max Width - End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (Sq/Ft)	56	49	56	60

Cordless Lift - Two-On-One Headrail

Min Width (per panel) (net)	16"	16"	16"	16"
Min Width (overall)	32"	32"	32"	32"
Max Width (per panel)	100"	84"	96"	100"
Max Width (overall)	120"	120"	120"	120"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	49	56	60

Cordless Lift - Three-On-One Headrail

Min Width (per panel) (net)	16"	16"	16"	16"
Min Width (overall)	48"	48"	48"	48"
Max Width (per panel)	120"	84"	96"	120"
Max Width (overall)	174"	174"	174"	174"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	70	49	56	60

Cordless Lift & Lock

Min Width (net)	9-1/2"	9-1/2"	9-1/2"	9-1/2"
Max Width	84"	84"	84"	84"
Max Width - End Mount	48"	48"	48"	48"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (Sq/Ft)	49	49	49	49

Cordless Lift & Lock - Top-Down/ Bottom-Up

Min Width (net)	16"	16"	16"	16"
Max Width	84"	84"	84"	84"
Max Width - End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (Sq/Ft)	49	49	49	49

Cordless Lift & Lock - Two-On-One Headrail

Min Width (per panel) (net)	9-1/2"	9-1/2"	9-1/2"	9-1/2"
Min Width (overall)	20"	20"	20"	20"
Max Width (per panel)	84"	84"	84"	84"
Max Width (overall)	168"	168"	168"	168"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	49	49	49	49

Cordless Lift & Lock - Three-On-One Headrail

Min Width (per panel) (net)	9-1/2"	9-1/2"	9-1/2"	9-1/2"
Min Width (overall)	30"	30"	30"	30"
Max Width (per panel)	84"	84"	84"	84"
Max Width (overall)	168"	168"	168"	168"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (per panel) (Sq/Ft)	49	49	49	49

CELLULAR SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

CELLULAR			2" HYBRID PLEAT
All Semi- Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	All Fabrics

TriLight Shades - Continuous Cord Loop

Min Width (net)	24"	24"	24"	24"
Max Width	83" - 96"	83"-96"	83" - 96"	83" - 96"
Max Width - End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	96"	96"	96"	96"
Max Area (Sq/Ft)	64	50	50	60

* The cellular fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < cellular max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless

Min Width (net)	16"	16"	16"	16"
Max Width	83" - 96"	83"-96"	83" - 96"	83" - 96"
Max Width - End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (Sq/Ft)	56	49	49	60

* The cellular fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < cellular max width.

** Willa Sheer maximum width is 83"

TriLight Shades - Cordless Lift & Lock

Min Width (net)	12"	12"	12"	12"
Max Width	84"	84"	84"	84"
Max Width - End Mount	48"	48"	48"	42"
Min Height	12"	12"	12"	12"
Max Height	84"	84"	84"	84"
Max Area (Sq/Ft)	49	49	49	49

* The cellular fabric (bottom panel) max width can be reduced by the ordered PLE fabric (top panel), if PLE max width < cellular max width.

** Willa Sheer maximum width is 83"

Vertical Application

Min Width	12"	12"	12"	12"
Max Width Side & Center Stack	168"	168"	168"	168"
Max Width Split Stack	190"	144"	190"	190"
Min Height	24"	24"	24"	24"
Max Height	120"	120"	120"	120"
Max Area Side & Center Stack	120	120	100	100
Max Area Split Stack	140	120	140	120

CELLULAR SIZE STANDARDS SUMMARY BY CONFIGURATION & FABRIC

CELLULAR			2" HYBRID PLEAT
All Semi- Opaque Fabrics	Subdue Blackout (S61)	All other Blackout Fabrics	All Fabrics

Classic Skylight

Min Width	18"	18"	18"	N/A
Max Width	60"	60"	60"	
Min Height	12"	12"	12"	
Max Height	72"	72"	72"	
Max Area (Sq/Ft)	25	25	25	

Classic Skylight – Side Stack

Min Width	12"	12"	12"	N/A
Max Width	72"	72"	72"	
Min Height	18"	18"	18"	
Max Height	60"	60"	60"	
Max Area (Sq/Ft)	25	25	25	

Skylight with Simplicity Motorization

Min Width	18"	18"	18"	N/A
Max Width	48"	48"	48"	
Min Height	12"	12"	12"	
Max Height	72"	72"	72"	
Max Area (Sq/Ft)	N/A	N/A	N/A	

Non-Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	N/A
Max Width	84"	84"	84"	
Min Height	12"	12"	12"	
Max Height	42"	42"	42"	

Movable Perfect Arch (Fan-Fold)

Min Width	12"	12"	12"	N/A
Max Width	84"	84"	84"	
Min Height	12"	12"	12"	
Max Height	42"	42"	42"	

Non-Movable Elliptical Arch (Fan-Fold)

Min Width	12"	12"	12"	N/A
Max Width	84"	84"	84"	
Min Height	1/4 width	1/4 width	1/4 width	
Max Height	42"	42"	42"	

Top-Down Movable Perfect Arch

Min Width	18"	18"	18"	N/A
Max Width	84"	84"	84"	
Min Height	6"	6"	6"	
Max Height	48"	42"	48"	

Top-Down Movable Elliptical Arch


Min Width	18"	18"	18"	N/A
Max Width	84"	84"	84"	
Min Height	1/4 width	1/4 width	1/4 width	
Max Height	48"	42"	48"	

Angle


Min Width	12	12	12	N/A
Max Width	angle chart	angle chart	angle chart	
Max Height	angle chart	angle chart	angle chart	
Max Area (Sq/Ft)	48	30	48	

PRODUCT COMPONENTS – STANDARD RECTANGULAR

3/8" End Mount Bracket (Part #2980038000) – Not Shown
 3/4" End Mount Bracket (Part #2980050000) – Not Shown




Arch Trim – White (Part #2280364661)
 – Rich Cream (Part #2280364320)



Child Safety Kit (Cord Cleat)
 (Part #KIT2728)

PRODUCT COMPONENTS – CORDLESS




CORDLESS TOP-DOWN/BOTTOM-UP


Striker Plate:
Zinc: Part #CS5467PL-TDBU (Painted rails)
White: Part #CS5467PL-TDBU-W (Fabric covered rails)

Magnet:
Zinc: Part #CS5467 (Painted rails)
Magnet Cover - White: Part #CS5467CV-W (Fabric covered rails)
Magnet Lock: Part #CS5471
Magnet Screw: Part #CS5474



PRODUCT COMPONENTS – 2" HYBRID PLEAT



PRODUCT COMPONENTS – CORDLESS LIFT & LOCK




PRODUCT COMPONENTS – CONTINUOUS CORD



Universal Cord Tensioner Mounting Kit (Part #KIT2350)

Continuous Cord Top-Down/Bottom-Up Components




LH Rear Clutch Assembly (Part #CS4317)




Dual Bottom Limiter (Part #500199000)


TRILIGHT PRODUCT COMPONENTS – CORDLESS & CONTINUOUS CORD LOOP



PRODUCT COMPONENTS – 2" HYBRID PLEAT TRILIGHT




PRODUCT COMPONENTS – SIMPLICITY RECHARGEABLE MOTORIZATION




Simplicity Top-Down/Bottom-Up Components

14 Channel Remote (Part #CS52136)
Primary Motor (Part #CS52138)
Secondary Motor (Part #CS52139)
Internal Battery Pack (Part #CS52134)
Exterior Battery Pack (Part #CS52105)
7 Conductor Extension Wire (Part #CS52140)

PRODUCT COMPONENTS – POWERWAND™ MOTORIZATION



PRODUCT COMPONENTS – CELLULAR VERTICAL APPLICATION



White Magnetic Strip (split stack) (2990133000)



Extension Bracket (40-0026-159)



Installation Bracket with Screws (2990934000)



Mounting Screws #6 x 1.5 (2980153000)




Shim (2990938785)




1/2" Spacer Block
KIT2011 = 2 Spacers/kit
KIT2012 = 3 Spacers/kit

PRODUCT COMPONENTS – SKYLIGHT



PRODUCT COMPONENTS – SIMPLICITY SKYLIGHT



Rechargeable Motor Components

Internal Battery Pack (Part #CS52101)
Exterior Battery Pack (Part #CS52105)
Plug-In Charger (Part #CS5199)
Solar Charger (Part #CS52096)