

CUSTOM DRAPERY HARDWARE




AUTHENTIC MATERIALS FORGED WROUGHT IRON COMPLETE SETS SAMPLE KIT OPTIONS ECO-FRIENDLY PACKAGING PERSONAL CUSTOMER SERVICE



UNIQUE CUSTOM FORGED IRON.

Our hardware combines style, craftsmanship and quality with outstanding value. Handcrafted from authentic and eco-friendly materials, the hardware features unique magnetic brackets, making it easy to install!



AN EARTH FRIENDLY HOME.

We try to minimize our impact on the earth. By making our products from recycled metal and glass, we have all but eliminated our use of plastics and resins. Finishing is done with low V.O.C. water based paints and gel stains.

WWW.TEXTON.COM


CUSTOM DRAPERY HARDWARE


NEXT GENERATION IRON

New Designs & Finishes in Ring, Traverse and Motorized Configurations









- Soft Opening & Closing
 - Whisper Quiet
- Rod Sets Up To 188"
- Optional WiFi Module for Control with Alexa, Siri, Google Assistant & **Smart Phone**

MOTORS & REMOTES FACTORY PAIRED





Wi-Fi

Optional Wi-Fi Module easily connects to bottom of motor



"Alexa, open the curtains."

REMOTES



Dual-Channel




15-Channel Remote & 15-Channel Wireless Wall Switch available



FINIALS



For Motorized & Traverse



NEXT GENERATION IRON TRAVERSE & RINGS 1.5" DIAMETER ROD SETS SEE PRICE LIST FOR PRICES AND ORDERING INFORMATION

Single Rod Set

ROD SET INCLUDES: Rod, finials, brackets and mounting hardware.

- **Double Rod Set**
- **Corner Window Rod Set**
- **Bay Window Rod Set**

Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping surcharge and additional production surcharge.

- Single, Double, Corner and Bay sets come with standard brackets included. Extension brackets can be substituted for no additional charge.
- Double rod sets feature end cap finials on the 1" back rod. ٠
- No finials on inside mount rod sets.
- Rod widths greater than 72", include center support brackets.
- Ripple-Fold only available on Traverse rods not available on Motorized rod sets.

FINIALS

DESCRIPTION Knob Ribbon Bow Tie Block Cylinder Ball End Cap **Clear Square** Contempo 3/4" W x 2" H Simple End Cap 2-1/8" W x 2" H Clear Cylinder

DIMENSIONS 3/4" W x 2-1/2" H 1-3/4" W x 2-1/4" H 2-3/4" W x 3" H 7/8" W x 2" H 2-3/4" W x 2" H 2-1/2" W x 2-3/8" H 1/2" W x 2-3/4" H 1-1/4" W x 2-3/4" H 1-3/8" W x 2" H

BRACKETS (TRAVERSE) DESCRIPTION

DIMENSIONS

Standard Extension Double Standard Center **Extension Center** Double Center Ceiling

1" W x 5-1/2" H x 4-1/4" D (3-1/2" projection) 1" W x 5-1/2" H x 5-3/4" D (5" projection) 1" W x 6-1/2" H x 7-3/8" D (3" & 6-1/2" projection) 4" W x 1" H x 4-1/4" D (3-1/2" projection) 4" W x 1" H x 5-3/4" D (5" projection) 1" W x 2" H x 7-3/8" D (3" & 6-1/2" projection) 2-7/8" W x 1-1/2"- 12" H (Custom made)

STANDARD CARRIERS

DESCRIPTION

8 Wheel Master (Overlap) 8 Wheel Master (Under) 3/4" Ball Bearing Carriers (White or Bronze)

BRACKETS (RINGS)

DESCRIPTION

Forged Single Forged Double(1) Forged Extended C-Ring Center Bypass C-Ring Double Center (1) C-Ring Extended Center Inside Mount Ceiling

DIMENSIONS

1" W x 5" H x 4-5/8" D (3-1/2" projection) 1" W x 5" H x 6-1/8" D (2-1/2" & 5" projection) 1" W x 5" H x 6-1/8" D (5" projection) 4" W x 1-1/8" H x 4-5/8" D (3-1/2" projection) 4" W x 1-1/8" H x 6-1/8" D (2-1/2" & 5" projection) 4" W x 1-1/8" H x 6-1/8" D (5" projection) 2" W x 4-1/2" H x 1" D (1/8" projection) 1" W x 4-1/2" H x 4" D (3-1/2" projection)

RIPPLE-FOLD CARRIERS

DESCRIPTION

8 Wheel Ripple Snap Master (Overlap) 8 Wheel Ripple Snap Master (Under) 8 Wheel Ripple Butt Master (Left) 8 Wheel Ripple Butt Master (Right) Ripple Snap Carrier 60% Fullness (2-5/8") Ripple Snap Carrier 80% Fullness (2-3/8") Ripple Snap Carrier 100% Fullness (2-1/8") Ripple Snap Carrier 120% Fullness (1-7/8")

(1) Front cup holds a 1-1/2" rod and back cup holds a 1" rod

Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.

TIEBACKS

DESCRIPTION

Orbed (U style) 6U⁽⁾(Post style) End Cap (Post style) End Cap (U style)

DIMENSIONS

6" face x 1-1/2" width x 3" projection 2-1/4" width x -3/4" projection 1-5/8" width x 4" projection 6" face x 1-1/2" width x 3" projection

RINGS

DESCRIPTION

Rings - eyelet (10 pack) Rings - eyelet (10 pack) C-Ring *Rings - eyelet (10 pack)* *Rings - eyelet (10 pack)* C-Ring *Fits back rod on double rod set only

INSIDE DIAMETER

2" 2" 1-1/2" 1-1/2"

NEXT GENERATION IRON MOTORIZED

1.5" DIAMETER ROD SETS

SEE PRICE LIST FOR PRICES AND ORDERING INFORMATION

- Double Rod Set •
- Sets include: Rod, motor, finials and mounting hardware. •
- Sinale and Double rod sets come with standard brackets included. Extension brackets can be substituted for no additional charge.
- Double rod sets feature Simple End Cap finials on the 1-1/2" back rod.
- Rod widths greater than 48", include center support brackets.

REMOTES

DESCRIPTION

Dual-Channel Handheld Remote (control up to 2 motors) 15-Channel Remote (control up to 30 motors) Dual-Channel Wireless Wall Switch (control up to 2 motors) 15-Channel Wireless Wall Switch (control up to 15 motors)

FINIALS

Clear Cylinder

DESCRIPTION DIMENSIONS Knob 3/4" W x 2-1/2" H Ribbon 1-3/4" W x 2-1/4" H 2-3/4" W x 3" H Bow Tie Block 7/8" W x 2" H Cylinder 2-3/4" W x 2" H 2-1/2" W x 2-3/8" H Ball End Cap 1/2" W x 2-3/4" H Clear Square 1-1/4" W x 2-3/4" H Contempo 1-3/8" W x 2" H Simple End Cap 3/4" W x 2" H

¥†. Open/Close Speed Average Battery Charge Max Curtain Rated Current Cor**d** Length Rated Torque Weight MOTORS DESCRIPTION (lb.) (lb-in.) (in./sec) (A) (lb.) (ft.) (mos.) 110v AC Plug-in Motor 100 10.6 5.5 0.16 3.9 10 N/A 12v Rechargeable Lithium 66 10.6 5.5 0.16 3.9 N/A 6 **Battery Motor**

All remotes and switches come paired to the motor.

2-1/8" W x 2" H

- Control multiple motors with one remote.
- 3v Battery included with remotes and switches

Wi-Fi MODULE

- Wi-Fi Module easily connects to the bottom of the plug-in motor.
- Use your smart phone to control motor with APP available in the APP Store and Google Play.
- - 🔿 amazon alexa
- WiFi Module connects with Amazon Alexa, Google Assistant and Siri.
- Google Assistant
 - 'Hey Siri'

BRACKETS

DESCRIPTION

DIMENSIO

Standard Extension Double Standard Center Extension Center Double Center Ceiling

NS 1" W x 5-1/2" H x 4-1/4" D (3-1/2" projection) 1" W x 5-1/2" H x 5-3/4" D (5" projection) 1" W x 6-1/2" H x 7-3/8" D (3" & 6-1/2" projection) 4" W x 1" H x 4-1/4" D (3-1/2" projection) 4" W x 1" H x 5-3/4" D (5" projection) 1" W x 2" H x 7-3/8" D (3" & 6-1/2" projection)

2-3/4" W x 1-1/2"- 12" H x 2" D (Custom made)

MASTER CARRIERS

DESCRIPTION

Standard Motorized Master (Center Draw) Extension Arm Master (One-way Draw)

• Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.

TIEBACKS

DESCRIPTION

Orbed (U style) Ball (Post style) End Cap (Post style) End Cap (U style)


DIMENSIONS


6" face x 1-1/2" width x 5-1/4" projection 2-1/2" width x 6-3/4" projection 2" width x 4-1/4" projection 6" face x 1-3/4" width x 5-1/2" projection

NEXT GENERATION IRON MOTORIZED 1.5" DIAMETER ROD SETS

CARRIER COUNT GUIDE

NOTE: Exact carrier count is needed before we build your custom drapery rod. DO NOT count fixed carriers or pin holes on master carriers.






© Copyright 2024



STRUCTURE METAL+WOOD



STRUCTURE METAL+WOOD



MODERN MILLENNIAL STYLING TRAVERSE OR MOTORIZED OPTIONS HEIRLOOM QUALITY

HIDDEN BRACKETS Achieve a clean, modern look with our innovative hidden brackets. Adjustable and easy to install. Used only with traverse sets. Motorized rods use a different bracket.



single motorized rod (palletwood) sphere finial (polished metal)

- STRUCTURE rods are available in baton drawn traverse and motorized configurations.
- Single and Double sets are available.
- Track is embedded in the wood rod for a clean professional look.
 All parts are high quality, professional grade.
- Traverse sets come with all necessary hardware, including ball bearing drapery carriers, master carriers, end stops and your choice of 36" or 60" batons.
- Motorized sets come with all necessary hardware, including motor, Kevlar belt driven track and your choice of standard or ripplefold carriers. Refer to our LOFT motorization page for more details.
- Rods are made from solid American grown wood.



MOTORIZED

DOUBLE MOTORIZED

DOUBLE TRAVERSE



IRAVERSE

SETS INCLUDE

Rod, finials, brackets and all hardware.

AVAILABLE CONFIGURATIONS

- Single Traverse Rod Set
- Double Traverse Rod Set
- Single Motorized Rod Set
- Double Motorized Rod Set

Rods are cut to the precise width ordered and end drilled for finials. Rod width greater than 72", include center support brackets. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 182" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge. Specify "TR" for right draw and "TL" for left draw when ordering one way draw rod sets.

PART NAME	WIDTH	HEIGHT	DEPTH	Length adde	d to end of rod
FINIALS Sphere Naked Waffle Contempo End Cap Button Bow Tie Knob	3-1/4" 3/4" 3/8" 1-1/4" 3/4" 1/2" 7/8" 5/8"	3" 2" 2-1/4" 2" 2" 2-7/8" 2-1/2"	3" 2" 2-1/4" 2" 2" 2" 2-7/8" 2-1/2"	3-1/4" 3/4" 3/8" 1-1/4" 3/4" 1/2" 7/8" 5/8"	
PART NAME	WIDTH	HEIGHT	DEPTH	PROJECTION (measured	from wall to center of the rod)
BRACKETS Single Double Ceiling Extension	2-7/8" 2-7/8" 2" 2-7/8"	2" 2" Custom 2"	3-3/8" 5-1/8 2" 5-1/8"	4-3/8" 2-1/2" AND 6-1/8" 6-1/8"	SINGLE
		6			EXTENSION DOUBLE
RUSTICA 14		ONZE	POLISHED ME	TAL BLACK 03	Case
MAHOGANY 28 BLAC 41	DAPK		STORM 36		CEILING Custom made 1-1/2" up to 12"



SEDONA METAL+WOOD







DOUBLE ROD SETS INCLUDE:

- two rods
- hidden brackets
- mounting hardware
- two finials of your choice on front rod
- end cap finials on metal back rod
- one-way draw available up to 94"



SINGLE ROD SETS INCLUDE:

- two finials
- hidden brackets
- mounting hardware

TRAVERSE OPTION

- Sedona rods are available in baton drawn traverse configurations.
- Single and Double traverse rod sets are available.
- Track is embedded in the wood rod for a clean professional look. All traverse parts are high quality, professional grade.
- Traverse sets come with all necessary hardware, including ball bearing drapery carriers, master carriers, end stops and your choice of 36" or 60" batons.
- One way draw, single segment double rod sets are available up to 94" long. Split draw, double rod sets are available up to 192". Split draw rods over 94" are shipped in two segments.





SETS INCLUDE

Rod, finials, brackets and all hardware.

AVAILABLE CONFIGURATIONS

- Single Rod Set
- Double Rod Set
- Single Traverse Rod Set
- Double Traverse Rod Set

Rods are cut to the precise width ordered and end drilled for finials. Rod width greater than 72", include center support brackets. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 182" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge. Specify "TR" for right draw and "TL" for left draw when ordering one way draw rod sets.

PART NAME	WIDTH	HEIGHT	DEPTH	
FINIALS				
Sphere	3-1/2"	3"	3"	
Halo	2"	3-1/2"	3-1/2"	
Hub Cap	1-1/4"	3"	3"	
Cylinder	2-1/2"	2"	2"	HIDDEN BRACKETS
End Cap	3/4"	2-3/4"	2-3/4"	Achieve a clean, modern look with
Button	3/4"	2-3/8"	2-3/8"	our innovative hidden brackets.
Bow Tie	1-1/4"	2-7/8"	2-7/8"	Adjustable and easy to install.
		, .	, •	, , , , , , , , , , , , , , , , , , ,
Part Name	WIDTH	HEIGHT	DEPTH	PROJECTION*
BRACKETS				
Single	2-7/8"	2"	3-3/8"	4-3/8" CEILING
Double	2-7/8"	2"	5"	2-1/2 AND 6"
Ceiling	2"	Custom	2"	
Extension	2-7/8"	2"	5-1/4"	6-1/4"
*Projection is mea	surad from th	o wall to the	contor of t	he rod Custom
r tojection is mea	suled norm in			made to any
				length 1-1/2" to 12"
(Carly)	G			
SINGLE	EXTENSI	ON	DC	DUBLE
				_
PART NAME	WIDTH	HEIGHT	DEPTH	PART NAME INSIDE DIAMETER
TIEBACKS				WOOD RINGS 2-1/2"
Post & Button	2-3/8"	2-3/8"	4-1/4"	\sim
Wood Rosette	4"	4"	3-1/2"	
ITA	0			METAL RINGS 2-1/2"
	6	0		00
100	0			
WOOD ROSETTE	BUTT	ON		100 million



Professional Drapery Motorization





Touch Start

Gently pulling the curtain will trigger the motor to open automatically

Automatic Limit Positions Positions set automatically on the first use and re-calibrate everyday

ę

Obstruction Protection

Motor will stop automatically if the curtain is pulled or it's path obstructed



Manual Operation Curtains easily open and close manually in the event of power loss



Durability

Professional grade equipment built for years of worry free use. All components "best in class" quality and warranted for 5 years.

	Ordering G	uide				
	Follow the steps below to order each LOFT motorized track. We'll deliver assembled* and ready to mount. Easy to install, just mount the brackets, attach the track, snap in motor and hang the curtains.					
LOFI	Made a mistake? No worries, send it back and we'll fix it.					
	Sidemark:			Date:		
	Room:		Window:			
	Dealer:			PO#		
	Contact Phone:		Email:			
	acks over 94" will be shipped in 2 prized track Double					
Track Length	Example: Window opening is 50	" wide and the curtains to be	12" past the window o	ppening on bot	h sides.Track should be 74" long.	
	ngth		Choose Ri	pplefol		
Motor Position	easy to switch in the field.		D raw □Two way	/center op	ening	
Mounting Brad			-	0	v □One way/left draw	
	Clearance* / 2" Project		II to back of track	*Projection	= wall to center of track	
Carriers High qua	lity ball bearing type.	Master Carrie	ers			
Standard Standard	Ripplefold	Standard o	overlap (4")		Available on ripple fold and only on split draw	
Motor Power S Battery See Last 6 months to a y Includes recharging	e price list for cost. rear on a single charge.	☐ 110v plug-in (1	0' cord)			
Remote Dual cha	nnel controls both single and dou el handheld	uble track sets. Remotes are p			y and come ready to use.	
15 channel	handheld are programable, work on up to 1	15 channel wirele	ess wall mount			
Notes						








1.5 inch

1.5 inch















- Classic wrought iron forged from authentic materials
- Custom made to any size
- Single rod sets include two finials, forged brackets and mounting hardware.
- Double rod sets include two rods, two finials of your choice on the front end and end cap finials on the back rod.



Rod sets wider than 94" will ship as two pieces.

Rod sets wider than 72" include center bracket(s).

Single piece long rod sets are available upon request, but incur additional freight costs and production costs.



SINGLE

DOUBLE

EXTENSION

C-RI**NG** CENTER



INSIDE MOUNT

CEILING MOUNT

FORGED BRACKETS





ACANTHUS LEAF

FLAME



SCROLL

ORBED




IRON SCROLL



END CAP-POST STYLE

TIEBACKS





- Allow one-way draw curtains to be used on longer rods requiring center support bracket(s).
- Great choice for sliding glass door or large window.
- Used with our low profile center support bracket(s) which allow the rings to smoothly slide past the center bracket.
- C-rings appear as standard rings from front.

BAYS & CORNERS

We can calculate your rod lengths for all your bay and corner windows!

PLEASE SEE THE MEASURING GUIDE



ELBOW CONNECTOR





2-INCH OR 2.5 INCH

OIL RUBBED

BRONZE 31

RUSTICA

14

PEWTER

OUTDOOR READY FINISH OPTION

Decorate your deck, cabana or outdoor space! Outdoor finish option is available for a 25% up-charge, which includes a full 5-year replacement warranty. Sets must be installed under an eave or overhang, avoiding direct exposure to the elements. Regular wipe down is required. Not recommended for high humidity or beach environments. AVAILABLE ONLY IN OIL RUBBED BRONZE, RUSTICA AND BLACK.



OUTDOOR

black 03

- Single Rod Set
- Double Rod Set
- Corner Window Rod Set
- Bay Window Rod Set
- Inside Mount Rod Set
- Single, Double, Corner and Bay sets come with standard brackets included. Extension brackets can be substituted for no additional charge.

SET INCLUDES:

- Double rod sets feature end cap finials on the 1" back rod.
- No finials on inside mount rod sets.
- Rod widths greater than 72", include center support brackets.

Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" will come in two pieces. Rod Sets over 188" and up to 288" will come in 3 pieces. Rod segments made in one piece over 94" carry a substantial shipping surcharge and additional production surcharge.

Rod, finials, brackets and mounting hardware.

FII	NI	Al	S
-----	----	----	---

DESCRIPTION

 Grande Pajaro
 5-1/2" W x 4-1/

 Grande Double Scroll Leaf
 6" W x 8" H

 Grande Square Cap
 2-3/4" W x 3" H

 Crown Ball
 4" W x 3-1/4" H

 Grande Scroll
 7-1/4" W x 3-1/4" H

 Grande Scroll
 7-1/4" W x 3-1/4" H

 Grande Scroll
 7-1/2" W x 4" H

 Grande Double Acanthus
 7-1/2" W x 4" H

 Grande Iron Ball
 3-1/2" W x 3" H

 Grande Camelot
 5-1/2" W x 3" H

 Grande Terrazzo
 6-3/4" W x 2-3/4"

 Grande Papyrus
 5-1/4" W x 3-1/4"

 Grande Terrazzo
 6-3/4" W x 2-3/4"

LENGTH ADDED DIMENSIONS TO ROD 5-1/2" W x 4-1/4" H 5-1/4" 5-1/2" 2-3/4" W x 3" H 2-1/2" 4" W x 3-1/4" H 3-3/4" 7-1/4" W x 3-1/2" H 7" 8-1/2" W x 4" H 8" 7-1/4" 3-1/2" W x 3" H 3-1/4" 5-1/2" W x 3-1/2" H 5-1/4" 6-3/4" W x 2-3/4" H 6-1/2" 5-1/4" W x 3-1/4" H 5" 7/8" W x 2-1/2" H 5/8

RINGS

DESCRIPTION

Rings - eyelet (10 pack) C-Rings - eyelet (10 pack) Rings - eyelet (10 pack)

INSIDE DIAMETER

2" 2" 2-1/2"

1103 rings on front rod and 1102 rings on back rod for double rod sets.

BRACKETS

DESCRIPTION

Forged Single Bracket Forged Double Bracket (1) Forged Extension Bracket C-Ring Center Bracket C-Ring Double Center Bracket (1) C-Ring Extended Center Bracket Inside Mount Bracket Ceiling Mount Bracket Elbow

DIMENSIONS

1" W x 5-1/8" H x 4-1/2" D (3-1/2" projection) 1" W x 4-7/8" H x 6-1/8" D (2-1/2" & 5" projection) 1" W x 4-3/4" H x 6-1/8" D (5" projection) 4" W x 1" H x 4-1/8" D (3-1/2" projection) 4" W x 2" H x 5-7/8" D (2-1/2" & 5" projection) 4" W x 1" H x 5-7/8" D (5" projection) 7/8" W x 4" H x 2" D (1/8" projection) 1" W x 4-1/2" H x 4" D (3-1/2" projection) Extends 7/8" past rod to center of swivel

(1) Front cup holds a 1-1/2" rod and back cup holds a 1" rod

Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.

TIEBACKS

DESCRIPTION

Flame (U style) Acanthus Leaf (U style) Scroll (U style) - left Scroll (U style) - right Orbed (U style) Iron Scroll (Post style) End Cap (Post style) End Cap (U style)

DIMENSIONS


9" face x 2-1/4" width x 6-1/2" projection 7" face x 4" width x 5-1/4" projection 7" face x 4" width x 4-3/4" projection 7" face x 4" width x 4-3/4" projection 6" face x 1-1/2" width x 6" projection 7-1/2" face x 3-1/4" x 4-3/4 projection 2" width x 4-3/8" projection 6" face x 1-7/8" width x 5-3/4" projection








Custom WROUGHT IRON





- Classic wrought iron forged from authentic materials
- Custom made to any size
- Single rod sets include two finials, forged brackets and mounting hardware.



• Double rod sets include two rods, two finials of your choice on the front end and end cap finials on the back rod.

Rod sets wider than 94" will ship as two pieces.

Rod sets with overall widths greater than 72" include center bracket(s).

Single piece long rod sets are available upon request, but incur additional freight costs and production costs.



TRAVERSE SETS Baton Drawn

Hand drawn, elegantly crafted traverse rod sets are now available.

Rod sets come with everything you need to get the job done – Including rod, finials, brackets, mounting hardware, master carriers, carriers and batons.

> AVAILABLE IN: Single and double configurations.

- One way draw, single segment traverse rod sets are available up to 94" long.
- Split draw traverse rod sets available up to 188". Split draw rods over 94" shipped in 2 segments.
- 36" wands automatically come with rod set 60" wands available for no extra charge.



ONE WAY DRAW ROD SETS Specify "TR" for right draw (opens to the right) or "TL" for left draw (opens to the left). Rod will include one "long arm" master carrier that allow the curtain to close past the end bracket.

Ordering Traverse Sets:

SPLIT DRAW ROD SETS

Specify "T" for traverse at the end of the rod set part number on the order form. Rod will include two master carriers that will open from the center of the rod.







C-RINGS

- Allow one-way draw curtains to be used on longer rods requiring center support bracket(s).
- Great choice for sliding glass door or large window.
- Used with our low profile center support bracket(s) which allow the rings to smoothly slide past the center bracket.
- C-rings appear as standard rings from front.

BAYS & CORNERS

OUTDOOR READY FINISH OPTION

We can calculate your rod lengths for all your bay and corner windows!

PLEASE SEE THE MEASURING GUIDE



ELBOW CONNECTOR

Decorate your deck, cabana or outdoor space! Outdoor finish option is available for a 25% up-charge, which includes a full 5-year replacement waranty. Sets must be installed under an eave

or overhang, avoiding direct exposure to the elements. Regular wipe down is required.



RINGS

14

RUSTICA

OIL RUBBED BRONZE

31



black 03 <image>

Not recommended for high humidity or beach environments.



OUTDOOR

PECIFICATIONS & DIMENSIONS

Single Rod Set (1") * Double Rod Set (1" front rod and 1" back rod) Single Traverse Rod Set (1 1/8") * Double Traverse Rod Set (1 1/8" front rod and 1 1/8 " back rod) Corner Window Rod Set (1") Bay Window Rod Set (1") Inside Mount Rod Set (1")

SET INCLUDES: Rod, finials, brackets and mounting hardware.

• Single, Double, Corner and Bay Sets come with standard brackets included.

Extension brackets can be substituted for no additional charge.

٠ Double rod sets feature end cap finials on the 1" back rod.

- No finials on inside mount rod sets.
- Rod sets with overall widths greater than 72" include center bracket(s).

Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" will come in two pieces. Rod Sets over 188" and up to 282" will come in 3 pieces. Rod segments made in one piece over 94" carry a substantial shipping surcharge and production surcharge.

FINIALS

DESCRIPTION
Rounded Square Cap
Terrazzo
Torche
Capri
End Cap
Small Acanthus
Fleur
Acorn
Iron Ball

DIME
2-1/4"
6" W x
5-1/2"
3-3/8"
1/2" W
4-1/2"
4-1/2"
3-3/8"
2-3/4"

FORGED SINGLE

MENSIONS	LENGTH ADDED TO ROD
1/4" W x 2-1/2" H	2"
W x 2-3/4" H	5-3/4"
1/2" W x 2-3/4" H	5-1/4"
3/8" W x 2-1/2" H	3-1/4"
2" W x 1-7/8" H	1/8"
1/2" W x 3" H	4-1/4"
1/2" W x 3-1/8" H	4-1/4"
3/8" W x 2" H	3-1/4"
3/4" W x 2-1/2" H	2-5/8"

TIEBACKS

DESCRIPTION Flame (U style) Acanthus Leaf (U style) Scroll (U style) - left Scroll (U style) - right Orbed (U style) Iron Scroll (Post style) End Cap (Post style) End Cap (U style)

DIMENSIONS

9" face x 2-1/4" w x 6-1/2" projection 7" face x 4" w x 5-1/4" projection 7" face x 4" width x 4-3/4" projection 7" face x 4" width x 4-3/4" projection 6" face x 1-1/2" width x 6" projection 7-1/2" face x 3-1/4" w x 4-3/4" projection 2" width x 4-3/8" projection 6" face x 1-7/8" width x 5-3/4" projection

SCROLL



ACANTHUS IFAF

ORBED



FORGED DOUBLE



Ceiling Mount Bracket Forged Single Bracket

Forged Double Bracket (1) Forged Extension Bracket C-Ring Center Bracket C-Ring Double Center Bracket (1) C-Ring Extended Center Bracket Inside Mount Bracket

BRACKETS

DESCRIPTION

DIMENSIONS

1" W x 3-1/8" H x 3" D (2-1/2" projection) 1" W x 4" H x 3-1/4" D (2-1/2" projection) 1" W x 4" H x 6" D (2-1/2" & 5" projection) 1" W x 4" H x 6" D (5" projection) 4" W x 1" H x 3-1/8" D (2-1/2" projection) 4" W x 1" H x 5-3/4" D (2-1/2" & 5" projection) 4" W x 1" H x 5-3/4" D (5" projection) 1-1/4" W 2-1/4" H x 7/8" D (1/8" projection)

(1) Front cup holds a 1" rod and back cup holds a 1" rod

Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.



C-RING CENTER

INSIDE MOUNT






Rings - eyelet (10 pack) C-Rings - eyelet (10 pack) **INSIDE DIAMETER**


1 1/2" 1 1/2"





contemporary METAL





• Double rod sets include two rods two finials of your choice on the front end and end cap finials on the back rod.



DOUBLE RODS



BRACKETS



EYELET RINGS

CLIP RINGS

ALL SETS INCLUDE OUR UNIQUE MAGNETIC BRACKETS



CEILING MOUNT BRACKET

BAY & CORNER ROD SETS AVAILABLE

URNISHED COPPER 15

nickel 1<u>6</u>

black 03

OIL RUBBED BRONZE 31

contemporary METAL 1" DIAMETER ROD SETS

SEE PRICELIST FOR PRICES AND ORDERING INFORMATION

PECIFICATIONS & DIMENSION

SET INCLUDES: Rod, finials, brackets and mounting hardware.

- Single Rod Set (1") *
- Double Rod Set (1" front rod and 1" back rod)
- Corner Window Rod Set
- Bay Window Rod Set (1")
- Inside Mount Rod Set (1")

* with your choice of Standard or Extension Brackets

Double rod sets feature end cap finials on the 1" back rod. No finials on inside mount rod sets.

FINIALS

DESCRIPTION **Ribbed Square Cap** Sausalito Ballcap Baroque Orchid End Cap Traditions **Round Flame**

DIMENSIONS
2-7/8" W x 2-1/2" H
2-1/2" W x 2-7/8" H
2-3/4" W x 2-3/8"H
3" W x 2-1/8" H
3-5/8" W x 2-1/2" H
3/4" W x 1-3/8" H
3-3/4" W x 2-1/2" H
2-3/4" W x 3" H

RINGS

DESCRIPTION

Clip Rings (10 pack) Rings - eyelet (10 pack)



1-1/2" 1-1/2"









BRACKETS

DESCRIPTION

Single Bracket Double Bracket (1) **Extension Bracket** Inside Mount Bracket Ceiling Mount Bracket Elbow

DIMENSIONS

LENGTH

ADDED

TO ROD

2-3/4"

2-1/2"

2-5/8"

2-7/8"

3-1/2"

3-5/8"

2-5/8"

3/4"

1" W x 2-1/2" H x 3-1/4" D 1" W x 2-1/2" H x 5-3/4" D 1" W x 2-1/2" H x 5-5/8" D 1-3/8" W 2-5/8" H x 1-1/2" D 1" W x 3" H x 3" D Extends 3/4" from end of rod to center of swivel

(1) Front cup holds a 1" rod and back cup holds a 1" rod



Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.



TIEBACK

DESCRIPTION Post Tieback w/Finial Choice

DIMENSIONS 2" Diameter Base 4-1/4" depth plus finial dimension






Plantation

1 3/8 inch

2 inch



Single rod sets include two finials, brackets and mounting hardware.

Double rod sets include two rods, two finials of your choice on the front rod and end cap finials on the back rod.

Rods greater than 94" will ship as two pieces and include a center support bracket. Single piece long rods are available upon request, but incur substantial additional freight costs and production surcharge.

- Plantation grown hardwood
- Richly finished
- Custom made to length you specify

DUCHESS 2" only



SULTAN 2" only





TRAVERSE SETS – 2 inch Baton Drawn

- Aluminum track embedded in full round wood rods
- 36" and 60" wands available



All the same wood parts as a standard Plantation Wood set, plus embedded aluminum track master carriers, drapery carriers, end stops and batons.

NO CORD DRAW AVAILABLE





DUKE 1 3/8" only





SETS INCLUDES: Rod, finials, brackets and mounting hardware.

1 3/8" DIAMETER

Single Rod Set (1-3/8") Double Rod Set (1-3/8" front rod and 1-3/8" back rod) Inside Mount Rod Set (1-3/8")

2" DIAMETER

Single Rod Set (2") Single Traverse Rod Set (2") Double Rod Set (2" front rod and 1-3/8" back rod) Inside Mount Rod Set (2")

Rods are cut to the precise width ordered and end drilled for finials. Double rod sets feature end cap finials on the 1-3/8" back rod. No finials on inside mount rod sets. Rod width greater than 72", include center support brackets. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" and traversing up to 168" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge.

FINIALS

DESCRIPTION	DIMENSIONS	ADDED TO ROD
Wood Ball 3-1/4" W x 2-1/2" H	1-3/8"	3-1/8"
Turned Knob 3-1/4" W x 2-1/2" H	1-3/8"	3-1/8"
Astoria 3-1/8" W x 2-3/8" H	1-3/8"	3"
End Cap 1-1/8" W x 2" H	1-3/8"	1"
Duke 3-5/8" W x 3 H	1-3/8"	3-1/2"
Wood Ball 4-3/4" W x 3-1/2" H	2"	4-5/8"
Turned Knob 4-3/8" W x 3-1/2" H	2"	4-1/4"
Astoria 4-1/2" W x 3-3/8" H	2"	4-3/8"
End Cap 1-5/8" W x 3" H	2"	1-1/2"
Duchess 6" W x 3-1/2" H	2"	5-7/8"
Sultan 4-1/4" W x 4-1/2" H	2"	4-1/8"

TIEBACK DESCRIPTION

Rosette



LENGTH

DIMENSIONS

4" face x 1" width x 4-3/8" deep







DESCRIPTION	R
Single Bracket	1
Double Bracket (1)	1
Inside Mount Bracket (*)	1
Single Bracket	2
Double Bracket (2)	2
Inside Mount Bracket (*)	2

ROD SIZE	DIME
1-3/8"	1" W
1-3/8"	1" W
1-3/8"	1" W
C "	1 2/0

ENSIONS x 3-1/4" H x 5-1/4" D (3-7/8" projection) x 3-1/4" H x 8-3/4" D (3-7/8" & 7-3/8" projection) x 2-7/8" x 2-7/8" D 1-3/8" W x 4-1/4" H x 6-7/8" D (5" projection) 1-3/8" W x 4-1/4" H x 9-1/2" D (4-1/4" & 7-3/4" proj.) 1" W x 3-3/8" H x 3-3/8" D

(1) Front cup holds a 1-3/8" rod and back cup holds a 1-3/8" rod. (2) Front cup holds a 2" rod and back cup holds a 1-3/8" rod.

Projection is measured from the center of the bracket cup to the back plate of the bracket.



D is the distance; it is measured from the front of the bracket to the back plate of the bracket.

2

W is the horizontal length of the bracket.

H is the vertical length of the bracket back plate.

*Subtract 1" total from inside dimension for rod length.



RINGS


DESCRIPTION 930 Wood Rings - eyelet (10 pack) 930-2 Wood Rings - eyelet (10 pack)

ROD SIZE	
1-3/8"	
2"	

INSIDE RING DIAMETER 1-3/4" 2-1/2"

Copyright 2024





DETERMINE YOUR HARDWARE WIDTH:

Rod width does not include the width of the finials on each end. Finials add 2" to 8" in width on each end, depending on the finial style. We recommend a 5" overlap on each side of the window.

For example if your window is 50" wide, you would normally order a 60" length rod and the overall finished width would be 64" to 76" depending upon the finial style.

INSIDE MOUNT MEASURING:

Have customer measure just the opening. Factory will need to know if you want deductions made for the inside mount brackets.

MEASURING GUIDE

MEASURING TIPS:

• Always use a steel tape measure. All dimensions should be taken to the nearest 1/4 inch.

• Double check to make sure that you haven't transposed width and height measurements.

• Measure every window. Windows that look identical often are not.

• If you have any questions, please contact Customer Service for more information.

BAY WINDOWS MEASURING:

Please answer the questions below.

To order a bay window rod set correctly, you need to provide the separate measurement of each section of the bay area wall (shown here as A, B and C) and the degree of each wall angle (shown here as Angle #1 and Angle #2).

If you would like us to determine the angles, you will need to additionally provide the opening width of the bay.



We will calculate your rod size based on these measurements and rod style you select. Our standard calculations allow for the finials to be just short of the outside of the opening. If you wish them to project out past the opening please advise when ordering.

www.customdraperyrod.com



PRESENTATION SAMPLES



PRODUCT CATALOG

Our Catalog includes booklets for each of our product collections as well as removable finish chips for all our products. Pricing, specifications and ordering information are included.

SAMPLE BAG

Our drapery hardware sample bag is an easy way to show your customer the style and unsurpassed quality of the product. The durable nylon sample bag is convenient for meetings and customer presentations.

BAG INCLUDES:

- Durable Sample Tote
- STRUCTURE wood+metal Sample
- Custom Iron Bracket Sample
- Custom Iron (1") Sample
- Estate Iron (1 1/2") Sample
- 2 SEDONA wood+metal Samples
- Catalog Binder
- Retail Price List
- Finish Sample Plates

Catalog included









CUSTOM WROUGHT IRON



STYLE MIX

WALL MOUNT SAMPLE BOARDS

Wall mount sample boards feature complete rod sets including finials and brackets as well as rings representing each available finish. Boards can be ordered for each collection or a style mix board showing an example from each collection. Boards are furniture quality with hand finished hardwood trim.



SEDONA wood+metal



PLANTATION WOOD