



# AVALON

## SHEER SHADES

Pricing Guide  
Sept 2025  
V 1.0.0

---

## TABLE OF CONTENTS

---

### Product Overview

• Collection Information .....	3-4
• Options .....	5-6
• Notes .....	7
• Size Standards .....	8
• Features & Options .....	9
• Cord Loop Drop Chart .....	9
• Mounting Requirements .....	9
• Headrail Dimensions .....	9
• Finished Dimensions .....	10

### Pricing Groups

• Pricing Grids .....	11-14
-----------------------	-------

### Product Operation & Specifications

• Continuous Loop Control Operation .....	15
• Cordless Lift Operation .....	16
• AMP™ Motorized Shade Specifications .....	17

### Terms and Warranty Information

• Terms of Sale & Freight/Repair Charges .....	18
• Limited Product Warranty .....	19

# COLLECTION INFORMATION

Family Name	Color Name	Family Code	Sample ID	Color #	Coordinating Hardware Color Number	Coordinating Hardware Color Name	Fabric Covered Headrail color	Continuous Loop Control Tensioner Color	Light Control	Price Group
Pristine 3" Light Filtering TSL12	Desert Sands	TSL12	SL12-955	955	320	Rich Cream	133	320	C	2
	Pearl Gray	TSL12	SL12-713	713	879	Pearl gray	321	689	C	2
	Pesto	TSL12	SL12-624	624	550	Ripe Pear	254	661	C	2
	Volcanic Ash	TSL12	SL12-688	688	180	Dove Gray	227	689	C	2
	Graphite	TSL12	SL12-750	750	405	Gray Flannel	110	048	C	2
	Moonstruck	TSL12	SL12-479	479	320	Rich Cream	127	320	C	2
Pristine 3" Room Darkening TSL15	Desert Sands	TSL15	SL15-955	955	320	Rich Cream	133	320	D	4
	Pearl Gray	TSL15	SL15-713	713	879	Pearl gray	321	689	D	4
	Pesto	TSL15	SL15-624	624	550	Ripe Pear	254	661	D	4
	Volcanic Ash	TSL15	SL15-688	688	180	Dove Gray	227	689	D	4
	Graphite	TSL15	SL15-750	750	405	Gray Flannel	110	048	D	4
	Moonstruck	TSL15	SL15-479	479	320	Rich Cream	127	320	D	4
Linen 3" Light Filtering TSL8	Snow	TSL8	SL8-1100	1100	661	White Tiara	125	661	C	1
	Misty Sky	TSL8	SL8-1015	1015	276	Silverado	234	661	C	1
	Pearl	TSL8	SL8-1101	1101	320	Rich Cream	126	661	C	1
	Jasper	TSL8	SL8-1109	1109	180	Dove Gray	229	689	C	1
Batiste 3" Light Filtering TSL13	Dove	TSL13	SL13-776	776	276	Silverado	405	661	C	2
	Sage	TSL13	SL13-065	065	550	Ripe Pear	254	689	C	2
	Dockside	TSL13	SL13-291	291	879	Pearl gray	516	689	C	2
	Indigo Mood	TSL13	SL13-482	482	450	Skyline	937	661	C	2
Batiste 3" Room Darkening TSL16	Dove	TSL16	SL16-776	776	276	Silverado	405	661	D	4
	Sage	TSL16	SL16-065	065	550	Ripe Pear	254	689	D	4
	Dockside	TSL16	SL16-291	291	879	Pearl gray	516	689	D	4
	Indigo Mood	TSL16	SL16-482	482	450	Skyline	937	661	D	4
Basketweave 3" Light Filtering TSL14	Pinewood	TSL14	SL14-1071	1071	550	Ripe Pear	254	320	C	2
	August Sky	TSL14	SL14-218	218	609	Falcon Gray	104	661	C	2
	Daybreak	TSL14	SL14-237	237	551	Wom Leather	133	320	C	2
	Grason	TSL14	SL14-266	266	276	Silverado	405	661	C	2
Basketweave 3" Room Darkening TSL17	Pinewood	TSL17	SL17-1071	1071	550	Ripe Pear	254	320	D	4
	August Sky	TSL17	SL17-218	218	609	Falcon Gray	104	661	D	4
	Daybreak	TSL17	SL17-237	237	551	Wom Leather	133	320	D	4
	Grason	TSL17	SL17-266	266	276	Silverado	405	661	D	4
Cross Hatch 2-1/2" Light Filtering TN8	Deck Chair	TN8	N8-226	226	550	Ripe Pear	229	320	C	1
	Wicker Basket	TN8	N8-203	203	320	Rich Cream	127	320	C	1
	High Tide	TN8	N8-238	238	276	Silverado	266	661	C	1
	Sage	TN8	N8-065	065	550	Ripe Pear	229	689	C	1
	Picket Fence	TN8	N8-201	201	661	White Tiara	125	661	C	1
	Clapboard	TN8	N8-211	211	550	Ripe Pear	133	320	C	1
Cross Hatch 2-1/2" Room Darkening TN6	Deck Chair	TN6	N6-226	226	862	Gardenia White	229	320	D	3
	Picket Fence	TN6	N6-201	201	885	Flex White	125	661	D	3
	High Tide	TN6	N6-238	238	276	Silverado	266	661	D	3
	Sage	TN6	N6-065	065	550	Ripe Pear	229	320	D	3
Satin 2" Room Darkening TSL1	Arctic Ice	TSL1	SL1-2100	2100	885	Flex White	125	661	D	3
	Eggshell	TSL1	SL1-2200	2200	329	Summer Linen	127	320	D	3
	Gray's Harbor	TSL1	SL1-2209	2209	276	Silverado	234	661	D	3
	Twilight	TSL1	SL1-2600	2600	320	Rich Cream	128	661	D	3
	Cottage Cream	TSL1	SL1-2205	2205	656	Golden Straw	143	320	D	3
	Natural Linen	TSL1	SL1-2064	2064	550	Ripe Pear	303	689	D	3
Satin 3" Room Darkening TSL2	Arctic Ice	TSL2	SL2-2100	2100	885	Flex White	125	661	D	3
	Eggshell	TSL2	SL2-2200	2200	329	Summer Linen	127	320	D	3
	Gray's Harbor	TSL2	SL2-2209	2209	276	Silverado	234	661	D	3
	Twilight	TSL2	SL2-2600	2600	320	Rich Cream	128	320	D	3
	Cottage Cream	TSL2	SL2-2205	2205	656	Golden Straw	143	320	D	3
	Natural Linen	TSL2	SL2-4064	4064	550	Ripe Pear	303	689	D	3
Satin 2" Light Filtering TSL5	Ivory	TSL5	SL5-1008	1008	320	Rich Cream	127	320	C	1
	Snow	TSL5	SL5-1000	1000	885	Flex White	125	661	C	1
	Parchment	TSL5	SL5-1006	1006	661	White Tiara	126	661	C	1
	Pearl	TSL5	SL5-1001	1001	320	Rich Cream	127	320	C	1
Satin 3" Light Filtering TSL6	Ivory	TSL6	SL6-1008	1008	320	Rich Cream	127	320	C	1
	Snow	TSL6	SL6-1000	1000	885	Flex White	125	661	C	1
	Parchment	TSL6	SL6-1006	1006	661	White Tiara	126	661	C	1
	Pearl	TSL6	SL6-1001	1001	320	Rich Cream	127	661	C	1
	Gray's Harbor	TSL6	SL6-1209	1209	276	Silverado	321	661	C	1
	Mocha	TSL6	SL6-1019	1019	180	Dove Gray	133	661	C	1

\*Fabric-covered headrail is color-coordinated to fabric. If an override is chosen, please choose from a color in the Fabric- Covered Headrail color-coordination chart on page 4.

\*When Continuous Cord Loop is ordered, the shade is color coordinated to one of the tensioners in the chart on page 4. You may override the tensioner color and choose another color if desired.

\*Light Filtering/Translucent - Softly diffuses sunlight and provides a moderate degree of privacy as only shadows will be discernible.

\*Room Darkening/Light Dimming - Dramatically reduces light. Provides privacy against most direct light. Images, shapes and people are not discernible.

LIGHT CONTROL DEFINITIONS	
A	Sheer - Filtered light for an open, softened view, UV protection and glare reflection, when privacy is not a concern.
B	Semi-Sheer - Softly diffuses light while offering minimal privacy. Images, shapes and people can be seen with some clarity.
C	Light Filtering/Translucent - Softly diffuses sunlight and provides a moderate degree of privacy as only shadows will be discernible.
D	Room Darkening/Light Dimming - Dramatically reduces light. Provides privacy against most direct light. Images, shapes and people are not discernible.
E	Blackout - Provides the ultimate in light control and privacy; perfect for bedrooms, nursery, or media rooms. Pair with side channels or privacy light block for additional privacy. (Side channels where applicable)

---

## COLLECTION INFORMATION

---

Fabric-covered headrail is color-coordinated to fabric.

If an override is chosen, please choose from a color in the Fabric-Covered Headrail color-coordination chart below.

Fabric-Covered Headrail Color Chart	
FCH Color Number	FCH Color Name
104	Cloud
110	Treffe
125	Radiant White
126	White Diamond
127	Linen Flirt
128	Misty Almond
133	Feather Fantasy
143	Wedding Cake
227	Garden Trellis
229	Ivoire
234	Foggy Mist
254	Conch Shell
266	Grason
303	Kiawah
321	Silver Reflection
405	Aspen Bark
516	Feathered Down
937	Aire


Cord Loop Universal Cord Tensioner Colors	
Color Number	Description
661	White
320	Vanilla
903	Light Brown
689	Dark Brown
048	Black

**Note: When Continuous Loop Control is ordered, the shade is color coordinated to one of the tensioners above. You may override the tensioner color and choose another color if desired.**

## OPTIONS

### TWO-ON-ONE HEADRAIL

Cover patio doors and other large expanses by placing two independently operated shades side-by-side on the same headrail. Note there will be a 3/8" light gap between the two shades, see minimum/maximum requirements under product specification section.



### TILT ONLY SHADING


Ideal for sidelights or narrow windows.

- Shading cannot be raised, it can only be tilted open or closed.
- Hold down brackets are used to secure the bottomrail.

### CORDLESS LIFT

Raise, lower, and tilt Shades with cordless lift. A great choice for homes with children and pets, the lift, lower, and tilt mechanism are all controlled by the clear plastic handle attached to the bottomrail.

This cordless system works by simply pushing up with your hand to raise the shading and pulling down to lower it. The Shades stay right where you put them.



### FABRIC-COVERED HEADRAIL

Features a coordinating fabric wrapped onto the headrail to provide a soft fabric look from top to bottom. (See surcharge on pricing pages)

#### Notes:

- Hardware Color Substitution is only available when the Fabric-Covered Headrail option is not selected
- When Fabric-Covered Headrail is selected the underlying headrail color will always be white and the end caps will still be color coordinated.
- Fabric-covered headrail is color-coordinated to fabric. If an override is chosen, please choose from a color in the Fabric-Covered Headrail color-coordination chart on page 4.




## OPTIONS

### OPTIONAL BACK COVER (INSIDE MOUNT)

Used with inside mounts to conceal the open rear side of the headrail for a more pleasing exterior look. Use of the back cover adds 1/4" to minimum inside mounting depths.


#### MINIMUM INSIDE MOUNTING DEPTH



WITHOUT  
BACK COVER

WITH BACK COVER

The back cover is secured in place by a back cover bracket attached to the installation bracket.




BACK  
COVER

INSTALLATION  
BRACKET

BACK COVER  
BRACKET

### OPTIONAL DUST COVER (OUTSIDE MOUNT)

Shields the fabric and internal headrail components from dirt, dust, and other contaminants.




Overhead View  
No Dust Cover

Dots

Top Dust Cover Installed

### BACK COVER BRACKET

When a back cover is used, attach back cover brackets to the installation brackets before mounting them. Remove the tab from the top of the back cover brackets and both tabs at the rear of the installation brackets. After mounting the installation brackets, install the back cover.



Back  
Cover

### SIDE-BY-SIDE VANE ALIGNMENT

When sheer Shades are installed side by side, vane alignment can be guaranteed within 1/4" only if:

- Shades are ordered at the same time and in the identical style, color and height.
- Shades that need to be aligned are specified on the order form (a note must be included in Special Instructions).
- Shades exceeding combined width of 120" cannot be guaranteed

Note: Vane alignment cannot be guaranteed for Two-On-One Headrail and motorized shades combined on the same order.

### ADJACENT SHADES

To span wide window openings, sheer shades may be installed adjacently, so their headrails abut. The gap between the fabric panels of the adjacent shades varies according to the control placement, as shown in the table below.

ABUTTED SHADES CENTER FABRIC GAP	
Cordless Lift	All abutting configurations 7/8"
Continuous Loop Control	Non Control Sides Abut 7/8"
Motorized	Non Control Sides Abut 7/8"
Motorized	Control Sides Abut 1-3/8"

Note: Outside mount (OB) shades are not recommended for bay windows or abut-and-pass applications.


## ADDITIONAL NOTES

### SHADING ADJUSTMENT

Shades should wind evenly and not skew to one side.

A balance weight on the bottomrail can easily be adjusted if the fabric winds unevenly on the roll when the sheer shading is raised. Uneven winding can cause damage to the edge of the fabric.


- If skewing does occur:
  - Ensure headrail was installed level; shim if necessary.
  - To release, insert a flat blade screwdriver into the weight clips and turn clockwise.
  - Adjust placement of weight in bottomrail, 1" at a time, toward side where fabric is gathering.
  - Secure the weight clips in position by turning them counter clockwise, after making the adjustment.
  - Raise shade, then lower, if necessary, adjust again.



### SHADING INSTALLATION


To mount the shading, insert the top of the headrail into the brackets between the locking tab and the bracket flange. Push the headrail into the brackets until the locking tab clicks in place.

To remove the shading, lift the locking tab to release the headrail, rotate the headrail forward, and pull it straight out.



### MAGNETIC HOLD-DOWN BRACKETS

Magnetic hold-down brackets secure the bottom of the shading to prevent swaying. Available upon request. Standard on tilt-only Shades.



### LIGHT BLOCK STRIP

An integrated light block strip comes standard on all inside mount headrails. The light block strip can be removed by removing the headrail decorative end cap. Using a square drive screwdriver, back the screw out of the endplate 1/8", keeping the screw attached. Gently pull the endplate to separate from the headrail. Using a pair of needle-nose pliers, grab the light-blocking strip and pull it out of the headrail channel (see photos to the right). Push the endplate to seat back into the headrail. Tighten the endplate screw and replace the end cap cover.



## SIZE STANDARDS

SIZE STANDARDS-Single Panel	Continuous Loop Control
Minimum ordered width	12"
Minimum ordered width – tilt only	6"
Maximum ordered width	120"
Maximum ordered width end mount	48"
Maximum ordered width – tilt only	11-7/8"
Minimum ordered height	16"
Maximum ordered height-(see notes for limitations)	See Max Height Chart

SIZE STANDARDS-Single Panel	Cordless Lift
Minimum ordered width	18"
Maximum ordered width	120"
Maximum ordered width end mount	48"
Minimum ordered height	12"
Maximum ordered height-All Fabrics (see notes for limitations)	84"

SIZE STANDARDS- TWO-ON-ONE HEADRAIL	Continuous Loop Control	Cordless Lift
Minimum ordered width	24"	36"
Maximum ordered width (Overall)	144"	144"
Maximum ordered width (Larger Panel)*	108"	108"
Maximum height-(see notes for limitations)	See Max Height Chart	84"
Center gap	3/8"	3/8"

Max Height Chart for Continuous Loop Control		
Maximum Height for Cordless is 84" on all fabrics		
Fabric Code	Fabric Name	Max. Height
TN6	Cross Hatch 2-1/2" RD	102"
TN8	Cross Hatch 2-1/2" LF	120"
TSL8	Linen 3" LF	90"
TSL1	Satin 2" RD	102"
TSL2	Satin 3" RD	102"
TSL5	Satin 2" LF	102"
TSL6	Satin 3" LF	120"
TSL12	Pristine 3" LF	120"
TSL13	Batiste 3" LF	120"
TSL14	Basketweave 3" LF	120"
TSL15	Pristine 3" RD	102"
TSL16	Batiste 3" RD	102"
TSL17	Basketweave 3" RD	102"

SIZE STANDARDS-Single Panel	AMP 1.1 LI-ION (INTERNAL BATTERY)
Minimum Width	24"
Maximum Width	120"
Maximum Width - End Mount	48"
Minimum Height	12"
Maximum Height-Translucent	120"
Maximum Height-Light Dimming	102"
Maximum Square Feet - Translucent	60
Maximum Square Feet - Light Dimming	50

SIZE STANDARDS- TWO-ON-ONE HEADRAIL	AMP 1.1 LI-ION (INTERNAL BATTERY)
Minimum Width (overall)	48"
Minimum Width (per panel)	24"
Maximum Width (overall)	144"
Maximum Width (per panel)	120"
Maximum Width End Mount	N/A
Minimum Height	12"
Maximum Height - Translucent	120"
Maximum Height-Light Dimming	102"
Maximum Square Feet - Translucent	60
Maximum Square Feet - Light Dimming	50



## FEATURES & OPTIONS

FEATURES	
# of fabric styles	13
# of Colors	97
Headrail size	3-1/4" X 3-1/16"
Bracket style	Snap-in
Cord loop tilt and lift	Yes, Standard
Raise, lower and tilt with one cord	Yes
Safety cord tensioner	Color Coordinated
Warranty	Limited Lifetime

OPTIONS - EXTRA CHARGE	
Hardware Color Substitution	Yes
Cordless Lift	Yes
Fabric Covered Headrail	Yes
AMP Motorization	Yes
OPTIONS - NO CHARGE	
Tilt Only (available on standard loop control only)	Yes
Two-On-One Headrail Option	Yes
Control positions	Right or Left
Motor Positions- AMP	Right or Left * (see note below)

Spacer blocks	Yes
Extension brackets	Yes
Hold-down brackets	Yes
Back cover (Inside or End Mounts)	Yes
Dust cover (Outside Mounts)	Yes
Cord length (See Cord Loop Drop Chart)	Yes
Specialty shapes	No
Tile cut-out	No

Note: For 2 on 1 shades, motors must be placed at the edges(far-left and far-right) of the shades.

## CORD LOOP DROP CHART

SHADING HEIGHT	CORD LOOP DROP
16" to 26-7/8"	1 ft. (white-only)
27" to 39-7/8"	2 ft.
40" to 59-7/8"	3 ft.
60" to 83-7/8"	4 ft.
84" to 107-7/8"	5 ft.
108" to 120"	6 ft. (white-only)

OPTIONAL CORD DROPS (White Cord Only)	
CORD DROP	INCREMENTS
6' – 12'	6" increments
12' – 16'	12" increments

Note: 18" white only cords available upon request

## MOUNTING REQUIREMENTS

INSIDE MOUNT (IB)	
Continuous Cord Loop, Cordless Lift & AMP Motorization	
Minimum casement depth*	1"
Minimum casement depth*, fully recessed	3-5/16"
Minimum rear fabric clearance	1/8"

OUTSIDE MOUNT (OB)	
Continuous Cord Loop, Cordless Lift & AMP Motorization	
Minimum mounting surface height	1"
Recommended width overlap per side	3"
Minimum rear fabric clearance	1/8"


END MOUNT (EB)	
Continuous Cord Loop, Cordless Lift & AMP Motorization	
Minimum mounting surface depth*	1-1/4"

\* Add 1/4" to minimum depth dimensions if optional back cover is used for inside or end mounts.

\* End Mount not available on 2 on 1 applications.

\* AMP 48" Battery Pack Extension (Motor to Battery) Part #62207000

## HEADRAIL DIMENSIONS



## FINISHED DIMENSIONS

Dimensions apply to single panel Continuous Loop Control & Cordless Lift	
INSIDE MOUNT (IB)-Standard Deductions	
Headrail unit width	1/4" less than ordered width
Fabric Width - Cord Loop	1-1/8" less than ordered width
Fabric width - (Cordless Lift)	7/8" less than ordered width
Shading height-All	up to 1/4" less than ordered height
OUTSIDE MOUNT (OB)-Standard Deductions	
Headrail unit width	ordered width
Fabric Width - Cord Loop	7/8" less than ordered width
Fabric width - (Cordless Lift)	5/8" less than ordered width
Shading height-All	up to 1/4" less than ordered height
END MOUNT (EB)-Standard Deductions (not available with 2 on 1 applications)	
Headrail unit width	11/16" less than ordered width
Fabric Width - Cord Loop	1-9/16" less than ordered width
Fabric width - (Cordless Lift)	1-5/16" less than ordered width
Shading height-All	up to 1/4" less than ordered height
<b>*Two-on-One Headrail not available with End Mount</b>	

AMP 1.1 Li-Ion (Single Panel and Two-on-One Headrail)	
INSIDE MOUNT (IB) - Standard Deductions	
Headrail unit width	1/4" less than ordered width
Fabric width-Single Panel	1-1/8" less than ordered width
Fabric width-Two-on-One	1-3/8" less than ordered width
Shading height	up to 1/4" less than ordered height
OUTSIDE MOUNT (OB) - Standard Deductions	
Headrail unit width	ordered width
Fabric width-Single Panel	7/8" less than ordered width
Fabric width-Two-on-One	1-1/8" less than ordered width
Shading height	up to 1/4" less than ordered height
END MOUNT (EB) - Standard Deductions	
Headrail unit width	11/16" less than ordered width
Fabric width	1-9/16" less than ordered width
Shading height	up to 1/4" less than ordered height
<b>*Two-on-One Headrail not available with End Mount</b>	

TWO-ON-ONE HEADRAIL	
Continuous Loop Control & Cordless Lift (Inside Mount - IB)	
Headrail unit width	1/4" less than ordered width
Fabric Width - Cord Loop	1-3/8" less than ordered width
Fabric width - (Cordless Lift)	1-1/8" less than ordered width
Gap between fabric panels	3/8"
Continuous Loop Control & Cordless Lift (Outside Mount - OB)	
Headrail unit width	ordered width
Fabric Width - Cord Loop	1-1/8" less than ordered width
Fabric width - (Cordless Lift)	7/8" less than ordered width
<b>*Two-on-One Headrail not available with End Mount</b>	

FABRIC GAP – (from window opening edge to fabric)	
Both Sides - Inside Mount (IB)	7/16"
Both Sides - End Mount (OB)	21/32"

# Sheer Shades

2" Vane Light Filtering TSL5  
2-½" Vane Light Filtering TN8  
3" Vane Light Filtering TSL6 & TSL8

## GROUP 1

Height to:	Width:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	574	646	718	785	857	936	1000	1075	1267	1412	1556	1849	2019
	42"	603	682	757	839	915	997	1075	1155	1345	1510	1667	1979	2163
	48"	640	722	808	890	974	1061	1152	1240	1433	1606	1783	2110	2300
	54"	665	757	847	943	1038	1129	1226	1330	1520	1706	1900	2261	2469
	60"	697	797	893	990	1086	1200	1305	1415	1598	1805	2025	2434	2655
	66"	728	836	940	1044	1155	1271	1388	1507	1685	1921	2157	2605	2845
	72"	757	876	986	1097	1219	1345	1470	1591	1783	2028	2279	2763	3017
	78"	779	901	1021	1148	1274	1402	1530	1667	1861	2129	2390	2906	3171
	84"	815	940	1065	1204	1336	1476	1621	1757	1961	2246	2518	3067	3343
	90"	843	974	1115	1263	1402	1556	1699	1846	2053	2355	2648	3218	3512
	96"	879	1018	1159	1316	1470	1621	1773	1927	2150	2465	2777	3378	3687
	102"	1000	1166	1323	1490	1652	1799	2006	2208	2358	2684	2991	3590	3916
	108"	1055	1222	1388	1569	1736	1897	2110	2326	2482	2824	3149	3778	4126
	114"	1119	1294	1476	1667	1849	2014	2243	2469	2635	2991	3338	4005	4370
	120"	1204	1388	1581	1786	1968	2157	2399	2640	2824	3206	3576	4284	4678

### STANDARD FEATURES

- Light Block Strip on top of headrail for Inside Mounts (see page 7 for details)
- Color Coordinated Headrail
- Snap-in Bracket Style
- Cord Tilt & Lift
- Color-Coordinated Hardware

### OPTIONS: EXTRA CHARGE

- Fabric Covered Headrail ..... add \$37 per shading
- Hardware Color Substitution Surcharge ..... add \$33 per shading
- Cordless Lift Surcharge ..... add \$96 per shading
- Cordless Lift Two-on-One Headrail ..... add \$192 per shading

### OPTIONS: NO CHARGE – SPECIFY ON ORDER

- Tilt Only Shades 6" to 11-7/8" (Continuous Loop Control Only)
- Two-On-One Headrail – price as 2 separate shades (standard)
- Control Positions (R or L)
- Spacer Blocks
- Extension Brackets
- Hold-Down Brackets
- Back Cover for Inside or End Mounts
- Dust Cover for Outside Mounts

#### Notes:

- Hardware Color Substitution is only available when the Fabric-Covered Headrail option is not selected. Please review Collection Information pages for Coordinating Hardware Color.
- When Fabric-Covered Headrail is selected the underlying headrail color will always be white and the end caps will still be color coordinated.
- Fabric-covered headrail is color-coordinated to fabric. If an override is chosen, please choose from a color in the Fabric-Covered Headrail color-coordination chart on page 4.

**For All Control Options** - Maximum ordered width for end mount (EB) Shades is 48".

**Cordless Lift** - 84" maximum height applies to Shades over 24" wide. Maximum height for Shades 18" to 22" wide is 60". Maximum height for Shades 22 1/8" to 24" wide is 72".

**Two-On-One Headrail** - Maximum single panel width is 108". With unequal panels, the smaller panel must be at least one-third the width of the larger. Maximum height limitations apply to each individual panel. Two-On-One Headrail option not available for end mount applications.

# Sheer Shades

3" Vane Light Filtering TSL12, TSL13 & TSL14

## GROUP 2

Height to:	Width:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	630	710	790	867	946	1030	1100	1182	1385	1556	1713	2038	2226
Height to:	42"	665	754	836	922	1012	1097	1182	1271	1484	1660	1835	2172	2372
	48"	700	794	890	974	1072	1169	1271	1362	1572	1763	1957	2322	2537
	54"	731	833	936	1038	1134	1240	1345	1455	1667	1871	2101	2497	2727
	60"	764	876	983	1089	1200	1319	1441	1556	1757	1993	2232	2673	2920
	66"	800	912	1038	1152	1271	1399	1527	1655	1854	2114	2372	2865	3130
	72"	836	961	1083	1204	1341	1484	1613	1749	1957	2235	2504	3077	3357
	78"	857	986	1126	1263	1399	1549	1688	1835	2049	2347	2632	3300	3599
	84"	893	1038	1169	1319	1476	1624	1783	1927	2157	2469	2891	3539	3863
	90"	933	1072	1219	1382	1549	1706	1868	2025	2255	2719	3013	3711	4051
	96"	1065	1219	1382	1553	1709	1861	2049	2232	2507	2827	3139	3897	4253
	102"	1219	1396	1572	1763	1917	2063	2318	2551	2751	3073	3385	4134	4517
	108"	1280	1466	1652	1851	2013	2167	2435	2679	2889	3227	3555	4341	4743
	114"	1345	1539	1734	1944	2113	2276	2556	2813	3034	3388	3733	4558	4981
	120"	1411	1616	1821	2042	2219	2389	2684	2954	3184	3558	3920	4786	5229

### STANDARD FEATURES

- Light Block Strip on top of headrail for Inside Mounts (see page 7 for details)
- Color Coordinated Headrail
- Snap-in Bracket Style
- Cord Tilt & Lift
- Color-Coordinated Hardware

### OPTIONS: EXTRA CHARGE

- Fabric Covered Headrail ..... add \$37 per shading
- Hardware Color Substitution Surcharge ..... add \$33 per shading
- Cordless Lift Surcharge ..... add \$96 per shading
- Cordless Lift Two-on-One Headrail ..... add \$192 per shading

### OPTIONS: NO CHARGE – SPECIFY ON ORDER

- Tilt Only Shades 6" to 11-7/8" (Continuous Loop Control Only)
- Two-On-One Headrail – price as 2 separate shades (standard)
- Control Positions (R or L)
- Spacer Blocks
- Extension Brackets
- Hold-Down Brackets
- Back Cover for Inside or End Mounts
- Dust Cover for Outside Mounts

#### Notes:

- Hardware Color Substitution is only available when the Fabric-Covered Headrail option is not selected. Please review Collection Information pages for Coordinating Hardware Color.
- When Fabric-Covered Headrail is selected the underlying headrail color will always be white and the end caps will still be color coordinated.
- Fabric-covered headrail is color-coordinated to fabric. If an override is chosen, please choose from a color in the Fabric-Covered Headrail color-coordination chart on page 4.

**For All Control Options** - Maximum ordered width for end mount (EB) Shades is 48".

**Cordless Lift** - 84" maximum height applies to Shades over 24" wide. Maximum height for Shades 18" to 22" wide is 60". Maximum height for Shades 22 1/8" to 24" wide is 72".

**Two-On-One Headrail** - Maximum single panel width is 108". With unequal panels, the smaller panel must be at least one-third the width of the larger. Maximum height limitations apply to each individual panel. Two-On-One Headrail option not available for end mount applications.

## Sheer Shades

2" Vane Room Darkening TSL1  
2-½" Vane Room Darkening TN6  
3" Vane Room Darkening TSL2

### GROUP 3

Height to:	Width:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	662	747	830	911	994	1082	1155	1242	1455	1634	1799	2140	2337
	42"	698	792	879	969	1063	1152	1242	1335	1559	1743	1927	2281	2492
	48"	735	834	935	1023	1126	1228	1335	1431	1652	1851	2056	2439	2663
	54"	769	876	983	1090	1191	1302	1412	1528	1751	1965	2206	2623	2864
	60"	803	920	1033	1144	1260	1385	1514	1634	1845	2092	2344	2807	3067
	66"	840	958	1090	1211	1335	1470	1604	1738	1948	2220	2492	3009	3287
	72"	879	1010	1138	1265	1408	1559	1694	1838	2056	2347	2630	3231	3526
	78"	901	1036	1184	1326	1470	1627	1773	1927	2152	2465	2764	3465	3780
	84"	938	1090	1228	1385	1550	1707	1872	2024	2265	2593	3036	3717	4056
	90"	980	1126	1280	1452	1627	1791	1961	2127	2368	2855	3164	3897	4254
	96"	1119	1280	1452	1631	1795	1954	2152	2344	2633	2968	3296	4092	4466
	102"	1280	1466	1652	1851	2013	2167	2435	2679	2889	3227	3555	4341	4743

#### STANDARD FEATURES

- Light Block Strip on top of headrail for Inside Mounts (see page 7 for details)
- Color Coordinated Headrail
- Snap-in Bracket Style
- Cord Tilt & Lift
- Color-Coordinated Hardware

#### OPTIONS: EXTRA CHARGE

- Fabric Covered Headrail . . . . . **add \$37 per shading**
- Hardware Color Substitution Surcharge . . . . . **add \$33 per shading**
- Cordless Lift Surcharge . . . . . **add \$96 per shading**
- Cordless Lift Two-on-One Headrail . . . . . **add \$192 per shading**

#### OPTIONS: NO CHARGE – SPECIFY ON ORDER

- Tilt Only Shades 6" to 11-7/8" (Continuous Loop Control Only)
- Two-On-One Headrail – price as 2 separate shades (standard)
- Control Positions (R or L)
- Spacer Blocks
- Extension Brackets
- Hold-Down Brackets
- Back Cover for Inside or End Mounts
- Dust Cover for Outside Mounts

#### Notes:

- Hardware Color Substitution is only available when the Fabric-Covered Headrail option is not selected. Please review Collection Information pages for Coordinating Hardware Color.
- When Fabric-Covered Headrail is selected the underlying headrail color will always be white and the end caps will still be color coordinated.
- Fabric-covered headrail is color-coordinated to fabric. If an override is chosen, please choose from a color in the Fabric-Covered Headrail color-coordination chart on page 4.

**For All Control Options** - Maximum ordered width for end mount (EB) Shades is 48".

**Cordless Lift** - 84" maximum height applies to Shades over 24" wide. Maximum height for Shades 18" to 22" wide is 60". Maximum height for Shades 22 1/8" to 24" wide is 72".

**Two-On-One Headrail** - Maximum single panel width is 108". With unequal panels, the smaller panel must be at least one-third the width of the larger. Maximum height limitations apply to each individual panel. Two-On-One Headrail option not available for end mount applications.

# Sheer Shades

3" Vane Room Darkening TSL15, TSL16 & TSL17

## GROUP 4

Height to:	Width:	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
	36"	762	859	955	1047	1143	1244	1329	1428	1673	1879	2070	2462	2687
	42"	803	911	1011	1115	1222	1325	1428	1536	1793	2004	2216	2623	2865
	48"	846	959	1075	1177	1295	1412	1536	1645	1899	2129	2365	2805	3063
	54"	884	1007	1130	1253	1370	1498	1624	1757	2014	2259	2537	3016	3294
	60"	924	1059	1188	1316	1450	1593	1741	1879	2122	2407	2696	3228	3527
	66"	966	1101	1253	1393	1536	1690	1844	1999	2240	2553	2865	3460	3780
	72"	1011	1162	1308	1454	1619	1793	1948	2113	2365	2700	3024	3716	4055
	78"	1036	1191	1361	1525	1690	1871	2039	2216	2474	2835	3179	3985	4347
	84"	1078	1253	1412	1593	1783	1962	2153	2328	2605	2982	3491	4274	4664
	90"	1126	1295	1473	1669	1871	2059	2256	2446	2724	3283	3638	4481	4892
	96"	1286	1473	1669	1875	2064	2247	2474	2696	3028	3413	3790	4706	5136
	102"	1473	1687	1899	2129	2315	2493	2800	3080	3323	3711	4088	4992	5455

### STANDARD FEATURES

- Light Block Strip on top of headrail for Inside Mounts (see page 7 for details)
- Color Coordinated Headrail
- Snap-in Bracket Style
- Cord Tilt & Lift
- Color-Coordinated Hardware

### OPTIONS: EXTRA CHARGE

- Fabric Covered Headrail ..... add \$37 per shading
- Hardware Color Substitution Surcharge ..... add \$33 per shading
- Cordless Lift Surcharge ..... add \$96 per shading
- Cordless Lift Two-on-One Headrail ..... add \$192 per shading

### OPTIONS: NO CHARGE – SPECIFY ON ORDER

- Tilt Only Shades 6" to 11-7/8" (Continuous Loop Control Only)
- Two-On-One Headrail – price as 2 separate shades (standard)
- Control Positions (R or L)
- Spacer Blocks
- Extension Brackets
- Hold-Down Brackets
- Back Cover for Inside or End Mounts
- Dust Cover for Outside Mounts

#### Notes:

- Hardware Color Substitution is only available when the Fabric-Covered Headrail option is not selected. Please review Collection Information pages for Coordinating Hardware Color.
- When Fabric-Covered Headrail is selected the underlying headrail color will always be white and the end caps will still be color coordinated.
- Fabric-covered headrail is color-coordinated to fabric. If an override is chosen, please choose from a color in the Fabric-Covered Headrail color-coordination chart on page 4.

**For All Control Options** - Maximum ordered width for end mount (EB) Shades is 48".

**Cordless Lift** - 84" maximum height applies to Shades over 24" wide. Maximum height for Shades 18" to 22" wide is 60". Maximum height for Shades 22 1/8" to 24" wide is 72".

**Two-On-One Headrail** - Maximum single panel width is 108". With unequal panels, the smaller panel must be at least one-third the width of the larger. Maximum height limitations apply to each individual panel. Two-On-One Headrail option not available for end mount applications.

## CONTINUOUS LOOP CONTROL OPERATION

### STANDARD SHADING OPERATION

Shades are operated using a continuous loop control. As shown in the illustration below, from the fully raised position [1] pulling down on the rear half of the cord loop lowers the shading [2, 3]. After it is fully lowered, continuing to pull down on the cord pivots the bottomrail and opens the fabric vanes [4]. When the vanes are fully open [5], limit stops in the headrail prevent further movement in that direction.

With the fabric vanes fully open, pulling down on the front half of the cord loop first closes the vanes [6, 7] and then raises the sheer shading [8]. When it is fully raised [1], limit stops again halt shading movement, preventing the bottomrail from being retracted too far into the headrail.


### Light Control

With the shading in the fully lowered position, the continuous loop control is used to adjust the fabric vanes from open to closed, and anywhere in between. Light control is at your customer's fingertips. (Note: The degree of maximum vane closure varies slightly from the top to the bottom of the shading.)

### Vane Opening


Vane opening is the amount of unobstructed visibility between fully open vanes when looking through the shading at eye level. Vane opening for Shades is 1" to 1-1/2" depending on vane size and opacity.

- 2" Light Dimming = 1"
- 2" and 2-1/2" Translucent, 2-1/2" Light Dimming = 1-1/4"
- 3" Translucent and Light Dimming = 1-1/2"



### Vane Closure

When the vanes of a sheer shading are closed, they overlap each other, blocking the view. However, the vanes do not contact each other along the full length of the shading – they do not form a perfect seal against light leakage. This is most visible toward the bottom of the shading.



Vane closure is measured as the distance between the front and rear fabric facings 6" up from the lowest point of the bottomrail, with the shading fully lowered and the vanes closed, as illustrated here. Vane closure for all fabrics is 1".


**Note:** The degree of maximum vane closure varies slightly from top to bottom of the shading.

- Over-rotation can occur when the shading is completely lowered and vanes are opened. The bottom rail turns up to the inside of the opening when the vanes are in the horizontal position.

**Note:** Over-rotation is an inherent characteristic of Sheer Shades. The amount of over-rotation may vary from shade to shade.

### PLEASE NOTE:

- Cord tensioner **MUST** be mounted to window casement or wall in order for the shade to operate.
- As with all textiles, Sheer Shading fabrics are subject to some variations. Slight wrinkles, puckering or bowing is inherent to textile products and should be considered normal, acceptable quality.




## OPERATION

### CORDLESS LIFT

Raise, lower and tilt Shades with cordless lift. A great choice for homes with children and pets, the lift, lower and tilt mechanism are all controlled by the clear handle attached to the bottom rail. This cordless system works by simply pushing up with your hand to raise the shading and pulling down to lower it. The Shades stay right where you put them.

- Slowly and steadily pull down on the bottom rail handle to lower the shading.
- With your thumb on the front of the handle and fingers on the back, gently pull the back of handle down and away from the shading to open the vanes.
- Use the handle to tilt the vanes to the desired open/closed position.
- Push down on the front of the handle to close the vanes.
- Slowly and steadily push up on the handle to raise the shading.





# AMP™ MOTORIZED SHADE SPECIFICATIONS



## MOTORIZED LIFT SYSTEM OPTIONS

### Features:

- Wire-free rechargeable Li-ion tubular motor
- 500 cycles per charge; 500 recharges per motor
- Variable speed control
- Shades can be controlled via Remote or AMP™ App using USB Bridge
- AMP™ USB Bridge allows bi-directional communication with shade position reporting & battery level status

### Surcharges:

Motor & Parts .....	\$772
Remote Control .....	\$177
Bridge .....	\$515
Charging Cable .....	\$177

#### AMP™ Remote



- Up to 15 channels remote with 3V (CRV2450) battery
- Magnetic holder included
- Channel 0 controls all shades assigned to remote
- Ability to hide extra channels
- Favorite position activated by quick touch of a button
- Locking feature prevents unwanted configuration changes

#### AMP™ Charging Cable




- 5V/2A charger for DC battery motors
- Fully charges in approximately 4-6 hours
- Has LED indicator
- USB wire cable included

#### AMP™ Bridge



- USB Bridge enable App control from iOS and Android devices
- Radio frequency 433Mhz with 2.4 Ghz Wifi built-in
- Bi-directional RF communication allows shade position and battery level status to be seen on the APP
- Integrated with Amazon Alexa, Google Assistant, Apple Shortcuts, and IFTTT

#### AMP™ APP



- iOS / Android compatible
- Voice control - Google Home / Amazon Alexa / Siri integrated
- Rooms / Scenes / Timer features
- Live feedback

---

## TERMS OF SALE & FREIGHT / REPAIR CHARGES

---

### PRICE QUOTATION

All Avalon Sheer Shades Collection products are priced FOB Laredo, TX and do not include freight.

All prices subject to change without notice.

### CANCELLATION OR CHANGE ORDER

IMPORTANT! Due to the custom nature of our products, we cannot accept changes or cancellations after orders have been put into production.

### LEAD TIME

Typically, orders (less than 15 units) are manufactured and shipped within 5 business days. All orders are subject to inventory availability. Orders placed after 3:30 p.m. EST are considered as next day business.

### ORDER TRACKING & ORDER STATUS

Order confirmations are sent via email within 24 hours of placing order. Please make sure you have your email on file with TEXTON. To track your order or check the status of your order, please contact customer service and provide them with the work order number.

### STANDARD SHIPPING & HANDLING, DELIVERY & FREIGHT POLICIES

\$8.00 for each blind

\$25.00 minimum charge per shipment

Oversize (90" and above) \$50 each blind, \$80 Minimum

For express shipment, shipment to Alaska, Hawaii and foreign countries, freight will be quoted separately. Freight collect orders and using a preferred carrier is optional.

Next Day, 2nd Day Air and 3 Day select shipping options are available - actual freight will be applied.

### FREIGHT DAMAGE & SHORTAGES

Please inspect all shipments immediately and carefully. Please report damages and shortages on the delivery receipt and notify TEXTON customer service within 48 hours. No freight damage claim will be accepted after 30 days from shipping.

### OVERSIZE COMMON CARRIER DELIVERY

All orders with any quantity of shades or blinds or any continuous valance 90" or more in width are considered oversize. Therefore, a net shipping charge per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

## LIMITED PRODUCT WARRANTY

TEXTON Inc ("we" or "TEXTON") warrant to its direct fabricator/ retailer customer that TEXTON finished blinds and shades will be free from defects in materials and workmanship for a period of 10 years from the date of purchase (or such shorter period as is provided below), provided such products were properly installed and maintained as per our installation instructions and not modified in any way. We will repair or replace, at our option, a defective product after it is returned to TEXTON. Such repair or replacement shall be the customer's sole remedy.

Natural materials, especially wood, can have a tendency to warp when exposed to the elements. This is considered normal wear and tear and is not covered by this warranty.

Repairs and replacements will be made with like or similar parts or products. We will do our best to match the repair or replacement with similar parts or products, but colors may vary and we cannot guarantee an exact match from previous purchases or to other non-defective existing products, even if they are in or near the same opening. If the product, part/component, or operating system has been discontinued, we will repair or replace only the defective product with the most similar alternative available at the time of repair or replacement.

### WHAT IS COVERED

- This warranty covers our products for defects in materials, mechanisms, workmanship, and failure to operate for a period of 10 years from the date of original purchase (unless shorter periods are provided in the chart below)
- All internal mechanisms, components, and brackets
- Fabric delamination
- TEXTON will provide a return shipping label for products less than 12 months old.

Product/ Components	Period of Coverage (from date of purchase)
All operational cords, ladders and tapes	7 Years
Motorization components and accessories* (batteries not included)	5 Years
Specialty Shades	1 Year

\*All motorization components must be purchased from TEXTON to be covered by our warranty.

### WHAT IS NOT COVERED

- Any conditions caused by normal wear and tear on the product.
- Abuse, accidents, misuse, or alterations to the product.
- Exposure to the elements (e.g., sunlight, salt air, wind, water/moisture, high humidity, or corrosive materials) which may cause discoloration, fading, cracking, shrinking, stretching, or warping over time.
- Failure to follow our instructions with respect to measurement, proper installation, cleaning, operation of the product, or maintenance.
- Labor costs associated with removal and reinstallation.
- Shipments will be at the purchaser's expense for all products more than 12 months old.

### To Obtain Warranty Service:

- Contact TEXTON customer service.
- Contact TEXTON at [sales@TEXTON.com](mailto:sales@TEXTON.com) for technical support, availability of parts, for assistance in obtaining warranty service, or for further explanation of our warranty.

NOTE: This limited warranty extends only to TEXTON direct fabricator/retailer customer and not to the consumer purchases of the product. EXCEPT AS EXPRESSLY PROVIDED IN THIS PARAGRAPH, TEXTON MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND, NATURE OR DESCRIPTION, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS OF ANY PRODUCTS FOR ANY PARTICULAR PURPOSE, AND HEREBY DISCLAIMS THE SAME. In no event shall TEXTON be liable or responsible for INCIDENTAL OR CONSEQUENTIAL DAMAGES or for any other direct or indirect damage, loss, cost, expense or fee. Some states do not allow the exclusion of limitation of incidental or consequential damages, so this exclusion or limitation may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from State to State. This warranty is limited to blinds, shades, and shutters installed in residential dwellings but, again, extends only to TEXTON's direct fabricator/retailer customer and not to the consumer purchaser.

Different warranty periods and terms apply for commercial products and applications.

Effective 1/1/23